


## Annex B. LTE Peak to Average Ratio

## 1. LTE\_Band26


**1.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	5.31	13	Pass




**1.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	4.49	13	Pass




**1.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	4.38	13	Pass




**1.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	4.44	13	Pass




**1.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	4.25	13	Pass




**1.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	4.14	13	Pass




**1.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	4.19	13	Pass




**1.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	6.16	13	Pass




**1.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	5.32	13	Pass




**1.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	5.23	13	Pass




**1.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	5.41	13	Pass




**1.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	5.13	13	Pass




**1.13. LTE Peak to Average Ratio(NTNV)(Subtest:13, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	5.03	13	Pass




**1.14. LTE Peak to Average Ratio(NTNV)(Subtest:14, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
824.7	0.1	5.05	13	Pass




**1.15. LTE Peak to Average Ratio(NTNV)(Subtest:15, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	5.29	13	Pass




**1.16. LTE Peak to Average Ratio(NTNV)(Subtest:16, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	4.46	13	Pass




**1.17. LTE Peak to Average Ratio(NTNV)(Subtest:17, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	4.25	13	Pass




**1.18. LTE Peak to Average Ratio(NTNV)(Subtest:18, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	4.29	13	Pass




**1.19. LTE Peak to Average Ratio(NTNV)(Subtest:19, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	4.32	13	Pass




**1.20. LTE Peak to Average Ratio(NTNV)(Subtest:20, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	4.08	13	Pass




**1.21. LTE Peak to Average Ratio(NTNV)(Subtest:21, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	4.14	13	Pass




**1.22. LTE Peak to Average Ratio(NTNV)(Subtest:22, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	6.14	13	Pass




**1.23. LTE Peak to Average Ratio(NTNV)(Subtest:23, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	5.3	13	Pass




**1.24. LTE Peak to Average Ratio(NTNV)(Subtest:24, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	5.14	13	Pass




**1.25. LTE Peak to Average Ratio(NTNV)(Subtest:25, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 3, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	5.17	13	Pass




**1.26. LTE Peak to Average Ratio(NTNV)(Subtest:26, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	5.14	13	Pass




**1.27. LTE Peak to Average Ratio(NTNV)(Subtest:27, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	5.2	13	Pass




**1.28. LTE Peak to Average Ratio(NTNV)(Subtest:28, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
848.3	0.1	5.23	13	Pass




**1.29. LTE Peak to Average Ratio(NTNV)(Subtest:29, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	5.24	13	Pass




**1.30. LTE Peak to Average Ratio(NTNV)(Subtest:30, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	5.09	13	Pass




**1.31. LTE Peak to Average Ratio(NTNV)(Subtest:31, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	5.05	13	Pass




**1.32. LTE Peak to Average Ratio(NTNV)(Subtest:32, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	5.08	13	Pass




**1.33. LTE Peak to Average Ratio(NTNV)(Subtest:33, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	4.15	13	Pass




**1.34. LTE Peak to Average Ratio(NTNV)(Subtest:34, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	3.88	13	Pass




**1.35. LTE Peak to Average Ratio(NTNV)(Subtest:35, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	4.16	13	Pass




**1.36. LTE Peak to Average Ratio(NTNV)(Subtest:36, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	6.19	13	Pass




**1.37. LTE Peak to Average Ratio(NTNV)(Subtest:37, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 8, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	5.9	13	Pass




**1.38. LTE Peak to Average Ratio(NTNV)(Subtest:38, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 8, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	5.97	13	Pass




**1.39. LTE Peak to Average Ratio(NTNV)(Subtest:39, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 8, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	5.98	13	Pass




**1.40. LTE Peak to Average Ratio(NTNV)(Subtest:40, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	5.03	13	Pass




**1.41. LTE Peak to Average Ratio(NTNV)(Subtest:41, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	4.75	13	Pass




**1.42. LTE Peak to Average Ratio(NTNV)(Subtest:42, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
825.5	0.1	4.84	13	Pass




**1.43. LTE Peak to Average Ratio(NTNV)(Subtest:43, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	5.35	13	Pass




**1.44. LTE Peak to Average Ratio(NTNV)(Subtest:44, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	5.13	13	Pass




**1.45. LTE Peak to Average Ratio(NTNV)(Subtest:45, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	5.07	13	Pass




**1.46. LTE Peak to Average Ratio(NTNV)(Subtest:46, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	5.09	13	Pass




**1.47. LTE Peak to Average Ratio(NTNV)(Subtest:47, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	4.3	13	Pass




**1.48. LTE Peak to Average Ratio(NTNV)(Subtest:48, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	4.14	13	Pass




**1.49. LTE Peak to Average Ratio(NTNV)(Subtest:49, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	4.11	13	Pass




**1.50. LTE Peak to Average Ratio(NTNV)(Subtest:50, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	6.18	13	Pass




**1.51. LTE Peak to Average Ratio(NTNV)(Subtest:51, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 8, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	6.09	13	Pass




**1.52. LTE Peak to Average Ratio(NTNV)(Subtest:52, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 8, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	6.02	13	Pass




**1.53. LTE Peak to Average Ratio(NTNV)(Subtest:53, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 8, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	6.07	13	Pass




**1.54. LTE Peak to Average Ratio(NTNV)(Subtest:54, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	5.13	13	Pass




**1.55. LTE Peak to Average Ratio(NTNV)(Subtest:55, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	5.04	13	Pass




**1.56. LTE Peak to Average Ratio(NTNV)(Subtest:56, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
847.5	0.1	5.03	13	Pass




**1.57. LTE Peak to Average Ratio(NTNV)(Subtest:57, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	5.22	13	Pass




**1.58. LTE Peak to Average Ratio(NTNV)(Subtest:58, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	5.01	13	Pass




**1.59. LTE Peak to Average Ratio(NTNV)(Subtest:59, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	4.96	13	Pass




**1.60. LTE Peak to Average Ratio(NTNV)(Subtest:60, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	5	13	Pass




**1.61. LTE Peak to Average Ratio(NTNV)(Subtest:61, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	4.15	13	Pass




**1.62. LTE Peak to Average Ratio(NTNV)(Subtest:62, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	4.05	13	Pass




**1.63. LTE Peak to Average Ratio(NTNV)(Subtest:63, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	4.21	13	Pass




**1.64. LTE Peak to Average Ratio(NTNV)(Subtest:64, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	6.05	13	Pass




**1.65. LTE Peak to Average Ratio(NTNV)(Subtest:65, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	5.93	13	Pass




**1.66. LTE Peak to Average Ratio(NTNV)(Subtest:66, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	5.89	13	Pass



**1.67. LTE Peak to Average Ratio(NTNV)(Subtest:67, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:HIGH)**


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	5.9	13	Pass



The screenshot displays the Keysight Spectrum Analyzer software interface for a Power Stat CCDF analysis. Key parameters shown in the top header include Center Freq: 826.500000 MHz, Radio Std: None, Trig: Free Run, Counts: 1.00 M/1.00 Mpt, #IFGain:Low, and #Atten: 40 dB. The main plot area shows a Gaussian distribution of power on a logarithmic scale from 0.0001% to 100% probability. The x-axis represents power in dB from 0 dB to 20 dB, and the y-axis represents probability percentage. A vertical yellow line marks the peak power of 21.04 dBm. The plot title is "Gaussian". The left panel provides detailed statistics: 10.0% at 2.99 dB, 1.0% at 5.24 dB, 0.1% at 5.90 dB, 0.01% at 6.05 dB, 0.001% at 6.10 dB, 0.0001% at 6.11 dB, Peak at 6.11 dB, and 27.15 dBm. The right panel shows frequency-related controls: Center Freq (826.500000 MHz), CF Step (5.000000 MHz), Auto/Man, and Freq Offset (0 Hz). The bottom status bar indicates MSG and STATUS.


**1.68. LTE Peak to Average Ratio(NTNV)(Subtest:68, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	5.3	13	Pass




**1.69. LTE Peak to Average Ratio(NTNV)(Subtest:69, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	5.09	13	Pass




**1.70. LTE Peak to Average Ratio(NTNV)(Subtest:70, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
826.5	0.1	5.26	13	Pass




**1.71. LTE Peak to Average Ratio(NTNV)(Subtest:71, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	5.28	13	Pass




**1.72. LTE Peak to Average Ratio(NTNV)(Subtest:72, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	5.03	13	Pass




**1.73. LTE Peak to Average Ratio(NTNV)(Subtest:73, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	5.08	13	Pass




**1.74. LTE Peak to Average Ratio(NTNV)(Subtest:74, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	5.06	13	Pass




**1.75. LTE Peak to Average Ratio(NTNV)(Subtest:75, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	4.17	13	Pass




**1.76. LTE Peak to Average Ratio(NTNV)(Subtest:76, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	4.23	13	Pass




**1.77. LTE Peak to Average Ratio(NTNV)(Subtest:77, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	4.2	13	Pass




**1.78. LTE Peak to Average Ratio(NTNV)(Subtest:78, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	6.21	13	Pass




**1.79. LTE Peak to Average Ratio(NTNV)(Subtest:79, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	5.99	13	Pass




**1.80. LTE Peak to Average Ratio(NTNV)(Subtest:80, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	6.02	13	Pass



**1.81. LTE Peak to Average Ratio(NTNV)(Subtest:81, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 12, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	6.03	13	Pass



**1.82. LTE Peak to Average Ratio(NTNV)(Subtest:82, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	5.17	13	Pass

