







ISO/IEC17025 Accredited Lab.

Report No.: FCC1404236-03 File reference No.: 2014-05-10

Applicant: ValueChain LLC

Product: Tablet PC

Model No.: VP111, VP112, A700, A729, A761, M7011, M7012, M7015, M7016,

M7018, M7019, M7028, M7030, M7801, M7806, M7808, A806, M8016, M8018, A960, M9006, M9008, M9701, M9705, M9708,

M970X, M1006, M1025, M101X, M116X, M133X

Trademark: N/A

Test Standards: FCC Part 15 Subpart B: 2012

Test result: It is herewith confirmed and found to comply with the requirements

set up by ANSI C63.4&FCC Part 15 regulations for the evaluation of

electromagnetic compatibility

Approved By

Jack Chung

Jack Chung

Manager

Dated: May 10, 2014

Results appearing herein relate only to the sample tested

The technical reports is issued errors and omissions exempt and is subject to withdrawal at

SHENZHEN TIMEWAY TECHNOLOGY CONSULTING CO., LTD

East 5/Block 4, Anhua Industrial Zone, No.8, Tairan Rd. Chegongmiao, FuTian District, Shenzhen, CHINA.

Tel (+86 755)8344 8688 Fax (+86 755)8344 2996 Email:info@timewaytech.com

Report No: FCC1404236-03 Page 2 of 26

Date: 2014-05-10



Special Statement:

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAS. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

CNAS-LAB Code: L2292

The EMC Laboratory has been assessed and in compliance with CNAS-CL01 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2005 General Requirements) for the Competence of testing Laboratories.

FCC-Registration No.: 899988

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 899988.

IC- Registration No.: IC5205A-02

The EMC Laboratory has been registered and fully described in a report filed with the (IC) Industry Canada. The acceptance letter from the IC is maintained in our files. Registration IC No.: 5205A-02.

Page 3 of 26

Report No: FCC1404236-03

Date: 2014-05-10



Test Report Conclusion

Content

1.0	General Details	4
1.1	Test Lab Details	4
1.2	Applicant Details	4
1.3	Description of EUT	4
1.4	Test Uncertainty.	4
1.5	Submitted Sample	4
1.6	Test Duration.	4
2.0	List of Measurement Equipment.	5
2.1	Conducted Emission Test.	5
2.2	Radiated electromagnetic disturbance test.	5
2.3	Auxiliary Equipment	5
3.0	Technical Details.	6
3.1	Investigations Requested.	6
3.2	Test Standards.	6
4.0	Power line Conducted Emission Test.	7
5.0	Radiated Disturbance Test.	11
6.0	FCC ID Label	18
7.0	Photo of testing	10

Date: 2014-05-10



1.0 General Details

1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TECHNOLOGY CONSULTING CO., LTD

Address: East 5/Block 4, Anhua Industrial Zone, No.8, Tairan Rd. CheGongMiao,

FuTian District, Shenzhen, CHINA.

Telephone: (755) 83448688 Fax: (755) 83442996

1.2 Applicant Details

Applicant: ValueChain LLC

Address: 14110 Rock Dove Ln, Houston, TX 77044, USA

Telephone: -Fax: --

1.3 Description of EUT

Product: Tablet PC

Manufacturer: Shenzhen BoHair Technology Co., Ltd.

Address: 6/F, Building B, Dadan Technical Park, Jihua Rd., Buji Town, Longgang

Dist, Shenzhen, China

Brand Name: N/A Model Number: VP111

Additional Model Number: VP112, A700, A729, A761, M7011, M7012, M7015, M7016, M7018, M7019, M7028, M7030, M7801, M7806, M7808, A806, M8016, M8018, A960, M9006, M9008,

M9701, M9705, M9708, M970X, M1006, M1025, M101X, M116X, M133X

Power Adapter: LJS-186 Input: 100-240V AC, 50/60Hz, 0.3A; Output: 5V, DC2A

1.4 Submitted Sample: 2 Sample

1.5 Test Duration: 2014-04-26 to 2014-05-09

1.6 Test Uncertainty

Conducted Emissions Uncertainty = 3.6dB Radiated Emissions Uncertainty = 4.7dB

1.7 Test Engineer

The sample tested by

leng lang

Print Name: Terry Tong

Date: 2014-05-10



2.0 List of Measurement Equipment

2.1 **Conducted Emission Test**

				Calibration	Calibration
Name	Model No.	Serial No.	Manufacturer	Date	Cycle
EMI Test Receiver	ESH3	860905/006	RS	2013-08-23	1Year
Spectrum Analyzer	ESA-L1500A	US37451154	HP	2013-08-23	1Year
PULSE LIMITER	ESH3-Z2	100281	RS	2013-08-24	1Year
LISN	ESH3-Z5	100294	RS	2013-08-23	1Year
LISN	ESH3-Z5	100253	RS	2013-08-23	1Year
LISN	LS16C	10010947251	AFJ	2013-08-23	1Year
LISN (Three Phase)	NSLK 8126	8126453	Schwarebeck	2013-08-23	1Year

2.2 Radiated electromagnetic disturbance test

				Calibration	Calibration
Name	Model No.	Serial No.	Manufacturer	Date	Cycle
EMI Test Receiver	ESVD	100008	RS	2013-08-23	1Year
Coaxial Switch	MP59B	M70585	ANRITSU	N/A	N/A
Spectrum Analyzer	8595E	3441A00893	НР	2013-08-23	1Year
Amplifier	8447D	2727A05017	HP	2013-08-23	1Year
Bilog Antenna	VULB9163	9163/340	Schwarebeck	2013-08-24	1Year
Horn Antenna	BBHA 9120D	9120D-631	Schwarebeck	2013-08-24	1Year

2.3 Auxiliary Equipment

					FCC DOC/
Name	Model No.	Serial No.	Manufacturer	Cable	ID
				Data cable of	
Monitor	P2450		SAMSUNG	0.8m length	FCC DOC
U-disk	U208		Netac		FCC DOC
SD			Kingston		FCC DOC
PC	R400		IBM		FCC DOC
Mouse	M-F105		L.SEletron		FCC DOC
Passive Earphone					FCC VOC

Report No: FCC1404236-03 Page 6 of 26

Date: 2014-05-10



3.0 Technical Details

3.1 Investigations Requested

Perform Electromagnetic Interference [EMI] tests for FCC Requirement.

3.2 Test Standards


FCC Part 15 Subpart B: 2012

Date: 2014-05-10



4.0 Conducted Power line Test

4.1 Schematics of the test




EUT: Equipment Under Test

4.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.4-2003. The Frequency spectrum From 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.4 –2003. Cables and peripherals were moved to find the maximum emission levels for each frequency.

Actual Working Voltage and Frequency: 120V~, 60Hz

Block diagram of Test setup



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Report No: FCC1404236-03 Page 8 of 26

Date: 2014-05-10



4.3 Power line conducted Emission Limit

Fraguanay(MHz)	Class A Li	mits dB(μV)	Class B Limits dB(µV)		
Frequency(MHz)	Quasi-peak Level	Average Level	Quasi-peak Level	Average Level	
$0.15 \sim 0.50$	79.00	66.00	66.00~56.00*	56.00~46.00*	
$0.50 \sim 5.00$	73.00	60.00	56.00	46.00	
5.00 ~ 30.00	73.00	60.00	60.00	50.00	

Notes: 1. *decreasing linearly with logarithm of frequency.

2. The tighter limit shall apply at the transition frequencies

4.4 Test Results

The frequency spectrum from 0.15MHz to 30MHz was investigated. All reading are quasi-peak values with a resolution bandwidth of 9kHz.

Date: 2014-05-10



A: Conducted Emission on Live Terminal (150kHz to 30MHz)

EUT Operating Environment

Temperature: 26°C Humidity: 65%RH Atmospheric Pressure: 101 KPa

EUT set Condition: Communication with PC

Equipment Level: Class B

Results: PASS

Please refer to following diagram for individual



No. Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
	MHz	dBuV	dB	dBu∀	dBuV	dB	Detector	Comment
1	0.1587	40.30	11.01	51.31	65.53	-14.22	QP	
2	0.1587	1.50	11.01	12.51	55.53	-43.02	AVG	
3 *	0.1710	42.60	11.02	53.62	64.91	-11.29	QP	
4	0.1710	13.20	11.02	24.22	54.91	-30.69	AVG	
5	0.4767	27.50	11.35	38.85	56.40	-17.55	QP	
6	0.4767	3.20	11.35	14.55	46.40	-31.85	AVG	

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2014-05-10



B: Conducted Emission on Neutral Terminal (150kHz to 30MHz)

EUT Operating Environment


Temperature: 26°C Humidity: 65%RH Atmospheric Pressure: 101 KPa

EUT set Condition: Communication with PC

Equipment Level: Class B

Results: Pass

Please refer to following diagram for individual



No. Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
	MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1 *	0.1740	48.20	11.03	59.23	64.77	-5.54	QP	
2	0.1740	14.20	11.03	25.23	54.77	-29.54	AVG	
3	0.2030	30.50	11.06	41.56	63.49	-21.93	QP	
4	0.2030	-5.60	11.06	5.46	53.49	-48.03	AVG	
5	0.2173	39.20	11.07	50.27	62.92	-12.65	QP	
6	0.2173	3.60	11.07	14.67	52.92	-38.25	AVG	
7	0.2420	36.60	11.10	47.70	62.03	-14.33	QP	
8	0.2420	2.20	11.10	13.30	52.03	-38.73	AVG	
9	0.4166	30.70	11.28	41.98	57.52	-15.54	QP	
10	0.4166	2.20	11.28	13.48	47.52	-34.04	AVG	
11	0.4844	30.50	11.35	41.85	56.26	-14.41	QP	
12	0.4844	3.40	11.35	14.75	46.26	-31.51	AVG	

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 11 of 26


Report No: FCC1404236-03

Date: 2014-05-10



5.0 Radiated Disturbance Test

5.1 Schematics of the test




5.2 Test Method and test Procedure:

The EUT was tested according to ANSI C63.4 –2003, The frequency spectrum from 30MHz to 18GHz was investigated. All reading from 30MHz to 1GHz are quasi-peak values with a resolution bandwidth of 120kHz. For measurement above 1GHz, peak values with RBW=1MHz and PK detector. AV value with RBW=1MHz, VBW=10Hz and PK


Actual Working Voltage and Frequency: 120V~, 60Hz

Block diagram of Test setup



Date: 2014-05-10





5.3 Radiated Emission Limit

Frequency Range (MHz)	Distance (m)	Field strength (dB μ V/m)
30-88	3	40.00
88-216	3	43.50
216-960	3	46.00
Above 960	3	54.00

Note: 1. The lower limit shall apply at the transition frequencies

2. This is a handhold device. The radiated emissions should be tested under 3-axes position (Lying, Side, and Stand), After pre-test. It was found that the worse radiated emission was get at the lying position.

5.4 Test result

The frequency spectrum from 30MHz to 18GHz was investigated. All reading from 30MHz to 1GHz are quasi-peak values with a resolution bandwidth of 120KHz. For measurement above 1GHz, peak values with RBW=VBW=1MHz and PK detector. AV value with RBW=1MHz, VBW=10Hz and PK. Measurements were made at 3 meters.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 13 of 26

Report No: FCC1404236-03

Date: 2014-05-10



Test result

General Radiated Emission Data and Harmonics Radiated Emission Data

Radiated Emission In Horizontal/ In Vertical (30MHz----1000MHz)

EUT set Condition: Communication with PC

Results: Pass

Frequency (MHz)	Level@3m (dB \u03b4 V/m)	Antenna Polarity	Limit@3m (dB \mu V/m)
37.600	26.07	Н	40.00
184.720	27.59	Н	43.50
144.000	26.99	Н	43.50
32.200	28.93	V	40.00
336.000	31.06	V	46.00
151.600	24.43	V	43.50


Page 14 of 26

Report No: FCC1404236-03

Date: 2014-05-10



Test Figure:



Date: 28.APR.2014 16:29:20


Page 15 of 26

Report No: FCC1404236-03

Date: 2014-05-10



Test Figure:



Date: 28.APR.2014 16:30:01

Date: 2014-05-10



Radiated Disturbance (1000MHz----18000MHz)

EUT Operating Environment


Temperature: 25°C Humidity: 75%RH Atmospheric Pressure: 101 KPa

EUT set Condition: Communication with PC

Equipment Level: Class B

Results: Pass

Please refer to following diagram for individual



Frequency (MHz)	Level@3m (dBµV/m)	Antenna Polarity	Limit@3m (dBµV/m)
		Н	54(AV)
	-	Н	54(AV)

Note: Due to the PK final radiated level less than the AV limit, so necessary take down the AV final radiated level

Date: 2014-05-10



Radiated Disturbance (1000MHz----18000MHz)

EUT Operating Environment


Temperature:25°C Humidity: 75%RH Atmospheric Pressure: 101 KPa

EUT set Condition: Communication with PC

Equipment Level: Class B

Results: Pass

Please refer to following diagram for individual



Frequency (MHz)	Level@3m (dBμV/m)	Antenna Polarity	Limit@3m (dBµV/m)
	-	V	54(AV)
		V	54(AV)
		V	54(AV)

Note: Due to the final radiated level much less than the limit, so necessary take down final radiated level

Page 18 of 26

Report No: FCC1404236-03

Date: 2014-05-10



6.0 FCC ID Label

FCC ID: 2ACA3-SZBCF888

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

Mark Location:



Page 19 of 26

Report No: FCC1404236-03

Date: 2014-05-10



7.0 Photo of testing

Conducted test View--7.1



Date: 2014-05-10



7.2 Radiated emission test view--





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2014-05-10



Photo for the EUT

Photo for the EUT





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2014-05-10



Photos of EUT






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2014-05-10



Photos of EUT





The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2014-05-10



Photos of EUT





The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2014-05-10



Photos of EUT





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


Page 26 of 26

Report No: FCC1404236-03

Date: 2014-05-10



Photos of EUT



-End of the report-