Report No.: ZR/2018/9003201

Page: 1 of 29

Appendix B

E-UTRA BAND 17

Report No.: ZR/2018/9003201 Page: 2 of 29

CONTENT

1.	EFFE	CTIVE (ISOTROPIC) RADIATED POWER	3
	1.1.	Test Result	3
2.	PEAK	c-to-Average Ratio(CCDF)	6
	2.1.	Test Result	6
	2.2.	Test Plots	6
3.	Mod	DULATION CHARACTERISTICS	9
	3.1.	Test BAND = LTE BAND17	9
	3.1.1.	. Test Mode = LTE /TM1 10MHz	9
	3.1.1.	.1. Test Channel = MCH	9
	3.1.2.	. Test Mode = LTE /TM2 10MHz	9
	3.1.2.	.1. Test Channel = MCH	9
4.	2 6dl	B BANDWIDTH AND OCCUPIED BANDWIDTH	10
	4.1.	Test Result	10
	4.2.	Test Plots	10
5.	Banı	d Edge Compliance	15
	5.1.	Test Plots	15
6.	Spuf	RIOUS EMISSION AT ANTENNA TERMINAL	21
	6.1.	Test Plots	21
7.	FIELD	D Strength of Spurious Radiation	26
	7.1.	Test BAND = LTE BAND 17	26
	7.1.1.	. Test Mode =LTE/TM1 10MHz	26
	7.1.1.	.1. Test Channel = LCH	26
	7.1.1.	.2. Test Channel = MCH	26
	7.1.1.	.3. Test Channel = HCH	27
8.	FREC	QUENCY STABILITY	28
	8.1.	Frequency Vs Voltage	28
	8.2.	Frequency Vs Temperature	28

Report No.: ZR/2018/9003201 Page: 3 of 29

1. Effective (Isotropic) Radiated Power

1.1.Test Result

1.1. Test Nesult											
BAND	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	ERP (dBm)	Limit (dBm)	Verdict			
Band17	5MHz	QPSK	23755	1RB#0	23.15	15.44	36.98	PASS			
Band17	5MHz	QPSK	23755	1RB#12	23.35	15.64	36.98	PASS			
Band17	5MHz	QPSK	23755	1RB#24	23.04	15.33	36.98	PASS			
Band17	5MHz	QPSK	23755	12RB#0	22.27	14.56	36.98	PASS			
Band17	5MHz	QPSK	23755	12RB#6	22.34	14.63	36.98	PASS			
Band17	5MHz	QPSK	23755	12RB#13	22.35	14.64	36.98	PASS			
Band17	5MHz	QPSK	23755	25RB#0	22.38	14.67	36.98	PASS			
Band17	5MHz	QPSK	23790	1RB#0	23.08	15.37	36.98	PASS			
Band17	5MHz	QPSK	23790	1RB#12	23.27	15.56	36.98	PASS			
Band17	5MHz	QPSK	23790	1RB#24	23.01	15.30	36.98	PASS			
Band17	5MHz	QPSK	23790	12RB#0	22.19	14.48	36.98	PASS			
Band17	5MHz	QPSK	23790	12RB#6	22.45	14.74	36.98	PASS			
Band17	5MHz	QPSK	23790	12RB#13	22.41	14.70	36.98	PASS			
Band17	5MHz	QPSK	23790	25RB#0	22.68	14.97	36.98	PASS			
Band17	5MHz	QPSK	23825	1RB#0	23.48	15.77	36.98	PASS			
Band17	5MHz	QPSK	23825	1RB#12	23.56	15.85	36.98	PASS			
Band17	5MHz	QPSK	23825	1RB#24	22.98	15.27	36.98	PASS			
Band17	5MHz	QPSK	23825	12RB#0	22.37	14.66	36.98	PASS			
Band17	5MHz	QPSK	23825	12RB#6	22.35	14.64	36.98	PASS			
Band17	5MHz	QPSK	23825	12RB#13	22.25	14.54	36.98	PASS			
Band17	5MHz	QPSK	23825	25RB#0	22.32	14.61	36.98	PASS			
Band17	5MHz	16QAM	23755	1RB#0	22.40	14.69	36.98	PASS			
Band17	5MHz	16QAM	23755	1RB#12	22.56	14.85	36.98	PASS			
Band17	5MHz	16QAM	23755	1RB#24	22.20	14.49	36.98	PASS			
Band17	5MHz	16QAM	23755	12RB#0	21.25	13.54	36.98	PASS			
Band17	5MHz	16QAM	23755	12RB#6	21.34	13.63	36.98	PASS			
Band17	5MHz	16QAM	23755	12RB#13	21.32	13.61	36.98	PASS			
Band17	5MHz	16QAM	23755	25RB#0	21.29	13.58	36.98	PASS			
Band17	5MHz	16QAM	23790	1RB#0	22.32	14.61	36.98	PASS			
Band17	5MHz	16QAM	23790	1RB#12	22.52	14.81	36.98	PASS			
Band17	5MHz	16QAM	23790	1RB#24	22.18	14.47	36.98	PASS			
Band17	5MHz	16QAM	23790	12RB#0	21.27	13.56	36.98	PASS			
Band17	5MHz	16QAM	23790	12RB#6	21.56	13.85	36.98	PASS			
Band17	5MHz	16QAM	23790	12RB#13	21.58	13.87	36.98	PASS			
Band17	5MHz	16QAM	23790	25RB#0	21.61	13.90	36.98	PASS			
Band17	5MHz	16QAM	23825	1RB#0	22.68	14.97	36.98	PASS			



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2018/9003201 Page: 4 of 29

Band17	5MHz	16QAM	23825	1RB#12	22.63	14.92	36.98	PASS
		·		1RB#12				
Band17 Band17	5MHz 5MHz	16QAM	23825	12RB#0	22.16 21.36	14.45	36.98	PASS PASS
_		16QAM	23825			13.65	36.98	
Band17	5MHz	16QAM	23825	12RB#6	21.31	13.60	36.98	PASS
Band17	5MHz	16QAM	23825	12RB#13	21.17	13.46	36.98	PASS
Band17	5MHz	16QAM	23825	25RB#0	21.28	13.57	36.98	PASS
Band17	10MHz	QPSK	23780	1RB#0	23.27	15.56	36.98	PASS
Band17	10MHz	QPSK	23780	1RB#24	23.25	15.54	36.98	PASS
Band17	10MHz	QPSK	23780	1RB#49	23.11	15.40	36.98	PASS
Band17	10MHz	QPSK	23780	25RB#0	22.21	14.50	36.98	PASS
Band17	10MHz	QPSK	23780	25RB#12	22.33	14.62	36.98	PASS
Band17	10MHz	QPSK	23780	25RB#25	22.19	14.48	36.98	PASS
Band17	10MHz	QPSK	23780	50RB#0	22.41	14.70	36.98	PASS
Band17	10MHz	QPSK	23790	1RB#0	23.45	15.74	36.98	PASS
Band17	10MHz	QPSK	23790	1RB#24	23.24	15.53	36.98	PASS
Band17	10MHz	QPSK	23790	1RB#49	23.13	15.42	36.98	PASS
Band17	10MHz	QPSK	23790	25RB#0	22.18	14.47	36.98	PASS
Band17	10MHz	QPSK	23790	25RB#12	22.32	14.61	36.98	PASS
Band17	10MHz	QPSK	23790	25RB#25	22.24	14.53	36.98	PASS
Band17	10MHz	QPSK	23790	50RB#0	22.32	14.61	36.98	PASS
Band17	10MHz	QPSK	23800	1RB#0	23.41	15.70	36.98	PASS
Band17	10MHz	QPSK	23800	1RB#24	23.24	15.53	36.98	PASS
Band17	10MHz	QPSK	23800	1RB#49	23.10	15.39	36.98	PASS
Band17	10MHz	QPSK	23800	25RB#0	22.21	14.50	36.98	PASS
Band17	10MHz	QPSK	23800	25RB#12	22.32	14.61	36.98	PASS
Band17	10MHz	QPSK	23800	25RB#25	22.28	14.57	36.98	PASS
Band17	10MHz	QPSK	23800	50RB#0	22.51	14.80	36.98	PASS
Band17	10MHz	16QAM	23780	1RB#0	22.43	14.72	36.98	PASS
Band17	10MHz	16QAM	23780	1RB#24	22.39	14.68	36.98	PASS
Band17	10MHz	16QAM	23780	1RB#49	22.38	14.67	36.98	PASS
Band17	10MHz	16QAM	23780	25RB#0	21.10	13.39	36.98	PASS
Band17	10MHz	16QAM	23780	25RB#12	21.28	13.57	36.98	PASS
Band17	10MHz	16QAM	23780	25RB#25	21.20	13.49	36.98	PASS
Band17	10MHz	16QAM	23780	50RB#0	21.31	13.60	36.98	PASS
Band17	10MHz	16QAM	23790	1RB#0	22.49	14.78	36.98	PASS
Band17	10MHz	16QAM	23790	1RB#24	22.41	14.70	36.98	PASS
Band17	10MHz	16QAM	23790	1RB#49	22.29	14.58	36.98	PASS
Band17	10MHz	16QAM	23790	25RB#0	21.13	13.42	36.98	PASS
Band17	10MHz	16QAM	23790	25RB#12	21.33	13.62	36.98	PASS
Band17	10MHz	16QAM	23790	25RB#25	21.29	13.58	36.98	PASS
Band17	10MHz	16QAM	23790	50RB#0	21.32	13.61	36.98	PASS
24.14.11	. 51411 12	16QAM	23800	1RB#0	22.42	14.71	36.98	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf,-available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Report No.: ZR/2018/9003201 Page: 5 of 29

Band17	10MHz	16QAM	23800	1RB#24	22.53	14.82	36.98	PASS
Band17	10MHz	16QAM	23800	1RB#49	22.29	14.58	36.98	PASS
Band17	10MHz	16QAM	23800	25RB#0	21.12	13.41	36.98	PASS
Band17	10MHz	16QAM	23800	25RB#12	21.39	13.68	36.98	PASS
Band17	10MHz	16QAM	23800	25RB#25	21.20	13.49	36.98	PASS
Band17	10MHz	16QAM	23800	50RB#0	21.30	13.59	36.98	PASS

Remark:

a: For getting the EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

ERP [dBm] = SGP [dBm] - Cable Loss [dB] + Gain [dBd]

EIRP [dBm] = SGP [dBm] - Cable Loss [dB] + Gain [dBi]

b: SGP=Signal Generator Level


Report No.: ZR/2018/9003201 Page: 6 of 29

2. Peak-to-Average Ratio(CCDF)

2.1. Test Result


BAND	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band17	10MHz	QPSK	23780	50RB#0	4.46	13	PASS
Band17	10MHz	QPSK	23790	50RB#0	4.46	13	PASS
Band17	10MHz	QPSK	23800	50RB#0	4.46	13	PASS
Band17	10MHz	16QAM	23780	50RB#0	4.46	13	PASS
Band17	10MHz	16QAM	23790	50RB#0	4.46	13	PASS
Band17	10MHz	16QAM	23800	50RB#0	4.46	13	PASS

2.2. Test Plots




This document is issued by the Company subject to its General Conditions of Service printed overleaf,-available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Report No.: ZR/2018/9003201 Page: 7 of 29



Report No.: ZR/2018/9003201 Page: 8 of 29




Report No.: ZR/2018/9003201 Page: 9 of 29

3. Modulation Characteristics

3.1.Test BAND = LTE BAND17


3.1.1. Test Mode = LTE /TM1 10MHz

3.1.1.1. Test Channel = MCH



3.1.2. Test Mode = LTE /TM2 10MHz

3.1.2.1. Test Channel = MCH



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document on contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Report No.: ZR/2018/9003201 Page: 10 of 29

4. 26dB Bandwidth and Occupied Bandwidth


4.1. Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band17	5MHz	QPSK	23755	25RB#0	4.486	5.110	PASS
Band17	5MHz	QPSK	23790	25RB#0	4.466	5.020	PASS
Band17	5MHz	QPSK	23825	25RB#0	4.486	5.100	PASS
Band17	5MHz	16QAM	23755	25RB#0	4.505	5.120	PASS
Band17	5MHz	16QAM	23790	25RB#0	4.486	5.060	PASS
Band17	5MHz	16QAM	23825	25RB#0	4.505	5.070	PASS
Band17	10MHz	QPSK	23780	50RB#0	8.931	9.800	PASS
Band17	10MHz	QPSK	23790	50RB#0	8.911	9.760	PASS
Band17	10MHz	QPSK	23800	50RB#0	8.911	9.760	PASS
Band17	10MHz	16QAM	23780	50RB#0	8.931	9.800	PASS
Band17	10MHz	16QAM	23790	50RB#0	8.911	9.820	PASS
Band17	10MHz	16QAM	23800	50RB#0	8.911	9.760	PASS


4.2. Test Plots




Report No.: ZR/2018/9003201 Page: 11 of 29




Report No.: ZR/2018/9003201 Page: 12 of 29



Report No.: ZR/2018/9003201 Page: 13 of 29




Report No.: ZR/2018/9003201 Page: 14 of 29




Report No.: ZR/2018/9003201 Page: 15 of 29

5. Band Edge Compliance


5.1. Test Plots




Report No.: ZR/2018/9003201 Page: 16 of 29




Report No.: ZR/2018/9003201 Page: 17 of 29




Report No.: ZR/2018/9003201 Page: 18 of 29



Report No.: ZR/2018/9003201 Page: 19 of 29



Report No.: ZR/2018/9003201 Page: 20 of 29




Report No.: ZR/2018/9003201 Page: 21 of 29

6. Spurious Emission at Antenna Terminal


Remark1: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of < RBW/2 so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = k * (Span / RBW)" with k = 4 and 5, which results in an acceptable level error of less than 0.5 dB.

Remark2: only the worst case data displayed in this report.


6.1. Test Plots




Report No.: ZR/2018/9003201 Page: 22 of 29




Report No.: ZR/2018/9003201 Page: 23 of 29



Report No.: ZR/2018/9003201 Page: 24 of 29



Report No.: ZR/2018/9003201 Page: 25 of 29



Report No.: ZR/2018/9003201 Page: 26 of 29

7. Field Strength of Spurious Radiation

7.1. Test BAND = LTE BAND 17

7.1.1. Test Mode =LTE/TM1 10MHz

7.1.1.1. Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
65.466667	-80.90	-13.00	67.90	Vertical
109.986667	-82.32	-13.00	69.32	Vertical
280.040000	-79.72	-13.00	66.72	Vertical
1409.500000	-62.13	-13.00	49.13	Vertical
2818.500000	-55.62	-13.00	42.62	Vertical
3522.600000	-58.51	-13.00	45.51	Vertical
62.573333	-77.54	-13.00	64.54	Horizontal
108.493333	-79.90	-13.00	66.90	Horizontal
191.420000	-79.36	-13.00	66.36	Horizontal
1409.000000	-62.72	-13.00	49.72	Horizontal
2818.500000	-52.65	-13.00	39.65	Horizontal
3522.600000	-61.95	-13.00	48.95	Horizontal

7.1.1.2. Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
64.066667	-81.11	-13.00	68.11	Vertical
124.966667	-81.75	-13.00	68.75	Vertical
281.113333	-80.03	-13.00	67.03	Vertical
1411.000000	-60.79	-13.00	47.79	Vertical
2822.500000	-54.97	-13.00	41.97	Vertical
3527.475000	-57.64	-13.00	44.64	Vertical
62.713333	-77.69	-13.00	64.69	Horizontal
108.120000	-79.81	-13.00	66.81	Horizontal
270.660000	-79.63	-13.00	66.63	Horizontal
1411.000000	-63.08	-13.00	50.08	Horizontal
2822.500000	-52.09	-13.00	39.09	Horizontal
3527.475000	-61.91	-13.00	48.91	Horizontal

Report No.: ZR/2018/9003201 Page: 27 of 29

7.1.1.3. Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
64.580000	-81.41	-13.00	68.41	Vertical
108.680000	-81.26	-13.00	68.26	Vertical
283.773333	-82.91	-13.00	69.91	Vertical
1413.000000	-62.45	-13.00	49.45	Vertical
2120.000000	-59.60	-13.00	46.60	Vertical
3532.837500	-58.33	-13.00	45.33	Vertical
62.620000	-77.05	-13.00	64.05	Horizontal
108.166667	-79.89	-13.00	66.89	Horizontal
189.460000	-78.94	-13.00	65.94	Horizontal
1413.000000	-62.42	-13.00	49.42	Horizontal
2826.500000	-52.73	-13.00	39.73	Horizontal
3532.837500	-57.78	-13.00	44.78	Horizontal

Remark:

- 1) The disturbance below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the worst case data had been displayed.
- 2) We have tested all modulation and all Bandwidth, but only the worst case data presented in this report.

Report No.: ZR/2018/9003201 Page: 28 of 29

8. Frequency Stability

8.1. Frequency Vs Voltage

				\	Voltage					
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band17	10MHz	QPSK	23780	50RB#0	VL	NT	-3.30	-0.004654	±2.5	PASS
Band17	10MHz	QPSK	23780	50RB#0	VN	NT	0.50	0.000705	±2.5	PASS
Band17	10MHz	QPSK	23780	50RB#0	VH	NT	-4.50	-0.006347	±2.5	PASS
Band17	10MHz	QPSK	23790	50RB#0	VL	NT	-2.40	-0.003380	±2.5	PASS
Band17	10MHz	QPSK	23790	50RB#0	VN	NT	2.10	0.002958	±2.5	PASS
Band17	10MHz	QPSK	23790	50RB#0	VH	NT	-2.50	-0.003521	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	VL	NT	-6.60	-0.009283	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	VN	NT	-3.10	-0.004360	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	VH	NT	-4.00	-0.005626	±2.5	PASS
Band17	10MHz	16QAM	23780	50RB#0	VL	NT	-11.10	-0.015656	±2.5	PASS
Band17	10MHz	16QAM	23780	50RB#0	VN	NT	-7.50	-0.010578	±2.5	PASS
Band17	10MHz	16QAM	23780	50RB#0	VH	NT	0.20	0.000282	±2.5	PASS
Band17	10MHz	16QAM	23790	50RB#0	VL	NT	-7.70	-0.010845	±2.5	PASS
Band17	10MHz	16QAM	23790	50RB#0	VN	NT	-6.50	-0.009155	±2.5	PASS
Band17	10MHz	16QAM	23790	50RB#0	VH	NT	-9.20	-0.012958	±2.5	PASS
Band17	10MHz	16QAM	23800	50RB#0	VL	NT	-3.00	-0.004219	±2.5	PASS
Band17	10MHz	16QAM	23800	50RB#0	VN	NT	-7.50	-0.010549	±2.5	PASS
Band17	10MHz	16QAM	23800	50RB#0	VH	NT	-6.80	-0.009564	±2.5	PASS

8.2. Frequency Vs Temperature

				Tem	perature					
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band17	10MHz	QPSK	23780	50RB#0	NV	-30	-2.90	-0.004090	±2.5	PASS
Band17	10MHz	QPSK	23780	50RB#0	NV	-20	-8.80	-0.012412	±2.5	PASS
Band17	10MHz	QPSK	23780	50RB#0	NV	0	-15.80	-0.022285	±2.5	PASS
Band17	10MHz	QPSK	23780	50RB#0	NV	10	-5.80	-0.008181	±2.5	PASS
Band17	10MHz	QPSK	23780	50RB#0	NV	20	-2.30	-0.003244	±2.5	PASS
Band17	10MHz	QPSK	23780	50RB#0	NV	30	-2.10	-0.002962	±2.5	PASS
Band17	10MHz	QPSK	23780	50RB#0	NV	40	-4.50	-0.006347	±2.5	PASS
Band17	10MHz	QPSK	23780	50RB#0	NV	50	-2.60	-0.003667	±2.5	PASS
Band17	10MHz	QPSK	23790	50RB#0	NV	-30	-2.70	-0.003803	±2.5	PASS
Band17	10MHz	QPSK	23790	50RB#0	NV	-20	-8.60	-0.012113	±2.5	PASS
Band17	10MHz	QPSK	23790	50RB#0	NV	0	-2.50	-0.003521	±2.5	PASS
Band17	10MHz	QPSK	23790	50RB#0	NV	10	-9.30	-0.013099	±2.5	PASS
Band17	10MHz	QPSK	23790	50RB#0	NV	20	-2.00	-0.002817	±2.5	PASS
Band17	10MHz	QPSK	23790	50RB#0	NV	30	-2.10	-0.002958	±2.5	PASS
Band17	10MHz	QPSK	23790	50RB#0	NV	40	-1.80	-0.002535	±2.5	PASS
Band17	10MHz	QPSK	23790	50RB#0	NV	50	-5.70	-0.008028	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	NV	-30	-7.30	-0.010267	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	NV	-20	-4.50	-0.006329	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	NV	0	-0.80	-0.001125	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	NV	10	-7.50	-0.010549	±2.5	PASS



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2018/9003201 Page: 29 of 29

Band17	10MHz	QPSK	23800	50RB#0	NV	20	-8.10	-0.011392	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	NV	30	-5.80	-0.008158	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	NV	40	0.40	0.000563	±2.5	PASS
Band17	10MHz	QPSK	23800	50RB#0	NV	50	-4.90	-0.006892	±2.5	PASS
Band17	10MHz	16QAM	23780	50RB#0	NV	-30	-9.70	-0.013681	±2.5	PASS
Band17	10MHz	16QAM	23780	50RB#0	NV	-20	-6.10	-0.008604	±2.5	PASS
Band17	10MHz	16QAM	23780	50RB#0	NV	0	-5.40	-0.007616	±2.5	PASS
Band17	10MHz	16QAM	23780	50RB#0	NV	10	-5.00	-0.007052	±2.5	PASS
Band17	10MHz	16QAM	23780	50RB#0	NV	20	-4.80	-0.006770	±2.5	PASS
Band17	10MHz	16QAM	23780	50RB#0	NV	30	-0.60	-0.000846	±2.5	PASS
Band17	10MHz	16QAM	23780	50RB#0	NV	40	-4.90	-0.006911	±2.5	PASS
Band17	10MHz	16QAM	23780	50RB#0	NV	50	-9.80	-0.013822	±2.5	PASS
Band17	10MHz	16QAM	23790	50RB#0	NV	-30	-13.70	-0.019296	±2.5	PASS
Band17	10MHz	16QAM	23790	50RB#0	NV	-20	-6.90	-0.009718	±2.5	PASS
Band17	10MHz	16QAM	23790	50RB#0	NV	0	-11.10	-0.015634	±2.5	PASS
Band17	10MHz	16QAM	23790	50RB#0	NV	10	-5.70	-0.008028	±2.5	PASS
Band17	10MHz	16QAM	23790	50RB#0	NV	20	-1.80	-0.002535	±2.5	PASS
Band17	10MHz	16QAM	23790	50RB#0	NV	30	-7.30	-0.010282	±2.5	PASS
Band17	10MHz	16QAM	23790	50RB#0	NV	40	-8.20	-0.011549	±2.5	PASS
Band17	10MHz	16QAM	23790	50RB#0	NV	50	-7.50	-0.010563	±2.5	PASS
Band17	10MHz	16QAM	23800	50RB#0	NV	-30	-7.50	-0.010549	±2.5	PASS
Band17	10MHz	16QAM	23800	50RB#0	NV	-20	-6.80	-0.009564	±2.5	PASS
Band17	10MHz	16QAM	23800	50RB#0	NV	0	0.20	0.000281	±2.5	PASS
Band17	10MHz	16QAM	23800	50RB#0	NV	10	-9.00	-0.012658	±2.5	PASS
Band17	10MHz	16QAM	23800	50RB#0	NV	20	-2.20	-0.003094	±2.5	PASS
Band17	10MHz	16QAM	23800	50RB#0	NV	30	-5.40	-0.007595	±2.5	PASS
Band17	10MHz	16QAM	23800	50RB#0	NV	40	-2.50	-0.003516	±2.5	PASS
Band17	10MHz	16QAM	23800	50RB#0	NV	50	-5.00	-0.007032	±2.5	PASS

The End