PIXI4-5 4G VF EU-1S-VF(28A), VFD 500, WIFI BT GPS Camera HD voice, LTE B1/3/7/8/20/28A, VFD 500, N/A, BAB28UA00AC1, N/A, N/A, TCT main EBOM V03

PCB	SBA28UA000	ICS:	3	eBOM	3			
ITEM	COMPANY	OracleNumb	SUPPLIER PN.	SUPPLIE	DESCRIPTION	QTY	REFERENCE No.	Sort
1	AAA0000JA8C X	AAA0000JA0 C1	RC-01000JT	FENGHUA	电阻,Resistor,0 ohm,±5 %,1/20 W,0201,N/A,RC- 01000JT,FENGHUA	56	R0405 R0508 R0716 R0903 R0904 R0905 R0906 R0907 R0908 R1001 R1002 R1003 R1004 R1005 R1006 R1007 R1116 R1204 R1207 R1211 R1212 R1213 R1502 R1505 R1506 R0729 R0914 R1019 R1021 R1214 C1608 C1614 C1715 C1514 C1712 C1737 C1519 C1521 C1611 L1602 L1611 R1121 R1122 L1732 C1616 R0802 R0708 R0719 R0720 R1515	Resistor
2	AAA0010FA8 CX	AAA0010FA0 C1	RC-01U1R0FT	FENGHUA	电阻,Resistor,1 ohm,±1 %,1/20 W,0201,N/A,RC-	1	R0502	Resistor
3	AAA0100FA8 CX	AAA0100FA0 C1	RC-01W100FT	FENGHUA	电阻,Resistor,10 ohm,±1 %,1/20 W,0201,N/A,RC-	2	R0912 R0913	Resistor
4	AAA0120JA8C X	AAA0120JA0 C1	RC-01W120JT	FENGHUA	电阻,Resistor,12 ohm,±5 %,1/20 W,0201,N/A,RC-	1	C1516	Resistor
5	AAA0360FA8 CX	AAA0360FA8 C1	RC-01W360FTL	FENGHUA	电阻,Resistor,36 ohm,±1 %,1/20 W,0201,0.65×0.35×0.28 mm,RC-	3	R0201 R1112 R1113	Resistor
6	AAA0620JA8C X	AAA0620JA0 C1	RC-01W620JT	FENGHUA	电阻,Resistor,62 ohm,±5 %,1/20 W,0201,N/A,RC-	2	R1302 R1716	Resistor
7	AAA0101FA8 CX	AAA0101FA0 C1	RC-01W101FT	FENGHUA	电阻,Resistor,100 ohm,±1 %,1/20 W,0201,N/A,RC-	3	R1301 R1303 R1513	Resistor
8	AAA0241FA8 CX	AAA0241FA0 C1	RC-01W241FT	FENGHUA	电阻,Resistor,240 ohm,±1 %,1/20 W,0201,N/A,RC-	2	R0401 R0402	Resistor
9	AAA0431JA8C X	AAA0431JA0 C1	RC-01W431JT	FENGHUA	电阻,Resistor,430 ohm,±5 %,1/20 W,0201,N/A,RC-	2	R1517 R1520	Resistor
10	AAA0471JA8C X	AAA0471JA0 C1	RC-01W471JT	FENGHUA	电阻,Resistor,470 ohm,±5 %,1/20 W,0201,N/A,RC-	2	R1114 R1115	Resistor

111		AAA0102FA0 C1	RC-01W102FT	FENGHUA	电阻,Resistor,1K ohm,±1 %,1/20 W,0201,N/A,RC-	2	R0602 R0604	Resistor
12	AAA0102JA8C X	AAA0102JA0 C1	RC-01W102JT	FENGHUA	电阻,Resistor,1K ohm,±5 %,1/20 W,0201,N/A,RC-	12	R0713 R0714 R1101 R1104 R1105 R1108 R1109 R1111 R1306 R1311	Resistor
1 1 3		AAA0152FA0 C1	RC-01W152FT	FENGHUA	电阻,Resistor,1.5K ohm,±1 %,1/20 W,0201,N/A,RC-	7	R0302 R0608 R1102 R1103 R1106 R1107 R1110	Resistor
14	AAA0472JA8C X	AAA0472JA0 C1	RC-01W472JT	FENGHUA	电阻,Resistor,4.7K ohm,±5 %,1/20 W,0201,N/A,RC-	7	R0304 R0305 R0306 R0307 R0308 R0309 R0801	Resistor
15		AAA0512FA0 C1	RC-01W512FT	FENGHUA	电阻,Resistor,5.1K ohm,±1 %,1/20 W,0201,N/A,RC-	1	R0303	Resistor
16		AAA8061FA0 C1	RC-01W8061FT	FENGHUA	电阻,Resistor,8.06K ohm,±1 %,1/20 W,0201,N/A,RC-	2	R0202 R0203	Resistor
17	AAA0103JA8C X	AAA0103JA0 C1	RC-01W103JT	FENGHUA	电阻,Resistor,10K ohm,±5 %,1/20 W,0201,N/A,RC-	2	R1528 R0728	Resistor
18		AAA1692FA8 C1	RC-01W1692FT	FENGHUA	普通电阻,Resistor,16.9k ohm,±1 %,1/20 W,0201,N/A,RC-	1	R0603	Resistor
19	AAA0243JA8C X	AAA0243JA0 C1	RC-01W243JT	FENGHUA	电阻,Resistor,24K ohm,±5 %,1/20 W,0201,N/A,RC-	1	R1516	Resistor
20	AAA0393FA8 CX	AAA0393FA0 C1	RC-01W393FT	FENGHUA	电阻,Resistor,39K ohm,±1 %,1/20 W,0201,N/A,RC-	1	R0607	Resistor
21	AAA0473JA8C X	AAA0473JA0 C1	RC-01W473JT	FENGHUA	电阻,Resistor,47K ohm,±5 %,1/20 W,0201,N/A,RC-	3	R0204 R0915 R1118	Resistor
22	AAA0683FA8 CX	AAA0683FA0 C1	RC-01W683FT	FENGHUA	电阻,Resistor,68K ohm,±1 %,1/20 W,0201,N/A,RC-	1	R0605	Resistor
23	AAA0913JA8C X	AAA0913JA0 C1	RC-01W913JT	FENGHUA	电阻,Resistor,91K ohm,±5 %,1/20 W,0201,0.65×0.35×0.28 mm,RC-	1	R1017	Resistor
24	AAA0104JA8C X	AAA0104JA0 C1	RC-01W104JT	FENGHUA	电阻,Resistor,100K ohm,±5 %,1/20 W,0201,N/A,RC-	7	R0911 R1008 R1014 R1015 R0901 R0902 R1022	Resistor
25	AAA0204JA8C X	AAA0204JA0 C1	RC-01W204JT	FENGHUA	电阻,Resistor,200K ohm,±5 %,1/20 W,0201,N/A,RC-	1	R0501	Resistor
シム		AAA0334FA0 C1	RC-01W334FT	FENGHUA	电阻,Resistor,330K ohm,±1 %,1/20 W,0201,N/A,RC-	1	R0606	Resistor

1 7/		AAA0394FA0 C1	RC-01W394FT	FENGHUA	电阻,Resistor,390K ohm,±1 %,1/20 W,0201,N/A,RC-	2	R0806 R1411	Resistor
28	AAA0474JA8C X	AAA0474JA0 C1	RC-01W474JT	FENGHUA	电阻,Resistor,470K ohm,±5 %,1/20 W,0201,N/A,RC-	1	R1117	Resistor
29	AAA0000JB7C X	AAA0000JB0 C1	RC-02000JT	FENGHUA	电阻,Resistor,0 ohm,±5 %,1/16 W,0402,N/A,RC- 02000JT,FENGHUA	16	R0707 R0919 R0920 R1010 R1011 R1016 R1203 R1412 R1511 R1526 R1527 R1711 R1709 R1710 C1501	Resistor
1 3()		AAA0202FB0 C1	RC-02W202FT	FENGHUA	电阻,Resistor,2K ohm,±1 %,1/16 W,0402,N/A,RC-	1	R1304	Resistor
31	AAA0000JC6C	AAA0000JC0	RS-03000JT	FENGHUA	电阻,Resistor,0 ohm,±5 %,1/10	1	R0403	Resistor
1 32		AAA005FFD0 C1	RPF-05MR50FT	FENGHUA	电阻,Resistor,0.5 ohm,±1 %,1/4 W,0805(T=0.5 mm),N/A,RPF-	1	R1018	Resistor
33		AAA056TFD0 C1	RPF- 05MR056FT	FENGHUA	电阻,Resistor,0.056 ohm,±1 %,1/4 W,0805(T=0.5	1	R0619	Resistor
34		AAA001SFE0 C1	RS-06MR01FT	FENGHUA	电阻,Resistor,0.01 ohm,±1 %,1/4 W,1206,N/A,RS-	1	R0601	Resistor
35		AAC0104FB3 C1	NTCG104EF104 FT	TDK	热敏电阻,NTC Chip Thermistor,100K ohm,±1 %,35	2	RT0801 RT1401	NTC Resistor
1 36		C2	1500N LA	EYANG	电容,Capacitor,1.2 pF,±0.1 pF,50 V,C0G,0201,0.63×0.33×0.33	2	R1415 R1416	Capacitor
37	CX		C0201C0G1R0B 500N		电容,Capacitor,1 pF,±0.1 pF,50 V,C0G,0201,N/A,C0201C0G1R0	3	R1406 R1407 C1402	Capacitor
1 XX	ABA33FBJAC CX	ABA33FBJAC C2	C0201C0G3R3B 500NTA	EYANG	普通电容,Capacitor,3.3 pF,±0.1 pF,50 V,C0G,0201,0.63×0.33×	4	C1615 C1618 R1403 R1404	Capacitor
39		ABA39FBJAC C2	C0201C0G3R9B 500NTA	EYANG	普通电容,Capacitor,3.9 pF,±0.1 pF,50 V,C0G,0201,0.63×0.33×	7	C1713 C1714 C1726 C1727 L1408 C1724 C1725	Capacitor
1 7(1)	ABA22FBGAC CX	ABA22FBGA 0C2	C0201C0G2R2B 250NTA	EYANG	电容,Capacitor,2.2 pF,±0.1 pF,25 V,C0G,0201,0.63×0.33×0.33	2	C1606 C1607	Capacitor
1 /11		ABA030BJA0 C2	C0201C0G3R0B 500N	EYANG	电容,Capacitor,3 pF,±0.1 pF,50 V,C0G,0201,N/A,C0201C0G3R0	2	C1612 C1613	Capacitor
1 4/		ABA82FBJA0 C2	C0201C0G8R2B 500N	EYANG	电容,Capacitor,8.2 pF,±0.1 pF,50 V,C0G,0201,N/A,C0201C0G8R2	1	C1448	Capacitor

43	$\cup \wedge$	IUZ	C0201C0G0R5B 500NTA		普通电容,Capacitor,0.5 pF,±0.1 pF,50	3	C1408 C1425 L1504	Capacitor
	$\cup \wedge$	IUZ	C0201C0G150K 250N		电容,Capacitor,15 pF,±10 %,25 V,C0G,0201,N/A,C0201C0G150K	3	C0602 C1609 C1610	Capacitor
45	ABA180KGAC CX	ABA180KGA0 C2	C0201C0G180K 250N	EYANG	电容,Capacitor,18 pF,±10 %,25 V,C0G,0201,N/A,C0201C0G180K	1	C1505	Capacitor
46	ABA220KGAC C2X	ABA220KGA CC2	C0201C0G220K 250NTA	EYANG	普通电容,Capacitor,22 pF,±10 %,25 V,C0G,0201,0.63×0.33×	4	C0529 C0530 C1530 L1412	Capacitor
47	ABA330KGAC CX	ABA330KGA CC2	C0201C0G330K 250NTA	EYANG	普通电容,Capacitor,33 pF,±10 %,25 V,C0G,0201,0.63×0.33× 0.33 mm,C0201C0G330K250NTA,EY ANG	27	C1104 C1105 C1111 C1112 C1117 C1118 C1119 C1120 C1125 C1126 C1130 C1131 C1137 C1138 C1139 C1214 C1219 C1503 C1504 C1433 C1434 C1515 C1517 C1524 C1525	Capacitor
1 48	ABA101KEAC CX	ABA101KEA0 C2	C0201C0G101K 160N	EYANG	电容,Capacitor,100 pF,±10 %,16 V,C0G,0201,N/A,C0201C0G101K 160N,EYANG	14	C0207 C1101 C1116 C1124 C1129 C1140 C1206 C1208 C1217 C1436 C1711 C1427 C1429 C1431	Capacitor
49	ABA221KGAW	ABA221KGA0 C2	C0201X7R221K 250N	EYANG	电容,Capacitor,220 pF,±10 %,25 V,X7R,0201,N/A,C0201X7R221K	2	C1738 C1512	Capacitor
50	ABA102MEAX CX	ABA102MEA XC2	C0201X7R102M 160NTA	EYANG	电容,Capacitor,1 nF,±20 %,16 V,X5R,0201,0.63×0.33×0.33	6	C1710 C1734 C1735 C1435 C1510 C1523	Capacitor
51		ABA472KDA0 C2	C0201X5R472K 100NTA	EYANG	电容,Capacitor,4.7 nF,±10 %,10 V,X5R,0201,0.63×0.33×0.33	1	C1211	Capacitor
1 52	ABA103MEAX CX	ABA103MEA 0C2	C0201X5R103M 160N	EYANG	电容,Capacitor,10 nF,±20 %,16 V,X5R,0201,N/A,C0201X5R103M	2	C1209 C1511	Capacitor

53	ABA104MCAX CX	ABA104MCA 0C2	C0201X5R104M 6R3NTAT	EYANG	电容,Capacitor,100 nF,±20 %,6.3 V,X5R,0201,0.63×0.33×0.33 mm,C0201X5R104M6R3NTAT,E YANG	57	C0123 C0125 C0127 C0128 C0129 C0130 C0131 C0144 C0145 C0146 C0147 C0148 C0149 C0150 C0152 C0153 C0155 C0158 C0160 C0201 C0202 C0204 C0205 C0206 C0401 C0405 C0406 C0407 C0408 C0409 C0414 C0416 C0520 C0522 C0538 C0541 C0702 C0710 C0901 C0904 C1006 C1205 C1302 C1303 C1304 C1305 C1306 C1307 C1308 C1309 C1310 C1428 C1430 C1432 C1437	Capacitor
54	ABA104KGBX CX	ABA104KGB XC2	C0402X5R104K 250N	EYANG	普通电容,Capacitor,100 nF,±10 %,25	1	C0706	Capacitor
55	ABA224MCAX CX	ABA224MCA 0C2	C0201X5R224M 6R3N	EYANG	电容,Capacitor,220 nF,±20 %,6.3 V,X5R,0201,N/A,C0201X5R224M	3	C0156 C0157 C0412	Capacitor
56	ABA474MCAX CX	ABA474MCA 0C9	CM03X5R474M 06AH	KYOCERA	普通电容,Capacitor,470 nF,±20 %,6.3	1	C1447	Capacitor
57	ABA105MCAX CX	ABA105MCA 0C4	CL03A105MQ3 CSNH	SAMSUN G	电容,Capacitor,1 uF,±20 %,6.3 V,X5R,0201,N/A,CL03A105MQ3 CSNH,SAMSUNG	19	C0106 C0107 C0108 C0109 C0110 C0111 C0116 C0117 C0118 C0119 C0132 C0133 C0134 C0135 C0136 C0137 C0143 C0159 C0801	Capacitor
58	ABA225MCAX CX	ABA225MCA XCA	CM03X5R225M 06AH	KYOCERA	电容,Multi-layer ceramic Capacitor,2.2 uF,±20 %,6.3	4	C0104 C0105 C0184 C0185	Capacitor
59			CL05A105KQ5N NNC	SAMSUN G	电容,Capacitor,1 uF,±10 %,6.3 V,X5R,0402,N/A,CL05A105KQ5N NNC,SAMSUNG	37	C0203 C0402 C0410 C0415 C0501 C0514 C0521 C0525 C0526 C0527 C0528 C0532 C0535 C0536 C0537 C0539 C0540 C0543 C0701 C0708 C0903 C1001 C1002 C1003 C1113 C1114 C1121 C1122 C1127 C1128 C1529 C1010 C1011 C1012 C1210 C1216 C1218	Capacitor
60	ABA105KDBX CX	ABA105KDB0 C4	CL05A105KP5N NNC	SAMSUN G	电容,Capacitor,1 uF,±10 %,10 V,X5R,0402,N/A,CL05A105KP5N	1	C1008	Capacitor

					中空 Conneitor 2.2 以E · 20 W C 2		C0126 C0162 C0403 C0404 C0504	
61	ABA225MCBX CX	ABA225MCB 0C4	CL05A225MQ5 NNNC	SAMSUN G	电容,Capacitor,2.2 uF,±20 %,6.3 V,X5R,0402,N/A,CL05A225MQ5 NNNC,SAMSUNG	15	C0505 C0506 C0507 C0508 C0510 C0511 C0524 C0531 C0902 C1301	Capacitor
62	ABA475MCBX CX	ABA475MCB 0C4	CL05A475MQ5 NRNC		电容,Capacitor,4.7 uF,±20 %,6.3 V,X5R,0402,1.15×0.65×0.65 mm,CL05A475MQ5NRNC,SAMS UNG	20	C0120 C0121 C0124 C0138 C0139 C0154 C0411 C0413 C0509 C0512 C0513 C0705 C1009 C1115 C1123 C1132 C0910 C1207 C0533 C0534	Capacitor
63	ABA104MJCW CX	ABA104MJC0 C2	C0603X7R104M 500NTD	EYANG	电容,Capacitor,100 nF,±20 %,50 V,X7R,0603,1.7×0.9×0.9	1	C0908	Capacitor
64		ABA105KGC 0C4	CL10A105KA8N NNC	SAMSUN G	电容,Capacitor,1 uF,±10 %,25 V,X5R,0603,N/A,CL10A105KA8N	1	C0609	Capacitor
65	ABA105KJCX CX	ABA105KJC0 C4	CL10A105KB8N NNC		普通电容,Capacitor,1 uF,±10 %,50 V,X5R,0603,1.7×0.9×0.9	1	C0909	Capacitor
66		ABA475KGC XC4	CL10A475KA8N QNC		普通电容,Capacitor,4.7 uF,±10 %,25 V,X5R,0603,1.75×0.95×	1	C0707	Capacitor
67	ABA106MCCX CX	ABA106MCC 0C4	CL10A106MQ8 NNNC	SAMSUN G	电容,Capacitor,10 uF,±20 %,6.3 V,X5R,0603,N/A,CL10A106MQ8	4	C0523 C0601 C0905 C1007	Capacitor
68	ABA226MCCX CX	ABA226MCC 0C4	CL10A226MQ8 NRNE	SAMSUN G	电容,Capacitor,22 uF,±20 %,6.3 V,X5R,0603,N/A,CL10A226MQ8	10	C0101 C0102 C0103 C0112 C0113 C0140 C0503 C0515 C0542 C1508	Capacitor
69	ABA476MCCX CX	ABA476MCC XC9	GRM188R60J47 6ME15	MURATA	普通电容,Capacitor,47 uF,±20 %,6.3 V,X5R,0603,1.8×1×1	2	C0141 C0142	Capacitor
70	ACA33HBAA5 CX	ACA33HBAA 5C4	SDCL0603Q3N3 BT02B02	SUNLORD	电感,Inductor,3.3 nH,±0.1 nH,DCR=0.32 ohm,400 mA,0201,MultiLayer,0.65×0.35×	1	R1414	Inductor
71	ACA18HBAA6 CX	ACA18HBAA 6C4	SDCL0603Q1N8 BT02B02		电感,Inductor,1.8 nH,±0.1 nH,DCR=0.18 ohm,500 mA,0201,MultiLayer,0.65×0.35×	1	L1616	Inductor
72	ACA47HBAA1 CX	ACA47HBAA 1C4	SDCL0603Q4N7 BT02B02		电感,Inductor,4.7 nH,±0.1 nH,DCR=0.46 ohm,250 mA,0201,MultiLayer,0.65×0.35×	1	R1405	Inductor
73	ACA91HHAC0 CX	ACA91HHA0 4C2	LQP03TG9N1H 02D	MURATA	电感,Inductor,9.1 nH,±3 %,DCR=1.4 ohm,200	1	R1402	Inductor

74	ACA36HBAC0 CX	ACA36HBA05 C1	LQP03TG3N6B 02D	MURATA	电感,Inductor,3.6 nH,±0.1 nH,DCR=0.35 ohm,350	2	L1628 C1416	Inductor
75	CX	ACA56TJAA0 C4	SDCL0603Q56N JT02B01	SUNLORD	电感,Inductor,56 nH,±5 %,DCR=2.8 ohm,80	1	L1516	Inductor
76		ACA47TJA03 C4	SDCL0603Q47N JT02B01	SUNLORD	电感,Inductor,47 nH,±5 %,DCR=2.6 ohm,100	1	L1731	Inductor
77	ADA2210005C X	ADA2210005 C1	HPZ1005U221- R70TF	SUNLORD	磁珠,Chip Ferrite Bead,220 ohm,± 25 %,DCR=0.25 ohm,700	8	B1101 B1102 B0901 B1116 B1117 B1119 B1120 B1121	Bead
78	ADA6010008C X	ADA6010008 C1	HZ1005D601	SUNLORD	磁珠,Chip Ferrite Bead,600 ohm,± 25 %,DCR=1.5 ohm,100	12	B1105 B1106 B1107 B1108 B1109 B1110 B1111 B1112 B1113 B1114	Bead
79	ADA6010011C X	ADA6010011 C1	GZ1005U601CT F	SUNLORD	磁珠,Chip Ferrite Bead,600 ohm,± 25 %,DCR=0.55 ohm,300	1	B1118	Bead
80	ACB33SM9B6 CX	ACB33SM9B 6CF	MPIA252012- R33M-LF	MICROGA TE	功率电感,Power Inductor,0.33 uH, ±20 %,DCR=0.022 ohm,7000 mA,N/A,4400 mA,Wire-	1	L0501	Power Inductor
81	ACB47SM9B6 CX	ACB47SM9B 6CF	MPIE252012- R47M-LF	MICROGA TE	功率电感,Power Inductor,0.47 uH, ±20 %,DCR=0.03 ohm,4500 mA,N/A,3300 mA,Wire-	3	L0502 L0503 L0504	Power Inductor
82		ACA220M907 C1	NRH3012T220M N	TAIYO YUDEN	功率电感,Power Inductor,22 uH,± 20 %,DCR=0.63 ohm,500 mA,22 MHz,500 mA,Wire-Wound,3.0×	1	L0901	Power Inductor
83	ACB22FM9BK CX	ACB22FM9B KCF	MPIE252010- 2R2M-LF	MICROGA TE	功率电感,Power Inductor,2.2 uH,± 20 %,DCR=0.108 ohm,1700 mA,N/A,1650 mA,Wire-	1	L0505	Power Inductor
84	AJB2600020C X	AJB2600020 C1	KT2520K26000 ZAW28QAS	KYOCERA	温度补偿振荡器,TCXO,26 MHz,± 2 ppm,10 pF,2.5×2×0.8	1	Y1301	тсхо
85	AJA3276829C X	AJA3276829 C1	SC-32S(20/12.5 PF)	SEIKO	晶体,Crystal,32.768 KHz,±20 ppm,12.5 pF,3.2×1.5×0.8 mm,1	1	Y0501	Crystal
86	AFA0000221C X	AFA0000221 C1	PSBD1DF60V1 H	PRISEMI	二极管,Diode,Schottky Barrier Rectifiers,SOD123-FL,Uni-	1	D0901	Diode
87	AFA0000181C X	AFA0000181 C1	BAP64LX	NXP	二极管,Diode,Silicon Pin diode,SOD882T,Uni-	1	D1701	Diode
88	AFA0000189C X	AFA0000189 C1	PZ3D4V2H	PRISEMI	齐纳二极管,Zener Diode,Voltage Regulation,SOD-323,Uni-	1	D0601	Diode

89	AFB0000036C X	AFB0000036 C1	A-SP194W1D- C01-4T	AMICC	发光二极管,Light-Emitting Diode,Top view,Mono- Color,White,95 mW,3 V,0603,1.6	1	H0701	LED
90	AFB0000080C X	AFB0000080 C1	A-SL686W1D- H03-4T	AMICC	发光二极管,LED,Flash LED Type,white,1500 mW,3.4 V,N/A,2	1	H1001	LED
91	AGA0000103C X	AGA0000103 C1	WPT2E33-3/TR	WILLSEMI	三极管,Transistor,PNP,3000.0 mW,SOT-89-3L,Pd 1.5W withi	1	Q0601	Transistor
92	AHA0000132C X	AHA0000132 C1	WNM2030-3/TR	WILLSEMI	场效应管,MOSFET,N Channel,370. mW,0.210	1	Q0602	MOSFET
93	ALC0000075C X	ALC0000075 C1	PESD5V0V1BL	NXP	ESD保护二极管,ESD protection diode,single line,11 pF,5	7	CR1105 CR1106 CR1107 CR1108 CR1109 CR1101 CR1102	TVS
94	AAF0000003C X	AAF0000003 C1	SFI0402- 050E100NP-LF	SFI	压敏电阻,Varistor,10 pF,±30 %,5 V,0402,1.1×0.6×0.6 mm,SFI0402- 050E100NP-LF,SFI	13	CR0602 CR0603 CR0722 CR0723 CR0724 CR0903 CR0904 CR0905 CR0906 CR0907 CR1110 CR1111 CR1112	Varistor
95	AAF0000004C X	AAF0000004 C1	SFI0402- 120E100NP-LF	SFI	压敏电阻(ESD),Varistor(ESD),10 pF,±30 %,12 V,0402,1.1×0.6×0.6	1	CR0717	Varistor
96	AMA0000909 CX	AMA0000909 C1	MT6735V/WM	MTK	基带芯片,Baseband Chipset,TFBGA,641 Balls,12.6x	1	U0101	Baseband
97	AMN0000069 CX	AMN0000069 C1	MT6328V/A	MTK	电源管理芯片,PMU Chipset,VFBGA 206L,6.6×6.6×	1	U0501	PMU
98	AMB0000049 CX	AMB0000049 C1	MT6625L	MTK	四合一无线连接芯片,4-in-1 connectivity chip,Wi-	1	U1201	4-in-1 IC
99	AMR0000047 CX	AMR0000047 C1	MT6169	MTK	无线收发芯片,Transceiver Chipset,175-Pin TFBGA,6.2×5.4×	1	U1301	Transceiver
100	AMQ0000014 CX	AMQ0000014 C1	SGM3140YD10 G/TR	SGMICRO	闪光灯驱动,FLASH LED Driver,3× 3mm,DFN3×3-	1	U1001	Flash Driver
101	AMY0000527 CX	AMY0000527 C1	KTD251EHD-TR	KINETIC	电压转换器,DC/DC,2.9×2.8×1.1 mm,TSOT23-6,up to	1	U0901	DC/DC
102	AMY0000763 CX	AMY0000763 C1	AW5015DNR	AWINIC	极低噪声放大器,Ultra-Low Noise Amplifier,1.1×0.9×0.45 mm,DFN-	1	U1202	GPS LNA
103	AEA0000271C X	AEA0000271 C1	SAFFB806MFA0 F0A	MURATA	滤波器,SAW Single Filter,for Band 20 / Balanced,791.25-	1	FL1705	SAW Single Filter

104	AEA0000353C X	AEA0000353 C1	SAWFD1G84EH 1F0A	MURATA	滤波器,Saw Filter,Band 1/3 (Rx),1842.5 MHz/2140 MHz,1.5×	1	FL1701	Saw Filter
105	AEA0000395C X	AEA0000395 C1	SFH942YA002	WISOL	滤波器,Saw Filter,UMTS/LTE Band8 Rx,925-960 MHz,1.1×0.9×	1	FL1704	Saw Filter
106	AEA0000429C X	AEA0000429 C1	SFHG56JA002	WISOL	滤波器,Saw Filter,LTE B7 RX,2655 MHz(2620-2690	1	FL1702	Saw Filter
107	AEB0000294C X	AEB0000294 C1	SAYEY806MBA 0F0A	MURATA	双工器,SAW Duplexer,B20 Unbalanced,847 MHz/806	1	FL1502	SAW Duplexer
108	AEB0000299C X	AEB0000299 C1	SAYEY718MBC 0F0A	MURATA	双工器,SAW Duplexer,Band28A/Unbalanced/L	1	FL1503	SAW Duplexer
109	AEB0000321C X	AEB0000321 C1	SAYEY836MCA 0F0A	MURATA	双工器,SAW Duplexer,B5/Balanced/LR,836.5	1	FL1603	SAW Duplexer
110	AEB0000323C X	AEB0000323 C1	SAYEY1G95HA 0F0A	MURATA	双工器,SAW Duplexer,B1/Balanced/LR,1950	1	FL1601	SAW Duplexer
111	AEB0000329C X	AEB0000329 C1	SAYEY2G53CA 0F0A	MURATA	双工器,SAW Duplexer,B7/Balanced/LR,2535	1	FL1604	SAW Duplexer
112	AEB0000339C X	AEB0000339 C1	SAYEY1G88CA 0B0A	MURATA	双工器,SAW Duplexer,B2/Balanced/LR/1814,1	1	FL1606	SAW Duplexer
113	AEB0000340C X	AEB0000340 C1	SAYEY1G74CA 0B0A	MURATA	双工器,SAW Duplexer,B3/Balanced/LR/1814,1	1	FL1608	SAW Duplexer
114	AEB0000320C X	AEB0000320 C1	SAYEY897MCA 0B0A	Murata	双工器,SAW Duplexer,B8/Balanced/LR,897.5	1	FL1605	SAW Duplexer
115	AED0000146C X	AED0000146 C1	RFBLN0605040 YM1T69	WALSIN	巴伦,Balun,LTE B20/B28,729-821 MHz,0.65×0.5×0.4 mm,4	1	FL1504	Balun
116	AMF0000289C X	AMF0000289 C1	RF5210	RFMD	射频放大芯片,RF PA,Quad Band GSM/GPRS,Tx-Rx,38-Pin,5.3×5.5	1	SW1502	RF PA
117	AMF0000293C X	AMF0000293 C1	RF5423	RFMD	射频放大芯片,RF PA,Multimode,Multiband,Linear,M	1	U1401	RF PA
1 112		AMY0000881 C1	RTC8612FR	RICHWAV E	单刀双掷模拟开关, SPDT Switch,1.235×0.795×0.375 mm,6-	1	SW1503	Antenna Switch
119	AXA0000095C X	AXA0000095 C1	RFASWDH2418 ATF02	WALSIN	天线开关,Antenna Switch Module,SP8T Switch,QFN-	1	SW1702	Antenna Switch

120	AEA0000246C X	AEA0000246 C1	SAFEA2G45MB 0F0A	MURATA	滤波器,Saw Filter,SAW FILTER FOR ISM2.4 /LTE,2441MHz,1.35*1.05*0.5	1	FL1201	FILTER
121		AMY0000459 C1	RF1119A	RFMD	天线模拟开关,SP4T switch,1.6x 1.6x0.606 mm,WLCSP 11-	1	SW1501	SWITCH
122		AEA0000279 C1	SFDG75BA002	WISOL	滤波器,Saw Filter,GPS Rx,1575.42 MHz,1.1×0.9×0.55	1	FL1202	Saw Filter
123	AED0000080C X	AED0000080 C1	RFDIP1608060T M7T62	_	分频器,Diplexer,MULTILAYER CERAMIC DIPLEXER,1590MHz/2450MHz/5	1	FL1203	Diplexer
124	AWC4013M10 CX	AWC4013M1 0C1	SOM4013SL- G422-RC-HS	GETTOP	麦克风,MIC,ECM,D4.0xH1.3 mm,- 42+/-2 dB,SMT,N/A,SOM4013SL-	2	MA1101 MA1102	MIC
125	ARA0250005C X	ARA0250005 C1	BL125-25RL	SCG	FPC连接器,FPC Connector,Over PCB,25 PINs,0.6 mm,9.0×3.6×	1	J0901	Connector
126	ARA0080004C X	ARA0080004 C1	BL509-08G31- TAH1		FPC连接器,FPC Connector,Over PCB,8 PINs,0.5 mm,6.00×3.50× 0.90 mm,W/O POST+W/O	1	J0902	Connector
127		ARC0240013 C1	2458040240008 29+		板对板连接器(插座),BTB Connector(Socket),OVER PCB,24.0 PINs,0.40	1	J1002	Connector
128	ARC0300004C X	ARC0300004 C1	2458040300008 29+		板对板连接器(插座),BTB Connector(Socket),OVER PCB,30.0 PINs,0.40	1	J1001	Connector
129	ARD0080011C X	ARD0080011 C1	SM036- 16116A81	JTCONN	Micro SIM卡连接器,Micro SIM Card Connector,With Bridge,8 PINs,2.54 mm,13.40×14.85×1.60	1	J0701	Connector
130	ARE0040035C X	ARE0040035 C1	BV036- 19136A41	JTCONN	电池连接器,Battery Connector,Over PCB,4 PINs,3.0	1	J0601	Connector
131		C1	ECT818000163	ECT	RF连接器,RF switch,Over PCB,6.0 PINs,2.32 mm,2.5×2.5×	2	P1501 P1701	RF switch
132		ARG0050025 C1	AJ026- 15246A02	JTCONN	耳机插座,Audio Jack,Cut PCB,5 PINs,D3.5 mm,12.30×9.40×4.15	1	J1101	Audio Jack

133	ARH0050050C X	ARH0050050 C1	UAF95-05254- SF41TCL	LCN	Micro USB连接器,Micro USB Connector,Over PCB,5 PINs,0.65 mm,7.5×5.0×2.45 mm,With	1	J0704	Connector
134	ARJ0090003C X	ARJ0090003 C1	TF006- 17116A93	JTCONN	存储卡卡座,Memory Card Connector,Simple Socket,9 PINs,1.1 mm,11.15×7.00×1.70	1	J0703	Connector
1 1.37		ARQ0030002 C1	EVPAKBC1A	PANASON IC	侧键开关,Lateral Switch,3 PINs,3.90×2.05×1.60 mm,W/O	3	J0705 J0706 J0707	Switch
1 1 7 6		ARM0010032 C1	PAN00-01090- 1509	LINKCON N	天线弹片,antenna spring,Over PCB,1 PINs,0 mm,3.5x1.0xWh0.5mm,W/O POST+W/O DIP,N/A,PAN00-	10	TP1201 TP1202 TP1502 TP1503 TP1504 TP1701 TP1702 TP1703 TP1704 TP15012	Antenna spring
1 17/		BAB28UA00A C1	NA	TIGERBUI LDER	主印刷线路板,Main PCB,PIXI4-5 4G VF,A Version,1+6+1 Layers,140.7×	1		РСВ
138		CPG0000048 C0	N/A	HENGWEI	主板标签,PCBA LABLE,Rav4,N/A,N/A,10.00×8.00	1		label
139	ADA6010007C X	ADA6010007 C1	BLM15HG601S N1D	MURATA	磁珠,Chip Ferrite Bead,600 ohm,± 25 %,DCR=0.7 ohm,300	1	R0917	Bead
140		ABA560JJA0 C2	C0201C0G560J 500NTA	EYANG	电容,Capacitor,56 pF,±5 %,50 V,C0G,0201,0.63×0.33×0.33	1	C1736	Capacitor
141		ACA56HSA01 C1	SDCL0603Q5N6 ST02B01	SUNLORD	电感,Inductor,5.6 nH,±0.3 nH,DCR=0.46 ohm,210	1	L1209	Inductor
142		ACA02TBAA6 C4	SDCL0603Q2N0 BT02B02	SUNLORD	电感,Inductor,2 nH,±0.1 nH,DCR=0.2 ohm,450 mA,0201,MultiLayer,0.65×0.35×	1	L1603	Inductor
1 1/13		BKB28U0001 C1	N/A		BB屏蔽件,BB Shielding,Pixi4-5 4G,马口铁,0.2	1	SH02	SHIELDING
1 1/1/1	BKA28UA001 CX	BKA28UA001 C1	N/A	SHENGH UA	VF_RF屏蔽件,VF_RF Shielding,PIXI4-5 4G VF,马口	1	SH01	SHIELDING
1 1/15		BKC28U0003 C1	N/A		LCD屏蔽盖,LCD Shielding,Pixi4-5 4G,马口铁,0.2	1	SH04	SHIELDING
1 1/16		BKC28U0002 C1	N/A	SHENGH UA	Wifi屏蔽盖,WIFI Shielding,Pixi4-5 4G,马口铁,0.2	1	SH03	SHIELDING

147	BKC28U0001 CX	BKC28U0001 C1	N/A	SHENGH UA	PMU屏蔽盖,PMU Shielding,Pixi4-5 4G,马口铁,0.2	1	SH05	SHIELDING
1 1/10	BKC28U0004 CX	BKC28U0004 C1	N/A	SHENGH UA	GL_PA屏蔽盖,GL_PA Shielding,Pixi4-5 4G,马口铁,0.2	1	SH06	SHIELDING
149	ACA15TJAA4 CX	_			电感,Inductor,15 nH,±5 %,DCR=1.58 ohm,170 mA,0201,MultiLayer,0.65×0.35×	4	L1614 L1622 L1722 L1726	Inductor
150	ABA100KGAC C2X	ABA100KGA CC2	C0201C0G100K 250NTA	EYANG	普通电容,Capacitor,10 pF,±10 %,25 V,C0G,0201,0.63×0.33×	2	C1509 C1522	Capacitor
151		ACA27SJB02 C1	SDCL1005CR27 JTDF	SUNLORD	电感,Inductor,270 nH,±5 %,DCR=4.5 ohm,100	1	L1207	Inductor
152	ACA75HHAC0 CX	ACA75HHA0 4C1	LQP03TG7N5H 02D	MURATA	电感,Inductor,7.5 nH,±3 %,DCR=1.22 ohm,200	2	L1604 L1515	Inductor
153	CX	C4	SDCL0603Q1N0 BT02B02	SUNLORD		8	L1401 L1404 C1709 L1518 C1716 C1717 R1205 C1527	Inductor
154	ACA75HJAA3 CX	ACA75HJAA3 C4	SDCL0603Q7N5 JT02B02	SUNLORD	电感,Inductor,7.5 nH,±5 %,DCR=0.56 ohm,200	1	C1404	Inductor
155		ABA050BJA0 C2	C0201C0G5R0B 500N	EYANG	电容,Capacitor,5 pF,±0.1 pF,50 V,C0G,0201,N/A,C0201C0G5R0	1	L1402	Capacitor
156	ABA27FBJAC CX	02	C0201C0G2R7B 500N		电容,Capacitor,2.7 pF,±0.1 pF,50 V,C0G,0201,N/A,C0201C0G2R7	1	L1405	Capacitor
1 15/	ACA22TJAA1 CX	-	SDCL0603Q22N JT02B02		70,2011 1102 011111,1110	3	C1409 L1514 L1627	Inductor
158	ACA15HBAA3 CX	00 -1	SDCL0603Q1N5 BT02B02		,=,	2	L1407 R1206	Inductor
159	ACA56HBAA1 CX	ACA56HBAA 1C4	SDCL0603Q5N6 BT02B02	SUNLORD	电感,Inductor,5.6 nH,±0.1 nH,DCR=0.48 ohm,250	1	L1625	Inductor
160	ACA27HBAA5 CX	ACA27HBAA 5C4	SDCL0603Q2N7 BT02B02	SUNLORD	电感,Inductor,2.7 nH,±0.1 nH,DCR=0.25 ohm,450	2	L1624 L1705	Inductor
161		ACA22HBA05 C1	LQP03TG2N2B 02D	MURATA	电感,Inductor,2.2 nH,±0.1 nH,DCR=0.25 ohm,450	1	C1518	Inductor

162	ACA62HHAC0 CX	ACA62HHA0 1C1	LQP03TG6N2H 02D	MURATA	电感,Inductor,6.2 nH,±3 %,DCR=1.15 ohm,200	1	L1620	Inductor
163		ACA62HBAA 1C4	SDCL0603Q6N2 BT02B02	SUNLORD	电感,Inductor,6.2 nH,±0.1 nH,DCR=0.5 ohm,200	2	L1612 L1630	Inductor
164	ACA36HBAA6 CX	ACA36HBAA 6C4	SDCL0603Q3N6 BT02B02	SUNLORD	电感,Inductor,3.6 nH,±0.1 nH,DCR=0.34 ohm,350	2	L1719 L1723	Inductor
165	ABA47FBJAC CX	C2	C0201C0G4R7B 500NTA		普通电容,Capacitor,4.7 pF,±0.1 pF,50 V,C0G,0201,0.63×0.33×	2	C1722 C1723	Capacitor
166	ACA24HBAA4 CX	101	SDCL0603Q2N4 BT02B02		, ,	1	L1715	Inductor
167		ACA18TJAA4 C4	SDCL0603Q18N JT02B02	SUNLORD	电感,Inductor,18 nH,±5 %,DCR=1.71 ohm,160	3	L1710 L1718 C1410	Inductor
168	ACA12HBAA3 CX	ACA12HBAA 3C4	SDCL0603Q1N2 BT02B02	SUNLORD	电感,Inductor,1.2 nH,±0.1 nH,DCR=0.13 ohm,600	2	C1617 C1619	Inductor
169	ACA82HJAA1 CX	ACA82HJAA1 C4	SDCL0603Q8N2 JT02B02	SUNLORD	电感,Inductor,8.2 nH,±5 %,DCR=0.72 ohm,200 mA,0201,MultiLayer,0.65×	2	L1510 L1507	Inductor
170		AMD0000406 C1	TYD0GH121661 RA	TOSHIBA	内存芯片,MCP Memory,e- MMC+LPDDR3 SDRAM,8 GB+8	1	U0401	MCP Memory
171		AMY0001016 C1	MXC4005XC		数字加速度传感器,Digital Accelerate Sensor,1.7×1.18× 085 mm,6-Pin WLCSP,Three-	1	U1	Digital Accelerate Sensor
172	ACA91HJAA4 CX	C4	SDCL0603Q9N1 JT02B02	SUNLORD	电感,Inductor,9.1 nH,±5 %,DCR=0.8 ohm,200	1	L1403	Inductor
1 1/3	_	007	SDCL0603Q2N2 BT02B02		,,	1	L1617	Inductor
174	ACA10TJAA2 CX	ACA10TJAA2 C4	SDCL0603Q10N JT02B02	SUNLORD	电感,Inductor,10 nH,±5 %,DCR=1.2 ohm,190	4	L1203 L1202 L1204 L1205	Inductor
175	AEA0000409C X	AEA0000409 C1	SFH773YA002	WISOL	滤波器,Saw Filter,LTE Band28-A Rx,773 MHz,1.1x0.9x0.5 mm,5	1	FL1703	Saw Filter

176	U2A	02	C0201C0G1R8B 500NTA		普通电容,Capacitor,1.8 pF,±0.1 pF,50 V,C0G,0201,0.63×0.33×	2	C1601 C1602	Capacitor		
177	CA .	62	C0201C0G4R3B 500NTA		普通电容,Capacitor,4.3 pF,±0.1 pF,50 V,C0G,0201,0.63×0.33×0.33	1	C1406	Capacitor		
I 1/8	ACA03TSBA0 CX	ACA03TSB02 C1	SDCL1005C3N0 STDF	SUNLORD	电感,Inductor,3 nH,±0.3 nH,DCR=0.2 ohm,300	1	C1708	Inductor		
179	AMS0000019 CX	AMS0000019 C1	PESDHC2FD4V 5BH	PRISEMI	静电防护器,ESD Protection,1 Channels,Bi-	2	CR0601 CR0605	TVS		
180	AFA0000095C X	AFA0000095 C1	PZU5.6B	NIVD	PZU5.6B NXP 齐纳二极管,Zener Diodes,Single Zener	1	D0701	Diodes		
181	ACA12TJAA4 CX	ACA12TJAA4 C4	SDCL0603Q12N JT02B02	SUNLORD	电感,Inductor,12 nH,±5 %,DCR=1.42 ohm,180 mA,0201,MultiLayer,0.65×	1	C1415	Inductor		
	<end></end>									