



Appendix B

E-UTRA Band5

CONTENT

	Page
1 EFFECTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA.....	3
2 PEAK-TO-AVERAGE RATIO	11
2.1 FOR LTE	11
2.1.1 <i>Test Band = LTE band5</i>	11
3 MODULATION CHARACTERISTICS	15
3.1 FOR LTE	15
3.1.1 <i>Test Band = LTE band5</i>	15
4 BANDWIDTH	17
4.1 FOR LTE	18
4.1.1 <i>Test Band = LTE band5</i>	18
5 BAND EDGES COMPLIANCE	31
5.1 FOR LTE	31
5.1.1 <i>Test Band = LTE band5</i>	31
6 SPURIOUS EMISSION AT ANTENNA TERMINAL.....	48
6.1 FOR LTE	48
6.1.1 <i>Test Band = LTE band5</i>	48
7 FIELD STRENGTH OF SPURIOUS RADIATION	52
7.1 FOR LTE	52
7.1.1 <i>Test Band = LTE band5</i>	52
8 FREQUENCY STABILITY	54
8.1 FREQUENCY ERROR VS. VOLTAGE	54
8.2 FREQUENCY ERROR VS. TEMPERATURE	55



1 Effective (Isotropic) Radiated Power Output Data

Part I - Test Results

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
BAND5	LTE/TM1	1.4M	LCH	RB1#0	23.82	18.17	38.45	PASS
				RB1#2	23.98	18.33	38.45	PASS
				RB1#5	23.83	18.18	38.45	PASS
				RB3#0	23.92	18.27	38.45	PASS
				RB3#2	23.98	18.33	38.45	PASS
				RB3#3	23.92	18.27	38.45	PASS
				RB6#0	22.97	17.32	38.45	PASS
			MCH	RB1#0	23.84	18.19	38.45	PASS
				RB1#2	23.97	18.32	38.45	PASS
				RB1#5	23.83	18.18	38.45	PASS
				RB3#0	23.92	18.27	38.45	PASS
				RB3#2	23.97	18.32	38.45	PASS
				RB3#3	23.92	18.27	38.45	PASS
				RB6#0	22.98	17.33	38.45	PASS
			HCH	RB1#0	23.74	18.09	38.45	PASS
				RB1#2	23.87	18.22	38.45	PASS
				RB1#5	23.78	18.13	38.45	PASS
				RB3#0	23.87	18.22	38.45	PASS
				RB3#2	23.9	18.25	38.45	PASS
				RB3#3	23.89	18.24	38.45	PASS
				RB6#0	22.97	17.32	38.45	PASS



**SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch**

Report No.: SZEM180200119802
Page: 4 of 57

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
BAND5	LTE/TM2	1.4M	LCH	RB1#0	22.96	17.31	38.45	PASS
				RB1#2	23.08	17.43	38.45	PASS
				RB1#5	22.94	17.29	38.45	PASS
				RB3#0	22.84	17.19	38.45	PASS
				RB3#2	22.87	17.22	38.45	PASS
				RB3#3	22.81	17.16	38.45	PASS
				RB6#0	21.98	16.33	38.45	PASS
			MCH	RB1#0	23.04	17.39	38.45	PASS
				RB1#2	23.18	17.53	38.45	PASS
				RB1#5	22.99	17.34	38.45	PASS
				RB3#0	22.88	17.23	38.45	PASS
				RB3#2	22.93	17.28	38.45	PASS
				RB3#3	22.89	17.24	38.45	PASS
				RB6#0	22.00	16.35	38.45	PASS
			HCH	RB1#0	22.83	17.18	38.45	PASS
				RB1#2	23.01	17.36	38.45	PASS
				RB1#5	22.85	17.20	38.45	PASS
				RB3#0	22.80	17.15	38.45	PASS
				RB3#2	22.83	17.18	38.45	PASS
				RB3#3	22.78	17.13	38.45	PASS
				RB6#0	21.94	16.29	38.45	PASS



**SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch**

Report No.: SZEM180200119802
Page: 5 of 57

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
BAND5	LTE/TM1	3M	LCH	RB1#0	23.91	18.26	38.45	PASS
				RB1#7	24.03	18.38	38.45	PASS
				RB1#14	23.92	18.27	38.45	PASS
				RB8#0	22.95	17.3	38.45	PASS
				RB8#4	22.99	17.34	38.45	PASS
				RB8#7	22.95	17.3	38.45	PASS
				RB15#0	22.97	17.32	38.45	PASS
			MCH	RB1#0	23.94	18.29	38.45	PASS
				RB1#7	24.06	18.41	38.45	PASS
				RB1#14	23.92	18.27	38.45	PASS
				RB8#0	22.97	17.32	38.45	PASS
				RB8#4	23.02	17.37	38.45	PASS
				RB8#7	22.97	17.32	38.45	PASS
				RB15#0	23.02	17.37	38.45	PASS
			HCH	RB1#0	23.86	18.21	38.45	PASS
				RB1#7	24.02	18.37	38.45	PASS
				RB1#14	23.84	18.19	38.45	PASS
				RB8#0	22.92	17.27	38.45	PASS
				RB8#4	22.97	17.32	38.45	PASS
				RB8#7	22.94	17.29	38.45	PASS
				RB15#0	22.99	17.34	38.45	PASS



**SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch**

Report No.: SZEM180200119802

Page: 6 of 57

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
BAND5	LTE/TM2	3M	LCH	RB1#0	23.02	17.37	38.45	PASS
				RB1#7	23.15	17.50	38.45	PASS
				RB1#14	23.05	17.40	38.45	PASS
				RB8#0	21.93	16.28	38.45	PASS
				RB8#4	21.95	16.3	38.45	PASS
				RB8#7	21.93	16.28	38.45	PASS
				RB15#0	21.91	16.26	38.45	PASS
			MCH	RB1#0	23.12	17.47	38.45	PASS
				RB1#7	23.18	17.53	38.45	PASS
				RB1#14	23.11	17.46	38.45	PASS
				RB8#0	21.99	16.34	38.45	PASS
				RB8#4	22.02	16.37	38.45	PASS
				RB8#7	21.98	16.33	38.45	PASS
				RB15#0	21.98	16.33	38.45	PASS
			HCH	RB1#0	22.98	17.33	38.45	PASS
				RB1#7	23.08	17.43	38.45	PASS
				RB1#14	22.92	17.27	38.45	PASS
				RB8#0	21.89	16.24	38.45	PASS
				RB8#4	21.92	16.27	38.45	PASS
				RB8#7	21.90	16.25	38.45	PASS
				RB15#0	21.89	16.24	38.45	PASS



**SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch**

Report No.: SZEM180200119802
Page: 7 of 57

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
BAND5	LTE/TM1	5M	LCH	RB1#0	23.81	18.16	38.45	PASS
				RB1#13	23.97	18.32	38.45	PASS
				RB1#24	23.78	18.13	38.45	PASS
				RB12#0	22.89	17.24	38.45	PASS
				RB12#6	22.97	17.32	38.45	PASS
				RB12#13	22.96	17.31	38.45	PASS
				RB25#0	22.96	17.31	38.45	PASS
			MCH	RB1#0	23.84	18.19	38.45	PASS
				RB1#13	23.94	18.29	38.45	PASS
				RB1#24	23.82	18.17	38.45	PASS
				RB12#0	22.98	17.33	38.45	PASS
				RB12#6	23.04	17.39	38.45	PASS
				RB12#13	22.94	17.29	38.45	PASS
				RB25#0	23.02	17.37	38.45	PASS
			HCH	RB1#0	23.77	18.12	38.45	PASS
				RB1#13	23.85	18.20	38.45	PASS
				RB1#24	23.73	18.08	38.45	PASS
				RB12#0	22.88	17.23	38.45	PASS
				RB12#6	22.95	17.30	38.45	PASS
				RB12#13	22.95	17.30	38.45	PASS
				RB25#0	22.95	17.30	38.45	PASS



**SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch**

Report No.: SZEM180200119802
Page: 8 of 57

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
BAND5	LTE/TM2	5M	LCH	RB1#0	22.93	17.28	38.45	PASS
				RB1#13	23.07	17.42	38.45	PASS
				RB1#24	22.93	17.28	38.45	PASS
				RB12#0	21.84	16.19	38.45	PASS
				RB12#6	21.93	16.28	38.45	PASS
				RB12#13	21.91	16.26	38.45	PASS
				RB25#0	21.86	16.21	38.45	PASS
			MCH	RB1#0	23.00	17.35	38.45	PASS
				RB1#13	23.09	17.44	38.45	PASS
				RB1#24	23.00	17.35	38.45	PASS
				RB12#0	21.95	16.30	38.45	PASS
				RB12#6	22.02	16.37	38.45	PASS
				RB12#13	21.92	16.27	38.45	PASS
				RB25#0	21.97	16.32	38.45	PASS
			HCH	RB1#0	22.97	17.32	38.45	PASS
				RB1#13	23.02	17.37	38.45	PASS
				RB1#24	22.88	17.23	38.45	PASS
				RB12#0	21.85	16.20	38.45	PASS
				RB12#6	21.91	16.26	38.45	PASS
				RB12#13	21.90	16.25	38.45	PASS
				RB25#0	21.88	16.23	38.45	PASS



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180200119802
Page: 9 of 57

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
BAND5	LTE/TM1	10M	LCH	RB1#0	23.95	18.3	38.45	PASS
				RB1#25	23.91	18.26	38.45	PASS
				RB1#49	23.91	18.26	38.45	PASS
				RB25#0	22.94	17.29	38.45	PASS
				RB25#13	23.03	17.38	38.45	PASS
				RB25#25	23.00	17.35	38.45	PASS
				RB50#0	23.00	17.35	38.45	PASS
			MCH	RB1#0	23.99	18.34	38.45	PASS
				RB1#25	23.94	18.29	38.45	PASS
				RB1#49	23.93	18.28	38.45	PASS
				RB25#0	23.08	17.43	38.45	PASS
				RB25#13	23.11	17.46	38.45	PASS
				RB25#25	23.05	17.40	38.45	PASS
				RB50#0	23.11	17.46	38.45	PASS
			HCH	RB1#0	23.94	18.29	38.45	PASS
				RB1#25	23.93	18.28	38.45	PASS
				RB1#49	23.84	18.19	38.45	PASS
				RB25#0	23.05	17.40	38.45	PASS
				RB25#13	23.07	17.42	38.45	PASS
				RB25#25	23.06	17.41	38.45	PASS
				RB50#0	23.10	17.45	38.45	PASS



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180200119802
Page: 10 of 57

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
BAND5	LTE/TM2	10M	LCH	RB1#0	23.04	17.39	38.45	PASS
				RB1#25	23.12	17.47	38.45	PASS
				RB1#49	23.09	17.44	38.45	PASS
				RB25#0	21.87	16.22	38.45	PASS
				RB25#13	21.96	16.31	38.45	PASS
				RB25#25	21.93	16.28	38.45	PASS
				RB50#0	21.91	16.26	38.45	PASS
			MCH	RB1#0	23.11	17.46	38.45	PASS
				RB1#25	23.17	17.52	38.45	PASS
				RB1#49	23.12	17.47	38.45	PASS
				RB25#0	22.01	16.36	38.45	PASS
				RB25#13	21.99	16.34	38.45	PASS
				RB25#25	22.00	16.35	38.45	PASS
				RB50#0	22.04	16.39	38.45	PASS
			HCH	RB1#0	23.14	17.49	38.45	PASS
				RB1#25	23.13	17.48	38.45	PASS
				RB1#49	22.95	17.30	38.45	PASS
				RB25#0	21.99	16.34	38.45	PASS
				RB25#13	22.00	16.35	38.45	PASS
				RB25#25	22.04	16.39	38.45	PASS
				RB50#0	22.03	16.38	38.45	PASS

Note:

a: For getting the ERP (Efficient Radiated Power) in substitution method, the following formula should be taken to calculate it,

$$\text{ERP [dBm]} = \text{SGP [dBm]} - \text{Cable Loss [dB]} + \text{Gain [dBd]}$$

b: SGP=Signal Generator Level

2 Peak-to-Average Ratio

Part I - Test Results

Test Band	Test Mode	Test Channel	Measured[dB]	Limit [dB]	Verdict
Band5	TM1/10M	LCH	4.78	13	PASS
		MCH	4.90	13	PASS
		HCH	4.64	13	PASS
	TM2/10M	LCH	5.77	13	PASS
		MCH	5.71	13	PASS
		HCH	5.51	13	PASS


Part II - Test Plots

2.1 For LTE

2.1.1 Test Band = LTE band5


2.1.1.1 Test Mode = LTE/TM1.Bandwidth=10MHz

2.1.1.1.1 Test Channel = LCH




Date: 8.MAR.2018 09:09:19

2.1.1.1.2 Test Channel = MCH



Date: 8.MAR.2018 09:09:00


2.1.1.1.3 Test Channel = HCH



Date: 8.MAR.2018 09:10:07


2.1.1.2 Test Mode = LTE/TM2.Bandwidth=10MHz

2.1.1.2.1 Test Channel = LCH




Date: 8.MAR.2018 09:09:30

2.1.1.2.2 Test Channel = MCH



Date: 8.MAR.2018 09:08:31

2.1.1.2.3 Test Channel = HCH



Date: 8 MAR 2018 09:09:50

3 Modulation Characteristics


Part I - Test Plots

3.1 For LTE

3.1.1 Test Band = LTE band5


3.1.1.1 Test Mode = LTE /TM1 10MHz

3.1.1.1.1 Test Channel = MCH



3.1.1.2 Test Mode = LTE /TM2 10MHz

3.1.1.2.1 Test Channel = MCH



4 Bandwidth

Part I - Test Results

Test Band	Test Mode	Test Channel	Occupied Bandwidth [MHz]	Emission Bandwidth [MHz]	Verdict
Band5	TM1/1.4MHz	LCH	1.09	1.29	PASS
		MCH	1.09	1.28	PASS
		HCH	1.09	1.30	PASS
	TM2/1.4MHz	LCH	1.10	1.30	PASS
		MCH	1.09	1.28	PASS
		HCH	1.09	1.27	PASS
	TM1/ 3MHz	LCH	2.67	2.85	PASS
		MCH	2.67	2.87	PASS
		HCH	2.67	2.85	PASS
	TM2/3MHz	LCH	2.67	2.85	PASS
		MCH	2.67	2.85	PASS
		HCH	2.67	2.87	PASS
	TM1/ 5MHz	LCH	4.48	5.05	PASS
		MCH	4.46	5.05	PASS
		HCH	4.47	5.06	PASS
	TM2/ 5MHz	LCH	4.48	5.04	PASS
		MCH	4.48	5.03	PASS
		HCH	4.49	5.04	PASS
	TM1/10MHz	LCH	8.95	9.77	PASS
		MCH	8.95	9.97	PASS
		HCH	8.95	9.93	PASS
	TM2/ 10MHz	LCH	8.95	9.81	PASS
		MCH	8.93	9.75	PASS
		HCH	8.95	9.89	PASS


Part II - Test Plots

4.1 For LTE

4.1.1 Test Band = LTE band5


4.1.1.1 Test Mode = LTE/TM1 1.4MHz

4.1.1.1.1 Test Channel = LCH




Date: 8 MAR 2018 09:06:39

4.1.1.1.2 Test Channel = MCH



Date: 8.MAR.2018 09:05:34


4.1.1.1.3 Test Channel = HCH



Date: 8.MAR.2018 09:02:35


4.1.1.2 Test Mode = LTE/TM2 1.4MHz

4.1.1.2.1 Test Channel = LCH




Date: 8.MAR.2018 09:07:54

4.1.1.2.2 Test Channel = MCH



Date: 8.MAR.2018 09:04:41


4.1.1.2.3 Test Channel = HCH



Date: 8.MAR.2018 09:03:43


4.1.1.3 Test Mode = LTE/TM1 3MHz

4.1.1.3.1 Test Channel = LCH




Date: 8.MAR.2018 08:46:06

4.1.1.3.2 Test Channel = MCH



Date: 8.MAR.2018 08:49:33


4.1.1.3.3 Test Channel = HCH



Date: 8.MAR.2018 08:59:53


4.1.1.4 Test Mode = LTE/TM2 3MHz

4.1.1.4.1 Test Channel = LCH




Date: 8.MAR.2018 08:48:00

4.1.1.4.2 Test Channel = MCH



Date: 8.MAR.2018 08:48:56


4.1.1.4.3 Test Channel = HCH



Date: 8.MAR.2018 09:00:52


4.1.1.5 Test Mode = LTE/TM1 5MHz

4.1.1.5.1 Test Channel = LCH




Date: 8.MAR.2018 08:44:41

4.1.1.5.2 Test Channel = MCH



Date: 8.MAR.2018 08:35:23


4.1.1.5.3 Test Channel = HCH



Date: 8.MAR.2018 08:25:13


4.1.1.6 Test Mode = LTE/TM2 5MHz

4.1.1.6.1 Test Channel = LCH




Date: 8.MAR.2018 08:42:09

4.1.1.6.2 Test Channel = MCH



Date: 8.MAR.2018 08:36:37


4.1.1.6.3 Test Channel = HCH



Date: 8.MAR.2018 08:23:59


4.1.1.7 Test Mode = LTE/TM1 10MHz

4.1.1.7.1 Test Channel = LCH




Date: 8.MAR.2018 08:22:00

4.1.1.7.2 Test Channel = MCH



Date: 8.MAR.2018 08:19:13


4.1.1.7.3 Test Channel = HCH



Date: 8.MAR.2018 08:23:10


4.1.1.8 Test Mode = LTE/TM2 10MHz

4.1.1.8.1 Test Channel = LCH




Date: 8.MAR.2018 08:21:11

4.1.1.8.2 Test Channel = MCH



Date: 8.MAR.2018 08:20:10

4.1.1.8.3 Test Channel = HCH



Date: 8.MAR.2018 08:23:59

5 Band Edges Compliance

Part I - Test Plots


5.1 For LTE

5.1.1 Test Band = LTE band5

5.1.1.1 Test Mode = LTE/TM1 1.4MHz


5.1.1.1.1 Test Channel = LCH

5.1.1.1.1.1 Test RB=1RB



Date: 8.MAR.2018 09:50:17


5.1.1.1.2 Test RB=6RB



Date: 8.MAR.2018 09:50:41


5.1.1.1.2 Test Channel = HCH

5.1.1.1.2.1 Test RB=1RB



Date: 8.MAR.2018 09:51:40

5.1.1.1.2.2 Test RB=6RB




Date: 8.MAR.2018 09:51:19

5.1.1.2 Test Mode = LTE/TM2 1.4MHz


5.1.1.2.1 Test Channel = LCH

5.1.1.2.1.1 Test RB=1RB



Date: 8.MAR.2018 09:49:58


5.1.1.2.1.2 Test RB=6RB



Date: 8.MAR.2018 09:49:36


5.1.1.2.2 Test Channel = HCH

5.1.1.2.2.1 Test RB=1RB



Date: 8.MAR.2018 09:52:28

5.1.1.2.2.2 Test RB=6RB




Date: 8.MAR.2018 09:52:46

5.1.1.3 Test Mode = LTE/TM1 3MHz


5.1.1.3.1 Test Channel = LCH

5.1.1.3.1.1 Test RB=1RB



Date: 8.MAR.2018 09:48:06


5.1.1.3.1.2 Test RB=15RB



Date: 8.MAR.2018 09:45:44


5.1.1.3.2 Test Channel = HCH

5.1.1.3.2.1 Test RB=1RB



Date: 8.MAR.2018 09:44:59

5.1.1.3.2.2 Test RB=15RB




Date: 8.MAR.2018 09:45:15

5.1.1.4 Test Mode = LTE/TM2 3MHz


5.1.1.4.1 Test Channel = LCH

5.1.1.4.1.1 Test RB=1RB



Date: 8.MAR.2018 09:48:20


5.1.1.4.1.2 Test RB=15RB



Date: 8.MAR.2018 09:48:36


5.1.1.4.2 Test Channel = HCH

5.1.1.4.2.1 Test RB=1RB



Date: 8.MAR.2018 09:44:13

5.1.1.4.2.2 Test RB=15RB




Date: 8.MAR.2018 09:43:16

5.1.1.5 Test Mode = LTE/TM1 5MHz


5.1.1.5.1 Test Channel = LCH

5.1.1.5.1.1 Test RB=1RB



Date: 8.MAR.2018 09:38:44


5.1.1.5.1.2 Test RB=25RB



Date: 8.MAR.2018 09:35:44


5.1.1.5.2 Test Channel = HCH

5.1.1.5.2.1 Test RB=1RB



Date: 8.MAR.2018 09:31:24

5.1.1.5.2.2 Test RB=25RB




Date: 8.MAR.2018 09:30:34

5.1.1.6 Test Mode = LTE/TM2 5MHz


5.1.1.6.1 Test Channel = LCH

5.1.1.6.1.1 Test RB=1RB



Date: 8.MAR.2018 09:40:19


5.1.1.6.1.2 Test RB=25RB



Date: 8.MAR.2018 09:40:50


5.1.1.6.2 Test Channel = HCH

5.1.1.6.2.1 Test RB=1RB



Date: 8.MAR.2018 09:41:52

5.1.1.6.2.2 Test RB=25RB




Date: 8.MAR.2018 09:41:34

5.1.1.7 Test Mode = LTE/TM1 10MHz


5.1.1.7.1 Test Channel = LCH

5.1.1.7.1.1 Test RB=1RB




Date: 8.MAR.2018 09:34:28

5.1.1.7.1.2 Test RB=50RB




5.1.1.7.2 Test Channel = HCH

5.1.1.7.2.1 Test RB=1RB



5.1.1.7.2.2 Test RB=50RB




Date: 8.MAR.2018 09:30:34

5.1.1.8 Test Mode = LTE/TM2 10MHz


5.1.1.8.1 Test Channel = LCH

5.1.1.8.1.1 Test RB=1RB



Date: 8.MAR.2018 09:34:10


5.1.1.8.1.2 Test RB=50RB



Date: 8.MAR.2018 09:33:47


5.1.1.8.2 Test Channel = HCH

5.1.1.8.2.1 Test RB=1RB



Date: 8.MAR.2018 09:31:48

5.1.1.8.2.2 Test RB=50RB



Date: 8.MAR.2018 09:33:21

6 Spurious Emission at Antenna Terminal

NOTE: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of < RBW/2 so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = k * (Span / RBW)" with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.


Part I - Test Plots

6.1 For LTE


6.1.1 Test Band = LTE band5

6.1.1.1 Test Mode = LTE / TM1 10MHz RB1#0

6.1.1.1.1 Test Channel = LCH




Date: 8.MAR.2018 09:56:49




Date: 8.MAR.2018 09:57:34

6.1.1.1.2 Test Channel = MCH




Date: 8.MAR.2018 09:56:21




Date: 8.MAR.2018 09:58:23

6.1.1.1.3 Test Channel = HCH



Date: 8.MAR.2018 09:55:50



Date: 8.MAR.2018 09:58:56

7 Field Strength of Spurious Radiation

Part I - Test Results

7.1 For LTE

7.1.1 Test Band = LTE band5

7.1.1.1 Test Mode =LTE/TM1 10MHz RB1#0

7.1.1.1.1 Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
65.466667	-81.54	-13.00	68.54	Vertical
104.246667	-74.73	-13.00	61.73	Vertical
1649.000000	-55.59	-13.00	42.59	Vertical
2473.500000	-58.03	-13.00	45.03	Vertical
3298.350000	-62.46	-13.00	49.46	Vertical
4122.712500	-66.73	-13.00	53.73	Vertical
56.786667	-77.86	-13.00	64.86	Horizontal
104.293333	-80.99	-13.00	67.99	Horizontal
1649.000000	-55.20	-13.00	42.20	Horizontal
2473.500000	-57.98	-13.00	44.98	Horizontal
3297.862500	-64.27	-13.00	51.27	Horizontal
4947.562500	-64.62	-13.00	51.62	Horizontal

7.1.1.1.2 Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
64.533333	-81.75	-13.00	68.75	Vertical
104.293333	-74.00	-13.00	61.00	Vertical
1664.000000	-57.08	-13.00	44.08	Vertical
2496.000000	-57.93	-13.00	44.93	Vertical
3328.087500	-61.31	-13.00	48.31	Vertical
4992.412500	-66.09	-13.00	53.09	Vertical
61.826667	-78.34	-13.00	65.34	Horizontal
104.293333	-80.75	-13.00	67.75	Horizontal
1664.000000	-56.19	-13.00	43.19	Horizontal
2496.000000	-58.32	-13.00	45.32	Horizontal
3328.087500	-62.18	-13.00	49.18	Horizontal
4992.412500	-64.50	-13.00	51.50	Horizontal



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180200119802
Page: 53 of 57

7.1.1.1.3 Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
64.720000	-81.99	-13.00	68.99	Vertical
104.246667	-74.44	-13.00	61.44	Vertical
1679.000000	-57.97	-13.00	44.97	Vertical
3358.312500	-63.14	-13.00	50.14	Vertical
4197.787500	-66.82	-13.00	53.82	Vertical
5037.262500	-65.73	-13.00	52.73	Vertical
62.900000	-78.28	-13.00	65.28	Horizontal
1147.000000	-67.74	-13.00	54.74	Horizontal
1679.000000	-56.62	-13.00	43.62	Horizontal
3358.312500	-64.56	-13.00	51.56	Horizontal
4197.787500	-66.35	-13.00	53.35	Horizontal
5037.262500	-64.68	-13.00	51.68	Horizontal

NOTE:

- 1) The disturbance above 13GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.

8 Frequency Stability

8.1 Frequency Error VS. Voltage

Part I - Test Results

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
LTEband5	LTE/TM1 10MHz	LCH	TN	VL	-2.66	-0.00321	PASS
				VN	1.42	0.00171	PASS
				VH	-5.23	-0.00631	PASS
		MCH	TN	VL	-1.56	-0.00186	PASS
				VN	-2.80	-0.00335	PASS
				VH	1.72	0.00206	PASS
		HCH	TN	VL	-5.36	-0.00635	PASS
				VN	-4.90	-0.00581	PASS
				VH	-1.88	-0.00223	PASS
	LTE/TM2 10MHz	LCH	TN	VL	-4.30	-0.00519	PASS
				VN	-3.33	-0.00402	PASS
				VH	-4.13	-0.00498	PASS
		MCH	TN	VL	1.20	0.00143	PASS
				VN	-3.99	-0.00477	PASS
				VH	1.63	0.00195	PASS
		HCH	TN	VL	-2.01	-0.00238	PASS
				VN	-6.10	-0.00723	PASS
				VH	5.11	0.00605	PASS
	LTE/TM3 10MHz	LCH	TN	VL	2.09	0.00112	PASS
				VN	-0.32	-0.00017	PASS
				VH	4.38	0.00235	PASS
		MCH	TN	VL	-2.83	-0.00151	PASS
				VN	0.43	0.00023	PASS
				VH	-3.54	-0.00188	PASS
		HCH	TN	VL	3.23	0.00170	PASS
				VN	1.45	0.00076	PASS
				VH	-2.05	-0.00108	PASS

8.2 Frequency Error VS. Temperature

Part I - Test Results

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
LTEband5	LTE/TM1 10MHz	LCH	VN	-30	-3.67	-0.00443	PASS
				-20	-2.42	-0.00292	PASS
				-10	1.20	0.00145	PASS
				0	2.21	0.00267	PASS
				10	1.77	0.00214	PASS
				20	-0.83	-0.00100	PASS
				30	-3.03	-0.00366	PASS
				40	2.27	0.00274	PASS
				50	-4.88	-0.00589	PASS
		MCH	VN	-30	-3.32	-0.00397	PASS
				-20	-2.66	-0.00318	PASS
				-10	-2.10	-0.00251	PASS
				0	-1.83	-0.00219	PASS
				10	-0.79	-0.00094	PASS
				20	1.23	0.00147	PASS
				30	-2.29	-0.00274	PASS
				40	-6.78	-0.00811	PASS
				50	-5.43	-0.00649	PASS
		HCH	VN	-30	-3.03	-0.00359	PASS
				-20	-4.60	-0.00545	PASS
				-10	2.09	0.00248	PASS
				0	-3.48	-0.00412	PASS
				10	2.76	0.00327	PASS
				20	-1.99	-0.00236	PASS
				30	-3.39	-0.00402	PASS
				40	-4.70	-0.00557	PASS
				50	-4.33	-0.00513	PASS



**SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch**

Report No.: SZEM180200119802

Page: 56 of 57

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
LTEband5	LTE/TM2 10MHz	LCH	VN	-30	-4.30	-0.00519	PASS
				-20	-2.38	-0.00287	PASS
				-10	-2.77	-0.00334	PASS
				0	1.20	0.00145	PASS
				10	1.22	0.00147	PASS
				20	0.59	0.00071	PASS
				30	-0.68	-0.00082	PASS
				40	-2.70	-0.00326	PASS
				50	-6.02	-0.00726	PASS
		MCH	VN	-30	-5.44	-0.00650	PASS
				-20	-5.20	-0.00622	PASS
				-10	-3.32	-0.00397	PASS
				0	-1.55	-0.00185	PASS
				10	-2.27	-0.00271	PASS
				20	-0.89	-0.00106	PASS
				30	-3.09	-0.00369	PASS
				40	-4.88	-0.00583	PASS
				50	-5.42	-0.00648	PASS
		HCH	VN	-30	-6.66	-0.00789	PASS
				-20	-3.24	-0.00384	PASS
				-10	0.69	0.00082	PASS
				0	-2.40	-0.00284	PASS
				10	2.44	0.00289	PASS
				20	-0.39	-0.00046	PASS
				30	-2.49	-0.00295	PASS
				40	-4.39	-0.00520	PASS
				50	-3.88	-0.00460	PASS



SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: SZEM180200119802

Page: 57 of 57

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
LTEband5	LTE/TM3 10MHz	LCH	VN	-30	-3.67	-0.00443	PASS
				-20	-2.42	-0.00292	PASS
				-10	1.20	0.00145	PASS
				0	2.21	0.00267	PASS
				10	1.77	0.00214	PASS
				20	-0.83	-0.00100	PASS
				30	-3.03	-0.00366	PASS
				40	2.27	0.00274	PASS
				50	-4.88	-0.00589	PASS
		MCH	VN	-30	-3.32	-0.00397	PASS
				-20	-2.66	-0.00318	PASS
				-10	-2.10	-0.00251	PASS
				0	-1.83	-0.00219	PASS
				10	-0.79	-0.00094	PASS
				20	1.23	0.00147	PASS
				30	-2.29	-0.00274	PASS
				40	-6.78	-0.00811	PASS
				50	-5.43	-0.00649	PASS
		HCH	VN	-30	-3.03	-0.00359	PASS
				-20	-4.60	-0.00545	PASS
				-10	2.09	0.00248	PASS
				0	-3.48	-0.00412	PASS
				10	2.76	0.00327	PASS
				20	-1.99	-0.00236	PASS
				30	-3.39	-0.00402	PASS
				40	-4.70	-0.00557	PASS
				50	-4.33	-0.00513	PASS

The End