

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

ACCREDITE CERT #3816.01

Report No.: SZEM190301131101

Page: 1 of 48

TEST REPORT

Application No.: SZEM1903011311CR **Applicant:** TCL Communication Ltd.

Address of Applicant: 7/F, Block F4, TCL Communication Technology Building, TCL International

E City, Zhong Shan Yuan Road, Nanshan District, Shenzhen, Guangdong,

P.R. China 518052

Manufacturer: TCL Communication Ltd.

Address of Manufacturer: 7/F, Block F4, TCL Communication Technology Building, TCL International

E City, Zhong Shan Yuan Road, Nanshan District, Shenzhen, Guangdong,

P.R. China 518052

Equipment Under Test (EUT):

EUT Name: LTE/WCDMA/GSM mobile phone

Model No.: 5053A Trade mark: alcatel

Standard(s): 47 CFR Part 15, Subpart B

Date of Receipt: 2019-03-04

Date of Test: 2019-03-06 to 2019-03-08

Date of Issue: 2019-03-12

Test Result: Pass*

Keny Xu EMC Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.agpx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.agpx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

or email: <u>CN. Doccheck@sgs.com</u> No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 中国 · 宋则 · 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.

^{*} In the configuration tested, the EUT complied with the standards specified above.

Revision Record					
Version	Version Chapter Date Modifier				
01		2019-03-12		Original	

Authorized for issue by:		
	Landew	
	Leo Lai /Project Engineer	-
	EvicFu	
	Eric Fu /Reviewer	_



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com.

2 Test Summary

Emission Part						
Item	Standard	Method	Requirement	Result		
Conducted Emissions at Mains Terminals (150kHz-30MHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass		
Radiated Emissions (30MHz-1GHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass		
Radiated Emissions (above 1GHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass		

Internal Source	Upper Frequency
Below 1.705MHz	30MHz
1.705MHz to 108MHz	1GHz
108MHz to 500MHz	2GHz
500MHz to 1GHz	5GHz
Above 1GHz	5th harmonic of the highest frequency or 40GHz, whichever is lower



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com.

3 Contents

		Page
1	COVER PAGE	1
2	TEST SUMMARY	3
3	CONTENTS	4
4	GENERAL INFORMATION	5
	4.1 DETAILS OF E.U.T	5
	4.2 DESCRIPTION OF SUPPORT UNITS	
	4.3 Test modes	
	4.4 MEASUREMENT UNCERTAINTY	6
	4.5 Test Location	7
	4.6 TEST FACILITY	
	4.7 DEVIATION FROM STANDARDS	
	4.8 ABNORMALITIES FROM STANDARD CONDITIONS	7
5	EQUIPMENT LIST	8
6	EMISSION TEST RESULTS	10
	6.1 CONDUCTED EMISSIONS AT MAINS TERMINALS (150kHz-30MHz)	10
	6.1.1 E.U.T. Operation	
	6.1.2 Test Setup Diagram	
	6.1.3 Measurement Data	
	6.2 RADIATED EMISSIONS (30MHz-1GHz)	22
	6.2.1 E.U.T. Operation	
	6.2.2 Test Setup Diagram	
	6.2.3 Measurement Data	
	6.3 RADIATED EMISSIONS (ABOVE 1GHz)	
	6.3.1 E.U.T. Operation	
	6.3.2 Test Setup Diagram	
	6.3.3 Measurement Data	
7	PHOTOGRAPHS	
	7.1 CONDUCTED EMISSIONS AT MAINS TERMINALS (150kHz-30MHz) TEST SETUP	
	7.2 RADIATED EMISSIONS (30MHz-1GHz) TEST SETUP	
	7.3 EUT CONSTRUCTIONAL DETAILS (EUT PHOTOS)	48



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com.

4 General Information

4.1 Details of E.U.T.

Power supply:	DC 3.8V from internal battery or AC/DC adapter
	Model No.: UC13US, UC11US
Cable: USB cable: 80cm shielded.	
	Earphone cable: 120cm unshielded.

	Model1	Model1: CBA0058AGAC5 5.0 V,1000 mA,PUAN		
Adantar	Model2	Model2: CBA0058AGAC7 5.0 V,1000 mA,CHENYANG		
Adaptor	Model3	Model3: CBA0059AGAC7 5.0 V,1000 mA,CHENYANG		
	Model4	Model4: CBA0059AGAC5 5.0 V,1000 mA,PUAN		
	Model1: CDA00000	24C2 juwei		
LIOD and la	Model2: CDA0000024C8 puan			
USB cable	Model3: CDA3122005C8 puan			
	Model4: CDA3122005C1 juwei			
	Model1: CCB0046A10C1 15, JUWEI			
l la a da at	Model2: CCB0046A10C4 15, MEIHAO			
Headset	Model3: CCB0049A12C1 15+, juwei			
	Model4: CCB0049A12C4 15+, MEIHAO			
Dotton	Model1:CAC340001	Model1:CAC3400011C1 Min3400/Typ3500mAh,BYD		
Battery	Model2: CAC34000	400009C7 Min3400/Typ3500mAh,VEKEN		

4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
Laptop	Lenovo	T430u	REF. No.SEA1800
Mouse	Lenovo	M-U0025-O	REF. No.:SEA2400
Router	NETGEAR	DGN2200	REF. No.SEA2200

4.3 Test modes

Pretest these modes to find the worst case and show the worse data in the test items:

- a: Transfer data between the EUT and the PC + cable1+battery1
- b: Transfer data between the EUT and the PC + cable2+battery1
- c: Transfer data between the EUT and the PC + cable3+battery1
- d: Transfer data between the EUT and the PC + cable4+battery1
- w: Transfer data between the EUT and the PC + cable(worse)+battery2
- e: Telecom Idle + FM+ BT + WLAN + GPS Rx + playing MP4 (SD card) + earphone1 + battery1 + adapter1
- f: Telecom Idle + FM+BT + WLAN + GPS Rx + camera (Front) + earphone2 + battery1 + adapter2
- g: Telecom Idle + FM+ BT + WLAN + GPS Rx + camera (Back) + earphone3 + battery1 + adapter3
- h: Telecom Idle + FM+BT + WLAN + GPS Rx + camera (Back) + earphone4 + battery1 + adapter4
- y: Telecom Idle + FM+ BT + WLAN + GPS Rx + camera (Back) + earphone4 + battery2 + adapter4
- i: GSM 850 + FM+BT + WLAN + GPS Rx + earphone(worst) + battery1 + adapter(worst)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, **Certificate**.

- j: GSM 1900 + FM+BT + WLAN + GPS Rx + earphone(worst) + battery1 + adapter(worst) k: WCDMA Band II + FM+ BT + WLAN + GPS Rx + earphone(worst) + battery1 + adapter(worst) I: WCDMA Band IV + FM+ BT + WLAN + GPS Rx + earphone(worst) + battery1 + adapter(worst) m: WCDMA Band V + FM+ BT + WLAN + GPS Rx + earphone(worst) + battery1 + adapter(worst) n: LTE band 2 + FM+BT + WLAN + GPS Rx + earphone(worst) + battery1 + adapter(worst) o: LTE band 4 + FM+BT + WLAN + GPS Rx + earphone(worst) + battery1 + adapter(worst) p: LTE band 5 + FM+BT + WLAN + GPS Rx + earphone(worst) + battery1 +
 - adapter(worst) q: LTE band 12 + FM+BT + WLAN + GPS Rx + earphone(worst) + battery1 + adapter(worst)
 - r: LTE band 13 + FM+BT + WLAN + GPS Rx + earphone(worst) + battery1 +
 - adapter(worst) s: LTE band 17 + FM+BT + WLAN + GPS Rx + earphone(worst) + battery1 + adapter(worst)
 - t: LTE band 66 + FM+BT + WLAN + GPS Rx + earphone(worst) + battery1 + adapter(worst)
 - z: worse mode + battery2

4.4 Measurement Uncertainty

No.	Item Measurement Uncertaint				
1	Conduction Emission	± 3.0dB (150kHz to 30MHz)			
2	Dadioted Emission	± 4.5dB (30MHz-1GHz)			
	Radiated Emission	± 4.8dB (1GHz-6GHz)			
3	Temperature test	± 1°C			
4	Humidity test	± 3%			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://tww.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

4.5 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, Guangdong, China. 518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.6 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• CNAS (No. CNAS L2929)

CNAS has accredited SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

• A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

VCCI

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• FCC -Designation Number: CN1178

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

• Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

4.7 Deviation from Standards

None

4.8 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://tww.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

5 **Equipment List**

Conducted Emissions at Mains Terminals (150kHz-30MHz)					
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date
Shielding Room	ChangZhou ZhongYu	GB-88	SEM001-06	2017-05-10	2020-05-09
Measurement Software	AUDIX	e3 V5.4.1221d	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM024-01	2018-07-12	2019-07-11
LISN	Rohde & Schwarz	ENV216	SEM007-01	2018-09-25	2019-09-24
LISN	ETS-LINDGREN	3816/2	SEM007-02	2018-04-02	2019-04-01
EMI Test Receiver	Rohde & Schwarz	ESCI	SEM004-02	2018-04-02	2019-04-01

Radiated Emissions (30MHz-1GHz)					
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date
3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEM001-01	2017-08-05	2020-08-04
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM025-01	2018-07-12	2019-07-11
EMI Test Receiver	Agilent Technologies	N9038A	SEM004-05	2018-09-25	2019-09-24
BiConiLog Antenna (26-3000MHz)	ETS-LINDGREN	3142C	SEM003-01	2017-06-27	2020-06-26
Pre-amplifier (0.1-1300MHz)	Agilent Technologies	8447D	SEM005-01	2018-04-02	2019-04-01

Radiated Emissions (above 1GHz)					
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date
3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001-02	2018-03-13	2021-03-12
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM026-01	2018-07-12	2019-07-11
EXA Spectrum Analyzer	AgilentTechnologies Inc	N9010A	SEM004-12	2018-04-13	2019-04-12
Horn Antenna (1-18GHz)	Rohde & Schwarz	HF907	SEM003-07	2018-04-13	2021-04-12
Pre-Amplifier (0.1-26.5GHz)	Compliance Directions Systems Inc.	PAP-0126	SEM004-11	2018-11-12	2019-11-11



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com.

Co.,Ltd. No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

General used equipmen	t				
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date
Humidity/ Temperature Indicator	Shanghai Meteorological Industry Factory	ZJ1-2B	SEM002-03	2018-09-27	2019-09-26
Humidity/ Temperature Indicator	Shanghai Meteorological Industry Factory	ZJ1-2B	SEM002-04	2018-09-27	2019-09-26
Humidity/ Temperature Indicator	Mingle	N/A	SEM002-08	2018-09-27	2019-09-26
Barometer	Changchun Meteorological Industry Factory	DYM3	SEM002-01	2018-04-08	2019-04-07



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com.

6 Emission Test Results

6.1 Conducted Emissions at Mains Terminals (150kHz-30MHz)

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4:2014 Frequency Range: 150kHz to 30MHz

Limit:

0.15M-0.5MHz 66dB(μ V)-56dB(μ V) quasi-peak, 56dB(μ V)-46dB(μ V) average

0.5M-5MHz 56dB(μ V) quasi-peak, 46dB(μ V) average 5M-30MHz 60dB(μ V) quasi-peak, 50dB(μ V) average

Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sqs.com"

6.1.1 E.U.T. Operation

Operating Environment:

Humidity: 58 % RH Temperature: 25 °C Atmospheric Pressure: 1015 mbar

The worst case

a: Transfer data between the EUT and the PC + cable1+ battery1 for final test:

e: Telecom Idle + FM+ BT + WLAN + GPS Rx + playing MP4 (SD card) +

earphone1 + battery1 + adapter1

f: Telecom Idle + FM+BT + WLAN + GPS Rx + camera (Front) + earphone2 +

battery 1+ adapter2


g: Telecom Idle + FM+BT + WLAN + GPS Rx + camera (Back) + earphone3 +

battery 1+ adapter3

h: Telecom Idle + FM+BT + WLAN + GPS Rx + camera (Back) + earphone4 +

battery 1+ adapter4

6.1.2 Test Setup Diagram



6.1.3 Measurement Data

An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) serve are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

sgs.china@sgs.com



Condition: Line Job No. : 11311CR


Test mode: a

		Cable	LISN	Read		Limit	0ver	
	Freq	Loss	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.17	0.02	9.66	31.92	41.60	54.72	-13.12	Average
2	0.17	0.02	9.66	48.76	58.44	64.72	-6.28	QP
3	0.23	0.03	9.67	22.89	32.59	52.48	-19.89	Average
4	0.23	0.03	9.67	42.40	52.10	62.48	-10.38	QP
5	0.58	0.07	9.67	6.30	16.04	46.00	-29.96	Average
6	0.58	0.07	9.67	18.94	28.68	56.00	-27.32	QP
7	1.66	0.14	9.73	9.81	19.68	46.00	-26.32	Average
8	1.66	0.14	9.73	19.55	29.42	56.00	-26.58	QP
9	2.00	0.16	9.72	8.56	18.44	46.00	-27.56	Average
10	2.00	0.16	9.72	17.47	27.35	56.00	-28.65	QP
11	18.04	0.23	10.16	20.21	30.60	50.00	-19.40	Average
12	18.04	0.23	10.16	25.68	36.07	60.00	-23.93	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Condition: Neutral Job No. : 11311CR


Test mode: a

		Cable	LISN	Read		Limit	0ver	
	Freq	Loss	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.17	0.02	9.64	32.55	42.21	54.72	-12.51	Average
2	0.17	0.02	9.64	48.45	58.11	64.72	-6.61	QP
3	0.24	0.03	9.64	22.30	31.97	52.26	-20.29	Average
4	0.24	0.03	9.64	39.21	48.88	62.26	-13.38	QP
5	0.50	0.06	9.64	7.89	17.59	46.00	-28.41	Average
6	0.50	0.06	9.64	20.28	29.98	56.00	-26.02	QP
7	1.92	0.16	9.69	9.06	18.91	46.00	-27.09	Average
8	1.92	0.16	9.69	18.61	28.46	56.00	-27.54	QP
9	1.99	0.16	9.69	9.44	19.29	46.00	-26.71	Average
10	1.99	0.16	9.69	18.47	28.32	56.00	-27.68	QP
11	18.14	0.23	10.20	19.07	29.50	50.00	-20.50	Average
12	18.14	0.23	10.20	24.37	34.80	60.00	-25.20	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Condition: Line Job No. : 11311CR


Test mode: e

	5	Cable	LISN	Read	1 1	Limit	0ver	DI-
	Freq	LOSS	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15	0.01	9.66	20.26	29.93	55.87	-25.94	Average
2	0.15	0.01	9.66	38.72	48.39	65.87	-17.48	QP
3	0.22	0.03	9.66	22.15	31.84	52.83	-20.99	Average
4	0.22	0.03	9.66	35.91	45.60	62.83	-17.23	QP
5	0.65	0.07	9.67	18.91	28.65	46.00	-17.35	Average
6	0.65	0.07	9.67	26.21	35.95	56.00	-20.05	QP
7	1.03	0.09	9.74	15.97	25.80	46.00	-20.20	Average
8	1.03	0.09	9.74	27.14	36.97	56.00	-19.03	QP
9	2.04	0.16	9.72	9.06	18.94	46.00	-27.06	Average
10	2.04	0.16	9.72	20.81	30.69	56.00	-25.31	QP
11	13.77	0.20	10.24	13.98	24.42	50.00	-25.58	Average
12	13.77	0.20	10.24	23.25	33.69	60.00	-26.31	OP _



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Condition: Neutral Job No. : 11311CR


Test mode: e

		Cable	LISN	Read		Limit	0ver	
	Freq	Loss	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15	0.01	9.63	16.92	26.56	55.82	-29.26	Average
2	0.15	0.01	9.63	36.60	46.24	65.82	-19.58	QP
3	0.22	0.03	9.64	20.44	30.11	53.01	-22.90	Average
4	0.22	0.03	9.64	36.96	46.63	63.01	-16.38	QP
5	0.51	0.06	9.64	10.39	20.09	46.00	-25.91	Average
6	0.51	0.06	9.64	22.39	32.09	56.00	-23.91	QP
7	1.65	0.14	9.70	12.14	21.98	46.00	-24.02	Average
8	1.65	0.14	9.70	22.65	32.49	56.00	-23.51	QP
9	3.60	0.16	9.69	6.58	16.43	46.00	-29.57	Average
10	3.60	0.16	9.69	17.70	27.55	56.00	-28.45	QP
11	29.53	0.28	10.44	12.02	22.74	50.00	-27.26	Average
12	29.53	0.28	10.44	22.99	33.71	60.00	-26.29	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Condition: Line Job No. : 11311CR


Test mode: f

		Cable	LISN	Read		Limit	0ver	
	Freq	Loss	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.16	0.01	9.66	4.62	14.29	55.38	-41.09	Average
2	0.16	0.01	9.66	23.29	32.96	65.38	-32.42	QP
3	0.23	0.03	9.67	13.46	23.16	52.48	-29.32	Average
4	0.23	0.03	9.67	26.95	36.65	62.48	-25.83	QP
5	0.92	0.09	9.74	15.40	25.23	46.00	-20.77	Average
6	0.92	0.09	9.74	25.46	35.29	56.00	-20.71	QP
7	1.02	0.09	9.74	15.70	25.53	46.00	-20.47	Average
8	1.02	0.09	9.74	26.95	36.78	56.00	-19.22	QP
9	4.93	0.17	9.74	11.85	21.76	46.00	-24.24	Average
10	4.93	0.17	9.74	19.30	29.21	56.00	-26.79	QP
11	12.58	0.19	10.13	14.82	25.14	50.00	-24.86	Average
12	12.58	0.19	10.13	25.26	35.58	60.00	-24.42	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Condition: Neutral Job No. : 11311CR


Test mode: f

		Cable	LISN	Read		Limit	0ver	
	Freq	Loss	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.20	0.02	9.64	10.28	19.94	53.71	-33.77	Average
2	0.20	0.02	9.64	28.83	38.49	63.71	-25.22	QP
3	0.20	0.02	9.64	15.11	24.77	53.49	-28.72	Average
4	0.20	0.02	9.64	32.10	41.76	63.49	-21.73	QP
5	0.50	0.06	9.64	10.20	19.90	46.00	-26.10	Average
6	0.50	0.06	9.64	21.44	31.14	56.00	-24.86	QP
7	1.15	0.10	9.70	13.10	22.90	46.00	-23.10	Average
8	1.15	0.10	9.70	21.16	30.96	56.00	-25.04	QP
9	2.50	0.16	9.68	6.74	16.58	46.00	-29.42	Average
10	2.50	0.16	9.68	18.58	28.42	56.00	-27.58	QP
11	29.84	0.28	10.45	11.72	22.45	50.00	-27.55	Average
12	29.84	0.28	10.45	22.70	33.43	60.00	-26.57	OP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Condition: Line Job No. : 11311CR


Test mode: g

		Cable	LISN	Read		Limit	0ver	
	Freq	Loss	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.19	0.02	9.66	35.23	44.91	54.11	-9.20	Average
2	0.19	0.02	9.66	44.37	54.05	64.11	-10.06	QP
3	0.23	0.03	9.67	29.68	39.38	52.35	-12.97	Average
4	0.23	0.03	9.67	39.46	49.16	62.35	-13.19	QP
5	0.61	0.07	9.67	28.43	38.17	46.00	-7.83	Average
6	0.61	0.07	9.67	37.47	47.21	56.00	-8.79	QP
7	1.68	0.14	9.73	18.44	28.31	46.00	-17.69	Average
8	1.68	0.14	9.73	28.69	38.56	56.00	-17.44	QP
9	2.11	0.16	9.72	20.45	30.33	46.00	-15.67	Average
10	2.11	0.16	9.72	30.12	40.00	56.00	-16.00	QP
11	5.99	0.17	9.76	14.54	24.47	50.00	-25.53	Average
12	5.99	0.17	9.76	26.34	36.27	60.00	-23.73	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Condition: Neutral Job No. : 11311CR


Test mode: g

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.19	0.02	9.64	31.21	40.87	54.15	-13.28	Average
2	0.19	0.02	9.64	42.70	52.36	64.15	-11.79	QP
3	0.24	0.03	9.64	27.62	37.29	52.17	-14.88	Average
4	0.24	0.03	9.64	38.08	47.75	62.17	-14.42	QP
5	0.61	0.07	9.64	22.82	32.53	46.00	-13.47	Average
6	0.61	0.07	9.64	30.50	40.21	56.00	-15.79	QP
7	1.35	0.12	9.70	18.52	28.34	46.00	-17.66	Average
8	1.35	0.12	9.70	27.87	37.69	56.00	-18.31	QP
9	4.98	0.17	9.71	11.52	21.40	46.00	-24.60	Average
10	4.98	0.17	9.71	20.34	30.22	56.00	-25.78	QP
11	6.45	0.17	9.75	10.01	19.93	50.00	-30.07	Average
12	6.45	0.17	9.75	19.18	29.10	60.00	-30.90	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Condition: Line Job No. : 11311CR


Test mode: h

		Cable	LISN	Read		Limit	0ver	
	Freq	Loss	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.16	0.01	9.66	30.85	40.52	55.52	-15.00	Average
2	0.16	0.01	9.66	39.99	49.66	65.52	-15.86	QP
3	0.21	0.02	9.66	30.28	39.96	53.05	-13.09	Average
4	0.21	0.02	9.66	37.64	47.32	63.05	-15.73	QP
5	0.59	0.07	9.67	26.24	35.98	46.00	-10.02	Average
6	0.59	0.07	9.67	32.89	42.63	56.00	-13.37	QP
7	1.05	0.09	9.74	20.26	30.09	46.00	-15.91	Average
8	1.05	0.09	9.74	27.36	37.19	56.00	-18.81	QP
9	3.16	0.16	9.71	17.58	27.45	46.00	-18.55	Average
10	3.16	0.16	9.71	26.28	36.15	56.00	-19.85	QP
11	14.06	0.20	10.27	18.44	28.91	50.00	-21.09	Average
12	14.06	0.20	10.27	27.74	38.21	60.00	-21.79	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Condition: Neutral Job No. : 11311CR

Test mode: h

		Cable	LISN	Read		Limit	0ver	
	Freq	Loss	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.16	0.01	9.64	28.37	38.02	55.47	-17.45	Average
2	0.16	0.01	9.64	40.37	50.02	65.47	-15.45	QP
3	0.21	0.02	9.64	26.46	36.12	53.05	-16.93	Average
4	0.21	0.02	9.64	37.84	47.50	63.05	-15.55	QP
5	0.59	0.07	9.64	18.68	28.39	46.00	-17.61	Average
6	0.59	0.07	9.64	32.45	42.16	56.00	-13.84	QP
7	1.00	0.09	9.71	12.22	22.02	46.00	-23.98	Average
8	1.00	0.09	9.71	24.05	33.85	56.00	-22.15	QP
9	2.05	0.16	9.69	9.32	19.17	46.00	-26.83	Average
10	2.05	0.16	9.69	21.66	31.51	56.00	-24.49	QP
11	16.05	0.22	10.31	14.65	25.18	50.00	-24.82	Average
12	16.05	0.22	10.31	29.31	39.84	60.00	-20.16	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

6.2 Radiated Emissions (30MHz-1GHz)

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4:2014 Frequency Range: 30MHz to 1GHz

Measurement Distance: 3m

Limit:

30 MHz - 88 MHz $40.0 (\text{dB}\mu\text{V/m})$ quasi-peak 88 MHz - 216 MHz $43.5 (\text{dB}\mu\text{V/m})$ quasi-peak $46.0 (\text{dB}\mu\text{V/m})$ quasi-peak 960 MHz - 1000 MHz $54.0 (\text{dB}\mu\text{V/m})$ quasi-peak

Detector: Peak for pre-scan (120kHz resolution bandwidth) 30M to1000MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) serve are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

6.2.1 E.U.T. Operation

Operating Environment:

Temperature: 22.9 °C Humidity: 51.5 % RH Atmospheric Pressure: 1015 mbar

The worst case for final test:

a: Transfer data between the EUT and the PC + cable1+ battery1

b: Transfer data between the EUT and the PC + cable2+ battery1

c: Transfer data between the EUT and the PC + cable3+ battery1

d: Transfer data between the EUT and the PC + cable4+ battery1


e: Telecom Idle + FM+BT + WLAN + GPS Rx + playing MP4 (SD card) + earphone1 + battery1 + adapter1

f: Telecom Idle + FM+BT + WLAN + GPS Rx + camera (Front) + earphone2 + battery1 + adapter2

g: Telecom Idle + FM+BT + WLAN + GPS Rx + camera (Back) + earphone3 + battery1 + adapter3

h: Telecom Idle + FM+BT + WLAN + GPS Rx + camera (Back) + earphone4 + battery1 + adapter4

6.2.2 Test Setup Diagram




6.2.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Quasi-peak measurements were conducted based on the peak sweep graph. The EUT was measured by BiConiLog antenna with 2 orthogonal polarities.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/lerms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-758) 8307 1443.



Condition: 3m HORIZONTAL

Job No. : 11311CR


Test mode: a

	Freq			Preamp Factor				
_	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	174.42	1.36	15.79	26.99	44.74	34.90	43.50	-8.60
2	222.95	1.53	17.44	26.83	41.16	33.30	46.00	-12.70
3	336.04	2.02	20.70	26.85	41.47	37.34	46.00	-8.66
4	560.69	2.66	25.86	27.82	28.09	28.79	46.00	-17.21
5	699.30	2.90	27.89	27.78	32.36	35.37	46.00	-10.63
6	729 36	2 99	28 08	27 74	30 67	34 00	46 99	-12 00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Condition: 3m VERTICAL Job No. : 11311CR


Test mode: a

	Freq			Preamp Factor				
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	178.13	1.37	15.86	26.98	39.06	29.31	43.50	-14.19
2	225.31	1.55	17.64	26.83	34.27	26.63	46.00	-19.37
3	249.43	1.67	18.94	26.76	31.95	25.80	46.00	-20.20
4	337.22	2.02	20.74	26.86	34.79	30.69	46.00	-15.31
5	566.62	2.67	25.97	27.84	27.75	28.55	46.00	-17.45
6 nn	70/1 23	2 92	27 93	27 78	35 32	38 39	16 00	-7 61



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Condition: 3m HORIZONTAL

Job No. : 11311CR


Test mode: b

	Freq			Preamp Factor				
_	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	189.74	1.38	16.20	26.94	41.80	32.44	43.50	-11.06
2	216.02	1.49	17.07	26.85	38.92	30.63	46.00	-15.37
3	248.55	1.67	18.93	26.76	35.36	29.20	46.00	-16.80
4	300.37	1.90	19.61	26.64	33.29	28.16	46.00	-17.84
5 pp	396.24	2.19	22.31	27.17	38.55	35.88	46.00	-10.12
6	724 26	2 98	28 05	27 75	27 82	31 10	46 99	-14 90



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Condition: 3m VERTICAL Job No. : 11311CR


Test mode: b

		Cable	Ant	Preamp	Read		Limit	0ver
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
_								
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	193.77	1.39	16.32	26.92	38.74	29.53	43.50	-13.97
2	216.02	1.49	17.07	26.85	35.28	26.99	46.00	-19.01
3	392.10	2.18	22.21	27.15	35.46	32.70	46.00	-13.30
4	558.73	2.66	25.82	27.82	29.38	30.04	46.00	-15.96
5	609.92	2.72	26.74	27.93	27.82	29.35	46.00	-16.65
6 рр	711.67	2.94	27.97	27.77	35.96	39.10	46.00	-6.90



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Condition: 3m HORIZONTAL

Job No. : 11311CR


Test mode: c

	Freq			Preamp Factor				
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	201.39	1.41	16.55	26.90	39.14	30.20	43.50	-13.30
2	243.38	1.64	18.85	26.78	41.73	35.44	46.00	-10.56
3	327.89	1.99	20.47	26.81	40.61	36.26	46.00	-9.74
4	411.82	2.25	22.69	27.24	32.84	30.54	46.00	-15.46
5	689.56	2.88	27.77	27.80	31.17	34.02	46.00	-11.98
6 nn	711 67	2 9/	27 97	27 77	35 07	38 21	46 99	-7 79



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Condition: 3m VERTICAL Job No. : 11311CR


Test mode: c

		Cable	Ant	Preamp	Read		Limit	0ver
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
_								
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	43.51	0.68	16.26	27.42	34.42	23.94	40.00	-16.06
2	164.91	1.34	15.60	27.03	37.82	27.73	43.50	-15.77
3	243.38	1.64	18.85	26.78	31.60	25.31	46.00	-20.69
4	330.19	2.00	20.53	26.82	33.40	29.11	46.00	-16.89
5	595.13	2.70	26.51	27.93	30.00	31.28	46.00	-14.72
6 pp	687.15	2.88	27.74	27.80	31.72	34.54	46.00	-11.46



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Condition: 3m HORIZONTAL

Job No. : 11311CR


Test mode: d

		Cable	Ant	Preamp	Read		Limit	0ver
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	201.39	1.41	16.55	26.90	37.20	28.26	43.50	-15.24
2	216.02	1.49	17.07	26.85	37.30	29.01	46.00	-16.99
3	259.23	1.72	19.09	26.73	36.04	30.12	46.00	-15.88
4	359.19	2.09	21.35	26.98	31.11	27.57	46.00	-18.43
5	399.03	2.20	22.38	27.18	31.08	28.48	46.00	-17.52
6 pp	866.09	3.47	29.38	27.25	25.67	31.27	46.00	-14.73



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Condition: 3m VERTICAL Job No. : 11311CR


Test mode: d

	Freq			Preamp Factor				
_	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	43.51	0.68	16.26	27.42	30.93	20.45	40.00	-19.55
2 pp	153.20	1.32	14.91	27.07	36.31	25.47	43.50	-18.03
3	159.78	1.34	15.48	27.05	34.80	24.57	43.50	-18.93
4	201.39	1.41	16.55	26.90	32.01	23.07	43.50	-20.43
5	399.03	2.20	22.38	27.18	29.27	26.67	46.00	-19.33
6	558 73	2 66	25 82	27 82	27 28	27 9/	16 00	_18 06



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Condition: 3m HORIZONTAL

Job No. : 11311CR


Test mode: e

	Freq			Preamp Factor				
_	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	37.81	0.60	18.48	27.43	28.04	19.69	40.00	-20.31
2	45.53	0.72	15.58	27.42	27.69	16.57	40.00	-23.43
3	117.36	1.25	13.21	27.25	33.48	20.69	43.50	-22.81
4	261.98	1.73	19.07	26.73	27.29	21.36	46.00	-24.64
5	658.84	2.82	27.39	27.85	25.45	27.81	46.00	-18.19
6 nn	935 55	3 64	29 98	26 86	25 51	32 27	46 99	-13 73



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Condition: 3m VERTICAL Job No. : 11311CR


Test mode: e

	Freq			Preamp Factor				
_	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	30.00	0.60	22.50	27.45	30.57	26.22	40.00	-13.78
2	32.86	0.60	20.92	27.45	30.87	24.94	40.00	-15.06
3	37.81	0.60	18.48	27.43	32.52	24.17	40.00	-15.83
4	42.60	0.66	16.57	27.42	35.39	25.20	40.00	-14.80
5	113.32	1.24	13.38	27.27	29.85	17.20	43.50	-26.30
6	932 27	3 63	29 97	26 88	24 25	30 97	16 00	_15 03



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Condition: 3m HORIZONTAL

Job No. : 11311CR


Test mode: f

	Freq			Preamp Factor				Over Limit
-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	32.86	0.60	20.92	27.45	24.57	18.64	40.00	-21.36
2	218.31	1.51	17.14	26.85	30.14	21.94	46.00	-24.06
3	340.78	2.03	20.84	26.88	27.36	23.35	46.00	-22.65
4	428.02	2.32	23.07	27.31	26.72	24.80	46.00	-21.20
5	622.89	2.75	26.92	27.91	25.59	27.35	46.00	-18.65
6 nn	906 48	3 61	29 83	27 02	25 09	31 51	46 00	-14 49



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Condition: 3m VERTICAL Job No. : 11311CR


Test mode: f

		Cable	Ant	Preamp	Read		Limit	0ver
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
_								
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	32.86	0.60	20.92	27.45	26.62	20.69	40.00	-19.31
2	41.71	0.64	16.88	27.43	29.14	19.23	40.00	-20.77
3	47.49	0.75	14.96	27.41	30.65	18.95	40.00	-21.05
4	215.27	1.49	17.04	26.85	26.96	18.64	43.50	-24.86
5	541.37	2.64	25.47	27.76	26.94	27.29	46.00	-18.71
6 pp	875.25	3.51	29.49	27.19	24.40	30.21	46.00	-15.79



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Condition: 3m HORIZONTAL

Job No. : 11311CR


Test mode: g

	Freq			Preamp Factor				
_	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	30.00	0.60	22.50	27.45	24.72	20.37	40.00	-19.63
2	95.09	1.15	13.57	27.35	30.98	18.35	43.50	-25.15
3	163.76	1.34	15.58	27.03	30.38	20.27	43.50	-23.23
4 pp	203.52	1.42	16.63	26.89	34.18	25.34	43.50	-18.16
5	334.86	2.01	20.67	26.85	29.63	25.46	46.00	-20.54
6	417 64	2 28	22 83	27 27	27 65	25 //9	46 99	-20 51



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Condition: 3m VERTICAL Job No. : 11311CR


Test mode: g

Freq				Preamp Factor				
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	37.81	0.60	18.48	27.43	29.56	21.21	40.00	-18.79
2	42.60	0.66	16.57	27.42	31.35	21.16	40.00	-18.84
3	102.72	1.21	13.87	27.33	30.55	18.30	43.50	-25.20
4	206.40	1.44	16.73	26.88	29.26	20.55	43.50	-22.95
5	345.60	2.05	20.98	26.91	27.86	23.98	46.00	-22.02
6 pp	716.68	2.96	28.01	27.76	26.18	29.39	46.00	-16.61



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Condition: 3m HORIZONTAL

Job No. : 11311CR


Test mode: h

		Cable	Ant	Preamp	Read		Limit	0ver
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
_								
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	30.42	0.60	22.26	27.45	24.26	19.67	40.00	-20.33
2	34.88	0.60	19.88	27.44	25.00	18.04	40.00	-21.96
3	213.02	1.48	16.96	26.86	27.15	18.73	43.50	-24.77
4	284.98	1.84	19.00	26.67	26.82	20.99	46.00	-25.01
5	378.58	2.14	21.86	27.08	29.25	26.17	46.00	-19.83
6 pp	399.03	2.20	22.38	27.18	29.63	27.03	46.00	-18.97



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Condition: 3m VERTICAL Job No. : 11311CR

Test mode: h

Freq				Preamp Factor				
_	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	30.00	0.60	22.50	27.45	26.66	22.31	40.00	-17.69
2	50.41	0.80	14.16	27.41	31.67	19.22	40.00	-20.78
3	74.66	0.94	12.41	27.38	31.29	17.26	40.00	-22.74
4	392.10	2.18	22.21	27.15	25.47	22.71	46.00	-23.29
5	530.10	2.63	25.24	27.72	26.16	26.31	46.00	-19.69
6 nn	768 75	3 11	28 32	27 68	25 52	29 27	46 99	-16 73



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

6.3 Radiated Emissions (above 1GHz)

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4:2014 Frequency Range: Above 1GHz

Measurement Distance: 3m

Limit:

Above 1GHz 74(dBµV/m) peak, 54(dBµV/m) average

Detector: Peak for pre-scan (1000kHz resolution bandwidth) 1000M to18000MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) serve are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

6.3.1 E.U.T. Operation

Operating Environment:

Temperature: 22 °C Humidity: 58 % RH Atmospheric Pressure: 1015 mbar


The worst case a: Transfer data between the EUT and the PC + cable1+ battery1

for final test: f: Telecom Idle + FM+BT + WLAN + GPS Rx + camera (Front) + earphone2 +

battery1 + adapter2

i: GSM 850 + FM+ BT + WLAN + GPS Rx + earphone1 + battery1 + adapter1

6.3.2 Test Setup Diagram




6.3.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Average measurements were conducted based on the peak sweep graph. The EUT was measured by Horn antenna with 2 orthogonal polarities.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sqs.com"



Site : chamber

Condition: 3m HORIZONTAL

Job No : 11311CR


Mode : a

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2045.456	4.97	27.89	41.02	49.12	40.96	74.00	-33.04	Peak
2	6371.873	11.30	35.48	42.51	49.29	53.56	74.00	-20.44	Peak
3	10863.440	11.54	37.77	38.21	44.12	55.22	74.00	-18.78	Peak
4	10863.440	11.54	37.77	38.21	33.80	44.90	54.00	-9.10	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Site : chamber Condition: 3m VERTICAL Job No : 11311CR


Mode : a

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1499.695	5.48	25.80	40.71	49.98	40.55	74.00	-33.45	Peak
2	4917.664	8.01	34.11	43.72	49.45	47.85	74.00	-26.15	Peak
3	12445.330	12.64	37.88	39.03	45.76	57.25	74.00	-16.75	Peak
4	12445.330	12.64	37.88	39.03	35.60	47.09	54.00	-6.91	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Site : chamber

Condition: 3m HORIZONTAL

Job No : 11311CR


Mode : f

loue									
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1700.538	5.23	26.67	40.83	48.48	39.55	74.00	-34.45	Peak
2	3451.713	6.42	31.63	42.06	49.73	45.72	74.00	-28.28	Peak
3	11203.010	11.84	37.84	38.36	44.37	55.69	74.00	-18.31	Peak
4	11203.010	11.84	37.84	38.36	32.98	44.30	54.00	-9.70	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Site : chamber Condition: 3m VERTICAL Job No : 11311CR


Mode : f

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1665.999	5.27	26.53	40.81	48.12	39.11	74.00	-34.89	Peak
2	4472.423	7.53	33.55	43.28	49.15	46.95	74.00	-27.05	Peak
3	10293.770	11.15	37.78	37.94	33.62	44.61	54.00	-9.39	Average
4	10293.770	11.15	37.78	37.94	43.66	54.65	74.00	-19.35	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Site : chamber

Condition: 3m HORIZONTAL

Job No : 11311CR


Mode : i

loue									
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2169.756	5.16	28.13	41.08	48.36	40.57	74.00	-33.43	Peak
2	3212.508	6.19	31.26	41.72	49.79	45.52	74.00	-28.48	Peak
3	11494.080	12.13	37.90	38.49	44.17	55.71	74.00	-18.29	Peak
4	11494.080	12.13	37.90	38.49	32.59	44.13	54.00	-9.87	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Site : chamber Condition: 3m VERTICAL Job No : 11311CR

Mode : i

	Freq			Preamp Factor					Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2295.713	5.34	28.36	41.13	48.17	40.74	74.00	-33.26	Peak
2	6421.093	11.39	35.52	42.47	48.98	53.42	74.00	-20.58	Peak
3	10947.350	11.59	37.79	38.25	33.64	44.77	54.00	-9.23	Average
4	10947.350	11.59	37.79	38.25	43.65	54.78	74.00	-19.22	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Photographs

- 7.1 Conducted Emissions at Mains Terminals (150kHz-30MHz) Test Setup
- 7.2 Radiated Emissions (30MHz-1GHz) Test Setup
- 7.3 EUT Constructional Details (EUT Photos)

Refer to Appendix A - Photographs of EUT Constructional Details for ZR/2019/20008.

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) serve are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 • 深圳 • 科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com