
Appendix A SHEM180600474202


1.6dB Bandwidth

| Test Mode | Test Channel | Ant | EBW[MHz] | Limit | Verdict |
|-----------|--------------|------|----------|-------|---------|
| 11B | 2412 | Ant1 | 10.04 | 0.5 | PASS |
| 11B | 2437 | Ant1 | 9.10 | 0.5 | PASS |
| 11B | 2462 | Ant1 | 9.57 | 0.5 | PASS |
| 11G | 2412 | Ant1 | 16.34 | 0.5 | PASS |
| 11G | 2437 | Ant1 | 16.31 | 0.5 | PASS |
| 11G | 2462 | Ant1 | 16.33 | 0.5 | PASS |
| 11N20SISO | 2412 | Ant1 | 17.30 | 0.5 | PASS |
| 11N20SISO | 2437 | Ant1 | 17.32 | 0.5 | PASS |
| 11N20SISO | 2462 | Ant1 | 17.54 | 0.5 | PASS |
| 11N40SISO | 2422 | Ant1 | 35.12 | 0.5 | PASS |
| 11N40SISO | 2437 | Ant1 | 35.15 | 0.5 | PASS |
| 11N40SISO | 2452 | Ant1 | 35.15 | 0.5 | PASS |





















2.Occupied Bandwidth

| Test Mode | Test Channel | Ant | OBW[MHz] | Limit[MHz] | Verdict |
|-----------|--------------|------|----------|------------|---------|
| 11B | 2412 | Ant1 | 13.00 | | PASS |
| 11B | 2437 | Ant1 | 13.14 | | PASS |
| 11B | 2462 | Ant1 | 13.07 | | PASS |
| 11G | 2412 | Ant1 | 16.93 | | PASS |
| 11G | 2437 | Ant1 | 16.96 | | PASS |
| 11G | 2462 | Ant1 | 16.91 | | PASS |
| 11N20SISO | 2412 | Ant1 | 18.03 | | PASS |
| 11N20SISO | 2437 | Ant1 | 18.00 | | PASS |
| 11N20SISO | 2462 | Ant1 | 18.01 | | PASS |
| 11N40SISO | 2422 | Ant1 | 36.24 | | PASS |
| 11N40SISO | 2437 | Ant1 | 36.28 | | PASS |
| 11N40SISO | 2452 | Ant1 | 36.19 | | PASS |






















SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.


3.Maximum conducted (average) output power

| Test Mode | Test Channel | Ant | Level [dBm] | 10log(1/x) Factor[dB] | Power [dBm] | Limit [dBm] | Verdict |
|--------------|-----------------|------|----------------|--------------------------|----------------|----------------|---------|
| 11B | 2412 | Ant1 | 18.17 | 0.13 | 18.31 | 30 | PASS |
| 11B | 2437 | Ant1 | 17.59 | 0.13 | 17.72 | 30 | PASS |
| 11B | 2462 | Ant1 | 16.92 | 0.13 | 17.05 | 30 | PASS |
| 11G | 2412 | Ant1 | 14.35 | 0.25 | 14.59 | 30 | PASS |
| 11G | 2437 | Ant1 | 13.82 | 0.25 | 14.07 | 30 | PASS |
| 11G | 2462 | Ant1 | 13.11 | 0.25 | 13.36 | 30 | PASS |
| 11N20SISO | 2412 | Ant1 | 13.94 | 0.26 | 14.20 | 30 | PASS |
| 11N20SISO | 2437 | Ant1 | 13.47 | 0.26 | 13.74 | 30 | PASS |
| 11N20SISO | 2462 | Ant1 | 12.75 | 0.26 | 13.01 | 30 | PASS |
| 11N40SISO | 2422 | Ant1 | 13.52 | 0.52 | 14.03 | 30 | PASS |
| 11N40SISO | 2437 | Ant1 | 12.72 | 0.58 | 13.29 | 30 | PASS |
| 11N40SISO | 2452 | Ant1 | 11.78 | 1.28 | 13.07 | 30 | PASS |











Maximum conducted (average) output power 11G 2437 Ant1




Maximum conducted (average) output power_11G_2462_Ant1












Maximum conducted (average) output power_11N20SISO_2437_Ant1




Maximum conducted (average) output power_11N20SISO_2462_Ant1











Maximum conducted (average) output power 11N40SISO 2437 Ant1



Maximum conducted (average) output power_11N40SISO_2452_Ant1



4.Maximum(average) power spectral density

| Test Mode | Test Channel | Ant | Level [dBm/3kHz] | 10log(1/x) Factor[dB] | PSD[dBm/3kHz] | Limit[dBm/3kHz] | Verdict |
|--------------|-----------------|------|---------------------|--------------------------|---------------|-----------------|---------|
| 11B | 2412 | Ant1 | -13.73 | 0.13 | -13.60 | 8.00 | PASS |
| 11B | 2437 | Ant1 | -14.57 | 0.13 | -14.44 | 8.00 | PASS |
| 11B | 2462 | Ant1 | -15.22 | 0.13 | -15.09 | 8.00 | PASS |
| 11G | 2412 | Ant1 | -20.26 | 0.25 | -20.01 | 8.00 | PASS |
| 11G | 2437 | Ant1 | -20.61 | 0.25 | -20.36 | 8.00 | PASS |
| 11G | 2462 | Ant1 | -21.44 | 0.25 | -21.19 | 8.00 | PASS |
| 11N20SISO | 2412 | Ant1 | -20.69 | 0.26 | -20.43 | 8.00 | PASS |
| 11N20SISO | 2437 | Ant1 | -21.02 | 0.26 | -20.76 | 8.00 | PASS |
| 11N20SISO | 2462 | Ant1 | -21.85 | 0.26 | -21.59 | 8.00 | PASS |
| 11N40SISO | 2422 | Ant1 | -23.62 | 0.52 | -23.10 | 8.00 | PASS |
| 11N40SISO | 2437 | Ant1 | -24.40 | 0.58 | -23.82 | 8.00 | PASS |
| 11N40SISO | 2452 | Ant1 | -24.10 | 1.28 | -22.82 | 8.00 | PASS |






Maximum(average) power spectral density_11B_2437_Ant1



Maximum(average) power spectral density_11B_2462_Ant1









#VBW 10 kHz*

Span 33.81 MHz #Sweep 60.00 s (2001 pts)













5.Band-edge for RF Conducted Emissions

| Test Mode | Test Channel | Ant | Carrier Power[dBm] | Max. Spurious Level [dBm] | Limit [dBm] | Verdict |
|--------------|-----------------|------|-----------------------|------------------------------|----------------|---------|
| 11B | 2412 | Ant1 | 9.37 | -33.76 | -20.63 | PASS |
| 11B | 2462 | Ant1 | 7.97 | -44.05 | -22.03 | PASS |
| 11G | 2412 | Ant1 | 3.72 | -26.79 | -26.29 | PASS |
| 11G | 2462 | Ant1 | 1.82 | -43.04 | -28.18 | PASS |
| 11N20SISO | 2412 | Ant1 | 3.54 | -26.88 | -26.46 | PASS |
| 11N20SISO | 2462 | Ant1 | 1.84 | -42.36 | -28.16 | PASS |
| 11N40SISO | 2422 | Ant1 | 0.12 | -30.49 | -29.88 | PASS |
| 11N40SISO | 2452 | Ant1 | -1.05 | -36.71 | -31.05 | PASS |










SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.




6.RF Conducted Spurious Emissions

| Test Mode | Test Channel | Ant | StartFre [MHz] | StopFre [MHz] | RBW [kHz] | VBW [kHz] | Pref[dBm] | Max. Level [dBm] | Limit [dBm] | Verdict |
|-----------|-----------------|------|-------------------|------------------|--------------|--------------|-----------|------------------------|----------------|---------|
| 11B | 2412 | Ant1 | 30 | 10000 | 100 | 300 | 9.25 | -36.15 | <- 20.75 | PASS |
| 11B | 2412 | Ant1 | 10000 | 26000 | 100 | 300 | 9.254 | -43.214 | <- 20.746 | PASS |
| 11B | 2437 | Ant1 | 30 | 10000 | 100 | 300 | 9.11 | -34.14 | <- 20.90 | PASS |
| 11B | 2437 | Ant1 | 10000 | 26000 | 100 | 300 | 9.105 | -44.619 | <- 20.895 | PASS |
| 11B | 2462 | Ant1 | 30 | 10000 | 100 | 300 | 8.03 | -33.80 | <- 21.97 | PASS |
| 11B | 2462 | Ant1 | 10000 | 26000 | 100 | 300 | 8.034 | -44.053 | <- 21.966 | PASS |
| 11G | 2412 | Ant1 | 30 | 10000 | 100 | 300 | 3.33 | -47.61 | <- 26.67 | PASS |
| 11G | 2412 | Ant1 | 10000 | 26000 | 100 | 300 | 3.326 | -44.263 | <- 26.674 | PASS |
| 11G | 2437 | Ant1 | 30 | 10000 | 100 | 300 | 2.74 | -48.50 | <- 27.26 | PASS |
| 11G | 2437 | Ant1 | 10000 | 26000 | 100 | 300 | 2.736 | -43.899 | <- 27.264 | PASS |
| 11G | 2462 | Ant1 | 30 | 10000 | 100 | 300 | 2.02 | -48.87 | <- 27.98 | PASS |
| 11G | 2462 | Ant1 | 10000 | 26000 | 100 | 300 | 2.019 | -43.684 | <- 27.981 | PASS |
| 11N20SISO | 2412 | Ant1 | 30 | 10000 | 100 | 300 | 3.54 | -47.33 | <- 26.46 | PASS |
| 11N20SISO | 2412 | Ant1 | 10000 | 26000 | 100 | 300 | 3.542 | -43.744 | <- 26.458 | PASS |
| 11N20SISO | 2437 | Ant1 | 30 | 10000 | 100 | 300 | 2.05 | -48.72 | <- 27.95 | PASS |
| 11N20SISO | 2437 | Ant1 | 10000 | 26000 | 100 | 300 | 2.052 | -43.731 | <- 27.948 | PASS |
| 11N20SISO | 2462 | Ant1 | 30 | 10000 | 100 | 300 | 2.10 | -48.35 | <- 27.90 | PASS |
| 11N20SISO | 2462 | Ant1 | 10000 | 26000 | 100 | 300 | 2.104 | -43.606 | <- 27.896 | PASS |
| 11N40SISO | 2422 | Ant1 | 30 | 10000 | 100 | 300 | 0.00 | -46.72 | <- 30.00 | PASS |
| 11N40SISO | 2422 | Ant1 | 10000 | 26000 | 100 | 300 | 0 | -43.548 | <-30 | PASS |
| 11N40SISO | 2437 | Ant1 | 30 | 10000 | 100 | 300 | -0.86 | -48.09 | <- 30.86 | PASS |
| 11N40SISO | 2437 | Ant1 | 10000 | 26000 | 100 | 300 | -0.859 | -43.852 | <- 30.859 | PASS |
| 11N40SISO | 2452 | Ant1 | 30 | 10000 | 100 | 300 | -1.14 | -47.51 | <- 31.14 | PASS |




SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.


| 11N40SI | 2452 A | nt1 10000 | 26000 | 100 | 300 | -1.139 | -43.287 | <- 31.139 | PASS | |
|---------|--------|-----------|-------|-----|-----|--------|---------|--------------|------|--|
|---------|--------|-----------|-------|-----|-----|--------|---------|--------------|------|--|
























































7.Duty Cycle

| Test Mode | Test Channel | Ant | Duty Cycle[%] | 10log(1/x) Factor[dB] |
|-----------|--------------|------|---------------|-----------------------|
| 11B | 2412 | Ant1 | 96.98 | 0.13 |
| 11B | 2437 | Ant1 | 97.10 | 0.13 |
| 11B | 2462 | Ant1 | 97.07 | 0.13 |
| 11G | 2412 | Ant1 | 94.47 | 0.25 |
| 11G | 2437 | Ant1 | 94.47 | 0.25 |
| 11G | 2462 | Ant1 | 94.48 | 0.25 |
| 11N20SISO | 2412 | Ant1 | 94.11 | 0.26 |
| 11N20SISO | 2437 | Ant1 | 94.11 | 0.26 |
| 11N20SISO | 2462 | Ant1 | 94.11 | 0.26 |
| 11N40SISO | 2422 | Ant1 | 88.81 | 0.52 |
| 11N40SISO | 2437 | Ant1 | 87.59 | 0.58 |
| 11N40SISO | 2452 | Ant1 | 74.40 | 1.28 |















