







ISO/IEC17025 Accredited Lab.

Report No.: FCC 1404137 File reference No.: 2014-05-13

Applicant: Shenzhen View Paker Technology Co., Ltd

Product: ALL-IN-ONE Monitor

Model No.: See page 4

Trademark: N/A

Test Standards: FCC Part 15 Subpart B: 2012

Test result: It is herewith confirmed and found to comply with the requirements

set up by ANSI C63.4&FCC Part 15 regulations for the evaluation of

electromagnetic compatibility

Approved By

Jack Chung

Jack Chung

Manager

Dated: May 13, 2014

Results appearing herein relate only to the sample tested

The technical reports is issued errors and omissions exempt and is subject to withdrawal at

SHENZHEN TIMEWAY TECHNOLOGY CONSULTING CO., LTD

East 5/Block 4, Anhua Industrial Zone, No.8, Tairan Rd. Chegongmiao, FuTian District, Shenzhen, CHINA.

Tel (+86 755)8344 8688 Fax (+86 755)8344 2996 Email:info@timewaytech.com

Report No: 1404137 Page 2 of 29

Date: 2014-05-13



Special Statement:

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAS. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

CNAS-LAB Code: L2292

The EMC Laboratory has been assessed and in compliance with CNAS-CL01 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2005 General Requirements) for the Competence of testing Laboratories.

FCC-Registration No.: 899988

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 899988.

IC- Registration No.: IC5205A-02

The EMC Laboratory has been registered and fully described in a report filed with the (IC) Industry Canada. The acceptance letter from the IC is maintained in our files. Registration IC No.: 5205A-02.

Page 3 of 29

Report No: 1404137 Date: 2014-05-13



Test Report Conclusion

Content

| 1.0 | General Details | 4 |
|-----|--|----|
| 1.1 | Test Lab Details | 4 |
| 1.2 | Applicant Details | 4 |
| 1.3 | Description of EUT | 4 |
| 1.4 | Test Uncertainty. | 4 |
| 1.5 | Submitted Sample | 4 |
| 1.6 | Test Duration. | 4 |
| 2.0 | List of Measurement Equipment | 6 |
| 2.1 | Conducted Emission Test. | 6 |
| 2.2 | Radiated electromagnetic disturbance test. | 6 |
| 2.3 | Auxiliary Equipment | 6 |
| 3.0 | Technical Details | 7 |
| 3.1 | Investigations Requested. | 7 |
| 3.2 | Test Standards. | 7 |
| 4.0 | Power line Conducted Emission Test. | 8 |
| 5.0 | Radiated Disturbance Test. | 12 |
| 6.0 | FCC ID Label | 18 |
| 7 0 | Photo of testing | 10 |



1.0 General Details

1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TECHNOLOGY CONSULTING CO., LTD

Address: East 5/Block 4, Anhua Industrial Zone, No.8, Tairan Rd. CheGongMiao,

FuTian District, Shenzhen, CHINA.

Telephone: (755) 83448688 Fax: (755) 83442996

1.2 Applicant Details

Applicant: Shenzhen View Paker Technology Co., Ltd

Address: 5th Floor, A Building, Fuxinlin Industrial Zone, Hangcheng Industrial Park,

Xixiang Town, Shenzhen, China

Telephone: 15994847826 Fax: 0755-27369619

1.3 Description of EUT

Product: ALL-IN-ONE Monitor

Manufacturer: Shenzhen View Paker Technology Co., Ltd

Address: 5th Floor, A Building, Fuxinlin Industrial Zone, Hangcheng Industrial Park,

Xixiang Town, Shenzhen, China

Brand Name: N/A

Model Number: E320HMG-T/E320HMI-T/E320HMG/E320HMI-S/E320NMG-T/E320NMI-T/E320NMG/ E320NMI-S/E320NMI-S/E320EMI-T/E320EMI-T/E320EMG/E320EMI-S/E270HMG/E270HMI-E70HMI-S/E2 70NMG/E270NMI-S/E230EMG-T/E320EMI-T/E320EMG/E320EMI-S/E270HMG/E270HMI/E270HMI-S/E2 70NMG/E270NMI-S/E270EMG-E270EMI-S/E20EMI-S/E241HMG/E241HMI-S/E241NMG/E241N MI/E241NMI-S/E241EMG/E241EMI-S/E221EMG/E221EMI/E221EMI-S/E201EMI/E191EMI/P2C311P/P2C3 11E/P27311P/P27311E/P2A311P/P2A311P/P2A311P/P32311P/P32311E/P1A311E/E320HMG-V-T/E320HMI-V-T/E320HMG-D/E3 20HMG-V/E320HMI-D/E320HMI-V/E320HMI-D-S/E320HMI-V-S/E320NMG-V-T/E320NMI-V-T/E320NMG-D/E320N MG-V/E320NMI-D/E320NMI-D-S/E320NMI-V-S/E320EMG-V-T/E320EMG-D/E320EMG-V/E320EMI-D/E320EMI-D/E320EMI-D-S/E320EMI-V-S/E270HMG-D/E270HMI-D/E270HMI-D/E270HMI-D/E270HMI-V-S/E270HMI-V-S/E270HMI-D-S/E270HMI-V-S/E270EMG-D/E270EMG-V/E270EMI-D/E270EMI-D/E270EMI-D/E270EMI-D/E241HMI-D-S/E241HMI-D-S/E241HMI-D-S/E241NMI-D-S/E241NMI-D-S/E241NMI-D-S/E241NMI-D-S/E241EMI-D-S/E241EMI-D-S/E241EMI-D-S/E221EMG-D/E221EMG-V/E221EMI-D/E221EMI-D-S/E221EMI-D-S/E221EMI-D-S/E221EMI-D

Rating: 115-240V~, 5-2.5A, 50/60Hz, 350W

1.4 Submitted Sample: 2 Sample

1.5 Test Duration: 2014-04-17 to 2014-05-12

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Report No: 1404137 Page 5 of 29 Date: 2014-05-13



Print Name: Terry Tong

1.6 Test Uncertainty Conducted Emissions Uncertainty =3.6dB Radiated Emissions Uncertainty =4.7dB

| 1.7 | Test Engineer | leng long |
|-----|----------------------|-----------|
| | The sample tested by | |
| | | |

Date: 2014-05-13



2.0 List of Measurement Equipment

2.1 Conducted Emission Test

| | | | | Calibration | Calibration |
|--------------------|------------|-------------|--------------|-------------|-------------|
| Name | Model No. | Serial No. | Manufacturer | Date | Cycle |
| EMI Test Receiver | ESH3 | 860905/006 | RS | 2013-07-24 | 1Year |
| Spectrum Analyzer | ESA-L1500A | US37451154 | HP | 2013-07-24 | 1Year |
| PULSE LIMITER | ESH3-Z2 | 100281 | RS | 2013-07-24 | 1Year |
| LISN | ESH3-Z5 | 100294 | RS | 2013-07-24 | 1Year |
| LISN | ESH3-Z5 | 100253 | RS | 2013-07-24 | 1Year |
| LISN | LS16C | 10010947251 | AFJ | 2013-07-24 | 1Year |
| LISN (Three Phase) | NSLK 8126 | 8126453 | Schwarebeck | 2013-07-24 | 1Year |

2.2 Radiated electromagnetic disturbance test

| | | | | Calibration | Calibration |
|-------------------|------------|------------|--------------|-------------|-------------|
| Name | Model No. | Serial No. | Manufacturer | Date | Cycle |
| EMI Test Receiver | ESVD | 100008 | RS | 2013-07-24 | 1Year |
| Coaxial Switch | MP59B | M70585 | ANRITSU N/A | | N/A |
| Spectrum Analyzer | 8595E | 3441A00893 | НР | 2013-07-24 | 1Year |
| Amplifier | 8447D | 2727A05017 | HP | 2013-07-24 | 1Year |
| Bilog Antenna | VULB9163 | 9163/340 | Schwarebeck | 2013-07-24 | 1Year |
| Horn Antenna | BBHA 9120D | 9120D-631 | Schwarebeck | 2013-07-24 | 1Year |

2.3 Auxiliary Equipment

| | | | | | FCC DOC/ |
|----------|---------------|------------|--------------|-------|----------|
| Name | Model No. | Serial No. | Manufacturer | Cable | ID |
| Printer | BOISB-027-00 | | EPSON | | FCCDOC |
| Printer | LaserJet 1015 | | HP | | FCC DOC |
| U-disk | U208 | | Netac | | FCC DOC |
| SD | | | Kingston | | |
| PC | 8434 | | IBM | | FCC DOC |
| PC | D03D | | DELL | | FCC DOC |
| Mouse | M-F105 | | L.SEletron | | FCC DOC |
| Keyboard | KB-0225 | | IBM | | FCC DOC |

Report No: 1404137 Page 7 of 29

3.0 **Technical Details**

Date: 2014-05-13

3.1 **Investigations Requested** Perform Electromagnetic Interference [EMI] tests for FCC Requirement.


3.2 Test Standards

FCC Part 15 Subpart B: 2012



4.0 Conducted Power line Test

4.1 Schematics of the test




EUT: Equipment Under Test

4.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.4-2003. The Frequency spectrum From 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.4 –2003. Cables and peripherals were moved to find the maximum emission levels for each frequency.

Actual Working Voltage and Frequency: 120V~, 60Hz

Block diagram of Test setup



The report refers only to the sample tested and does not apply to the bulk.

Report No: 1404137 Page 9 of 29

TIMEWAY PLANTING LARS

4.3 Power line conducted Emission Limit

| Fraguanay(MHz) | Class A Li | mits dB(μV) | Class B Lin | nits dB(µV) |
|------------------|------------------|---------------|------------------|---------------|
| Frequency(MHz) | Quasi-peak Level | Average Level | Quasi-peak Level | Average Level |
| $0.15 \sim 0.50$ | 79.00 | 66.00 | 66.00~56.00* | 56.00~46.00* |
| $0.50 \sim 5.00$ | 73.00 | 60.00 | 56.00 | 46.00 |
| 5.00 ~ 30.00 | 73.00 | 60.00 | 60.00 | 50.00 |

Notes: 1. *decreasing linearly with logarithm of frequency.

2. The tighter limit shall apply at the transition frequencies

4.4 Test Results

Date: 2014-05-13

The frequency spectrum from 0.15MHz to 30MHz was investigated. All reading are quasi-peak values with a resolution bandwidth of 9kHz.



A: Conducted Emission on Live Terminal (150kHz to 30MHz)

EUT Operating Environment


Temperature: 26°C Humidity: 65%RH Atmospheric Pressure: 101 KPa

EUT set Condition: Data Communication with PC

Equipment Level: Class B

Results: PASS

Please refer to following diagram for individual



| No. Mk. | Freq. | Reading Level | Correct Factor | Measure- ment | Limit | Over | | |
|---------|--------|------------------|-------------------|------------------|-------|--------|----------|---------|
| | MHz | dBuV | dB | dBuV | dBuV | dB | Detector | Comment |
| 1 | 0.3100 | 36.26 | 11.17 | 47.43 | 59.97 | -12.54 | QP | |
| 2 | 0.3100 | 32.33 | 11.17 | 43.50 | 49.97 | -6.47 | AVG | |
| 3 | 0.4308 | 38.26 | 11.30 | 49.56 | 57.24 | -7.68 | QP | |
| 4 | 0.4308 | 30.25 | 11.30 | 41.55 | 47.24 | -5.69 | AVG | |
| 5 | 0.6124 | 37.29 | 11.49 | 48.78 | 56.00 | -7.22 | QP | |
| 6 | 0.6124 | 30.19 | 11.49 | 41.68 | 46.00 | -4.32 | AVG | |
| 7 | 1.5462 | 34.69 | 12.12 | 46.81 | 56.00 | -9.19 | QP | |
| 8 * | 1.5462 | 29.66 | 12.12 | 41.78 | 46.00 | -4.22 | AVG | |
| 9 | 9.2500 | 36.75 | 11.71 | 48.46 | 60.00 | -11.54 | QP | |
| 10 | 9.2500 | 31.89 | 11.71 | 43.60 | 50.00 | -6.40 | AVG | |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



B: Conducted Emission on Neutral Terminal (150kHz to 30MHz)

EUT Operating Environment


Temperature: 26°C Humidity: 65%RH Atmospheric Pressure: 101 KPa

EUT set Condition: Data Communication with PC

Equipment Level: Class B

Results: Pass

Please refer to following diagram for individual



| No. Mk. | Freq. | Reading Level | Correct Factor | Measure- ment | Limit | Over | | |
|---------|--------|------------------|-------------------|------------------|-------|--------|----------|---------|
| | MHz | dBuV | dB | dBuV | dBuV | dB | Detector | Comment |
| 1 | 0.3098 | 37.90 | 11.17 | 49.07 | 59.98 | -10.91 | QP | |
| 2 * | 0.3098 | 34.23 | 11.17 | 45.40 | 49.98 | -4.58 | AVG | |
| 3 | 0.4282 | 36.30 | 11.29 | 47.59 | 57.29 | -9.70 | QP | |
| 4 | 0.4282 | 24.90 | 11.29 | 36.19 | 47.29 | -11.10 | AVG | |
| 5 | 0.6145 | 34.60 | 11.49 | 46.09 | 56.00 | -9.91 | QP | |
| 6 | 0.6145 | 29.88 | 11.49 | 41.37 | 46.00 | -4.63 | AVG | |
| 7 | 1.5460 | 34.00 | 12.12 | 46.12 | 56.00 | -9.88 | QP | |
| 8 | 1.5460 | 25.32 | 12.12 | 37.44 | 46.00 | -8.56 | AVG | |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


Report No: 1404137 Page 12 of 29

Date: 2014-05-13



5.0 Radiated Disturbance Test

5.1 Schematics of the test




5.2 Test Method and test Procedure:


The EUT was tested according to ANSI C63.4 –2003; The frequency spectrum from 30MHz to 5GHz was investigated. All reading from 30MHz to 1GHz are quasi-peak values with a resolution bandwidth of 120kHz. For measurement above 1GHz, peak values with RBW=1MHz and PK detector. AV value with RBW=1MHz, VBW=10Hz and PK

Actual Working Voltage and Frequency: 120V~, 60Hz

Block diagram of Test setup







5.3 Radiated Emission Limit

| Frequency Range (MHz) | Distance (m) | Field strength (dB μ V/m) |
|-----------------------|--------------|---------------------------|
| 30-88 | 3 | 40.00 |
| 88-216 | 3 | 43.50 |
| 216-960 | 3 | 46.00 |
| Above 960 | 3 | 54.00 |

Note: 1. The lower limit shall apply at the transition frequencies

2. This is a handhold device. The radiated emissions should be tested under 3-axes position (Lying, Side, and Stand), After pre-test. It was found that the worse radiated emission was get at the lying position.

5.4 Test result

The frequency spectrum from 30MHz to 18GHz was investigated. All reading from 30MHz to 1GHz are quasi-peak values with a resolution bandwidth of 120kHz. For measurement above 1GHz, peak values with RBW=VBW=1MHz and PK detector. AV value with RBW=1MHz, VBW=10Hz and PK. Measurements were made at 3 meters.



Test result

General Radiated Emission Data and Harmonics Radiated Emission Data


Radiated Emission In Horizontal (30MHz----1000MHz)

EUT set Condition: Data Communication with PC

Results: Pass

Test Figure:

H



| No. | Mk | . Freq. | Reading Level | Correct Factor | Measure- ment | Limit | Over | |
|-----|----|----------|------------------|-------------------|------------------|--------|--------|----------|
| | | MHz | dBu∨ | dB | dBuV/m | dBuV/m | dB | Detector |
| 1 | | 47.0371 | 40.47 | -11.66 | 28.81 | 40.00 | -11.19 | peak |
| 2 | | 240.1442 | 47.72 | -9.80 | 37.92 | 46.00 | -8.08 | peak |
| 3 | * | 418.7776 | 45.93 | -4.90 | 41.03 | 46.00 | -4.97 | peak |
| 4 | İ | 177.7355 | 51.38 | -13.33 | 38.05 | 43.50 | -5.45 | peak |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Test result

General Radiated Emission Data and Harmonics Radiated Emission Data


Radiated Emission In Vertical (30MHz----1000MHz)

EUT set Condition: Data Communication with PC

Results: Pass

Test Figure:

V



| No. | Mk. | Freq. | Reading Level | Correct Factor | Measure- ment | Limit | Over | |
|-----|-----|---------|------------------|-------------------|------------------|--------|-------|----------|
| | | MHz | dBu∨ | dB | dBuV/m | dBuV/m | dB | Detector |
| 1 | | 47.0371 | 42.71 | -11.66 | 31.05 | 40.00 | -8.95 | peak |
| 2 | 2 | 40.1442 | 49.36 | -9.80 | 39.56 | 46.00 | -6.44 | peak |
| 3 | 4 | 18.7776 | 42.85 | -4.90 | 37.95 | 46.00 | -8.05 | peak |
| 4 | * 1 | 05.8114 | 49.29 | -11.62 | 37.67 | 43.50 | -5.83 | peak |

Report No: 1404137 Page 16 of 29

Date: 2014-05-13



Radiated Disturbance (1000MHz----18000MHz)

EUT Operating Environment


Temperature: 25°C Humidity: 75%RH Atmospheric Pressure: 101 KPa

EUT set Condition: Data Communication with PC

Equipment Level: Class B

Results: Pass

Please refer to following diagram for individual



| Frequency (MHz) | Level@3m (dBµV/m) | Antenna Polarity | Limit@3m (dBµV/m) |
|-----------------|-------------------|------------------|-------------------|
| | | | 54(AV) |
| | | Н | 54(AV) |

Note: Maxhold curve shown in diagram is scanned by PK detector, because PK value is lower than AV limit, so PK and Av value all deem to comply with their limit without further test.

Report No: 1404137 Page 17 of 29

Date: 2014-05-13



Radiated Disturbance (1000MHz----18000MHz)

EUT Operating Environment


Temperature:25°C Humidity: 75%RH Atmospheric Pressure: 101 KPa

EUT set Condition: Data Communication with PC

Equipment Level: Class B

Results: Pass

Please refer to following diagram for individual



| Frequency (MHz) | Level@3m (dBμV/m) | Antenna Polarity | Limit@3m (dBµV/m) |
|-----------------|-------------------|------------------|-------------------|
| | 1 | V | 54(AV) |
| | | V | 54(AV) |
| | | V | 54(AV) |

Note: Maxhold curve shown in diagram is scanned by PK detector, because PK value is lower than AV limit, so PK and Av value all deem to comply with their limit without further test.

Report No: 1404137 Page 18 of 29

Date: 2014-05-13




6.0 FCC ID Label

FCC ID: 2ACEJ-E270HMG

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

Mark Location:



Report No: 1404137 Page 19 of 29

Date: 2014-05-13

- 7.0 Photo of testing
- Conducted test View--7.1





7.2 Radiated emission test view--





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.



Photo for the EUT

Photo for the EUT





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 22 of 29

Report No: 1404137 Date: 2014-05-13



Photos of EUT





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 23 of 29

Report No: 1404137 Date: 2014-05-13



Photos of EUT





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 24 of 29

Report No: 1404137 Date: 2014-05-13



Photos of EUT





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 25 of 29

Report No: 1404137 Date: 2014-05-13



Photos of EUT





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 26 of 29

Report No: 1404137 Date: 2014-05-13



Photos of EUT





The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


Page 27 of 29

Report No: 1404137 Date: 2014-05-13



Photos of EUT





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


Page 28 of 29

Report No: 1404137 Date: 2014-05-13



Photos of EUT





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the Shenzhen Timeway Technology Consulting Co., Ltd. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the Shenzhen Timeway Technology Consulting co., Ltd to his customer. Supplier or others persons directly concerned. Shenzhen Timeway Technology Consulting co., Ltd will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Report No: 1404137 Page 29 of 29

Date: 2014-05-13



Photos of EUT



-End of the report-