### For LR15 series:

## WARNING label:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.



## ID Label:

# FLOWLINE

EchoPulse<sup>™</sup> LR15 - (1) (2) 1 (3) - (4) (5)

FCC ID: 2ACQELRYY Power Rating: 24 VDC Output: 4-20mA

Process temperature and pressure:

See manual and approval document

Range (max.): 98.42 ft (30m) Enclosure rating: IP67 (NEMA 6)



### For LR20 series:

## WARNING label:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.



## ID Label:

## **FLOWLINE**

EchoPulse<sup>™</sup> LR20 - (1) 3 1 (2) - (3) 0

FCC ID: 2ACQELRYY
Power Rating: 24 VDC
Output: 4-20mA

Process temperature and pressure:

See manual and approval document

Range (max.): 65.61 ft (20m) Enclosure rating: IP67 (NEMA 6)



#### For LR30 series:

## WARNING label:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.



## ID Label:

## **FLOWLINE**

EchoPulse™ LR30 - 0 0 1 (1) - (2) 0

FCC ID: 2ACQELRYY
Power Rating: 24 VDC
Output: 4-20mA

Process temperature and pressure:

See manual and approval document

Range (max.): 98.42 ft (30m) Enclosure rating: IP68 (NEMA 6P)

