



www.dabir-surfaces.com




7447 West Wilson Ave,
Harwood Heights, IL 60706, USA
(Ph) 1-888-559-3641

Controller

For use with Dabir Surfaces
and Accessories

Operating Conditions:



IP33



SN LSYYDDDXXXXT
MN C2-1001



YYYY-MM-DD



IC: 11968A-110025

FCC ID: 2ACRH-110025

Medical - General Medical Equipment
AS TO ELECTRICAL SHOCK, FIRE AND
MECHANICAL HAZARDS ONLY IN
ACCORDANCE WITH

ANSI/AAMI ES60601-1 (2005) + AMD 1 (2012)

CAN/CSA-C22.2 No. 60601-1 (2014)

CAN ICES-3 (B)/NMB-3 (B)

Input: 100-240V ~ 1.7/0.85 A, 50-60Hz



7447 West Wilson Ave,
Harwood Heights, IL 60706, USA
(Ph) 1-888-559-3641

www.dabir-surfaces.com

Controller

For use with Dabir Surfaces
and Accessories

Operating Conditions:

10°C — 35°C
70kPa — 106kPa



IP33



SN LSYYDDDDXXXT
MN C2-1001



YYYY-MM-DD



IC: 11968A-110025
FCC ID: 2ACRH-110025

Medical - General Medical Equipment
AS TO ELECTRICAL SHOCK, FIRE AND
MECHANICAL HAZARDS ONLY IN
ACCORDANCE WITH

ANSI/AAMI ES60601-1 (2005) + AMD 1 (2012)
CAN/CSA-C22.2 No. 60601-1 (2014)
CAN ICES-3 (B)/NMB-3 (B)
Input: 100-240V ~ 1.7/0.85 A, 50-60Hz



www.dabir-surfaces.com



7447 West Wilson Ave,
Harwood Heights, IL 60706, USA
(Ph) 1-888-559-3641

Controller

For use with Dabir Surfaces
and Accessories

SN 11190440004F
MN C2-1001

Operating Conditions:


10°C 35°C 70kPa 106kPa



IP33



2019-02-13



Medical - General Medical Equipment
AS TO ELECTRICAL SHOCK, FIRE AND
MECHANICAL HAZARDS ONLY IN
ACCORDANCE WITH
ANSI/AAMI ES60601-1 (2005) + AMD 1 (2012)
CAN/CSA-C22.2 No. 60601-1 (2014)
CAN ICES-3 (B)/NMB-3 (B)
Input: 100-240V ~ 1.7/0.85 A, 50-60Hz