Deep Blue User Manual

Rev 1.0 / 2014.04.22


Contents

1. Specifications and Ratings	Page 2
2. Global View and I/O Locations	Page 2
3. Operating Mode	Page 3
4. Introduction to WIFI	Page 3
5. Warning and Recommendations	Page 3

1. Specifications and Ratings

Battery	2000mAh / 3.7V DC
Docking & Device	Wireless Charging Technology ABS Material
Charging	Total Charging Time is 4 hours 80% Charge is reached after 1 hour Using Time: ON => 3 hours / OFF => 10 days (When Device is Full)
Inputs / Outputs	USB Type A(only charge usb devices) / Micro USB(only charge EUT) / RJ 45 (only Through the computer control equipment working state)
Colors	Grey and Black

2. Global View and I/O Locations




3. Operating Mode

To use the Device, turn the Button on 'I' (ON Position). Once ON, the ON/OFF Indicator will start to flash. The Device is ready to use when the ON/OFF Indicator LED is ON.

When you stop using the Device, turn the Button on 'O' (OFF Position). The ON/OFF Indicator will turn OFF as well.

To charge the Device, put it slowly on the Docking as follow:



At this step, the Charging Indicator of the Docking starts to flash while the Charging Indicator of the Device turns ON. The charge is over when the Charging Indicator of the Device turns OFF which means the battery is fully charged.

If the Charging Indicator of the Device is flashing, remove the Device from the Docking and put it again after 10s.

4. Introduction to WIFI

It utilizes the existing family in WiFi network, let your smart mobile phone or tablet computer in the network condition, can open or close the sample by App. Can do with open, every month can also save electricity considerable. Can let you in any one of the world's local remote control.

5. Warning and Recommendations

Use only the power supply provided with the product.

Do not put on the Device or Docking, coil, magnet or any ferrous materials it will reduce charging performances.

Do not clean plastic cases with acid, solvent, etc...

Correct installation and use of the instrument are essential to ensure optimum safety of the instrument.

Please read these instructions before switching on the instrument.

You can obtain more information from your distributor.

FCC Certification Requirements

Caution: Any changes or modifications in construction of this device which are not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and

(2) This device must accept any interference received, including interference that may cause undesired operation.

The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -- Reorient or relocate the receiving antenna.
- -- Increase the separation between the equipment and receiver.
- -- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons.