




#### 1.Emission Bandwidth Measurement

Test Mode	Test Channel	Ant	EBW[MHz]	Limit[MHz]	Verdict
11A	5745	Ant1	16.62	0.5	PASS
11A	5785	Ant1	16.62	0.5	PASS
11A	5825	Ant1	16.62	0.5	PASS
11N20SISO	5745	Ant1	17.79	0.5	PASS
11N20SISO	5785	Ant1	17.83	0.5	PASS
11N20SISO	5825	Ant1	17.83	0.5	PASS












#### 2.Occupied Bandwidth Measurement


Test Mode Test Cl	nannel Ant	OBW[MHz]	Limit[MHz]	Verdict	ı
-------------------	------------	----------	------------	---------	---


#### 3.Maximum Conduct Output Power

Test Mode	Test Channel	Ant	Level [dBm]	10log(1/x) Factor [dB]	Power [dBm]	Limit [dBm]	Verdict
11A	5745	Ant1	5.66	0.00	5.66	30.00	PASS
11A	5785	Ant1	6.1	0.00	6.10	30.00	PASS
11A	5825	Ant1	5.99	0.00	5.99	30.00	PASS
11N20SISO	5745	Ant1	5.68	0.00	5.68	30.00	PASS
11N20SISO	5785	Ant1	6.4	0.00	6.40	30.00	PASS
11N20SISO	5825	Ant1	6.26	0.00	6.26	30.00	PASS














### 4. Maximum Power Spectral Density

Test Mode	Test Channel	Ant	Level [dBm/300kHz]	10log(1/x) Factor[dB]	10log(500kHz/RBW) Factor [dB]	PSD [dBm/500kHz]	Limit [dBm/500kHz]	Verdict
11A	5745	Ant1	-8.42	0.00	2.22	-6.20	17.00	PASS
11A	5785	Ant1	-7.92	0.00	2.22	-5.70	17.00	PASS
11A	5825	Ant1	-8.18	0.00	2.22	-5.96	17.00	PASS
11N20SISO	5745	Ant1	-9.22	0.00	2.22	-7.00	17.00	PASS
11N20SISO	5785	Ant1	-8.44	0.00	2.22	-6.22	17.00	PASS
11N20SISO	5825	Ant1	-8.48	0.00	2.22	-6.26	17.00	PASS







### 6.Frequency Stability

Voltage vs. Frequency Stability								
Test Test Channel Ant Temp. Volt. Deviation Deviation [ppm] Limit [ppm] Verdict								
		Т	emper	ature vs	s. Frequency S	Stability		

## 7.Duty Cycle (x)

Test Mode	Test Channel	Ant	Duty Cycle[%]	10log(1/x) Factor[dB]
11A	5745	Ant1	100	0.00
11A	5785	Ant1	100	0.00
11A	5825	Ant1	100	0.00
11N20SISO	5745	Ant1	100	0.00
11N20SISO	5785	Ant1	100	0.00
11N20SISO	5825	Ant1	100	0.00



