


1.6dB Bandwidth

Test Mode	Test Channel	EBW[MHz]	Limit	Verdict
BLE	2402	0.6881	0.5	PASS
BLE	2440	0.7002	0.5	PASS
BLE	2480	0.6898	0.5	PASS

6dB Bandwidth_BLE_2402

Agilent Spectrum Analyzer - Occupied BW

Center Freq 2.402000000 GHz
 #IFGain:Low
 SENSE:PULSE
 Trig: Free Run
 #Atten: 30 dB
 ALIGN AUTO
 Avg|Hold> 1/1
 Radio Std: None
 Radio Device: BTS



Center 2.402 GHz
 #Res BW 100 kHz
 #VBW 300 kHz
 Span 3 MHz
 Sweep 1.067 ms

Occupied Bandwidth 1.0254 MHz
 Total Power 5.62 dBm
 Transmit Freq Error 1.358 kHz
 x dB Bandwidth 688.1 kHz
 OBW Power 99.00 %
 x dB -6.00 dB

Frequency

Center Freq
 2.402000000 GHz

CF Step
 300.000 kHz
 Auto Man

Freq Offset
 0 Hz


MSG

STATUS

6dB Bandwidth_BLE_2440

Agilent Spectrum Analyzer - Occupied BW

Center Freq 2.440000000 GHz
 #IFGain:Low
 SENSE:PULSE
 Trig: Free Run
 #Atten: 30 dB
 ALIGN AUTO
 Avg|Hold> 1/1
 Radio Std: None
 Radio Device: BTS



Center 2.44 GHz
 #Res BW 100 kHz
 #VBW 300 kHz
 Span 3 MHz
 Sweep 1.067 ms

Occupied Bandwidth 1.0280 MHz
 Total Power 5.44 dBm
 Transmit Freq Error 1.755 kHz
 x dB Bandwidth 700.2 kHz
 OBW Power 99.00 %
 x dB -6.00 dB

Frequency

Center Freq
 2.440000000 GHz

CF Step
 300.000 kHz
 Auto Man

Freq Offset
 0 Hz


MSG

STATUS

6dB Bandwidth_BLE_2480

Agilent Spectrum Analyzer - Occupied BW

☒ RL RF 50 Ω AC SENSE:PULSE ALIGN:AUTO 05:01:33 PM Oct 17, 2017
Center Freq 2.480000000 GHz Center Freq: 2.480000000 GHz Radio Std: None
 #IFGain:Low Trig: Free Run Avg|Hold> 1/1 Radio Device: BTS
 #Atten: 30 dB



Center 2.48 GHz Span 3 MHz
 #Res BW 100 kHz #VBW 300 kHz Sweep 1.067 ms

Occupied Bandwidth		Total Power	
1.0291 MHz		5.19 dBm	
Transmit Freq Error	1.989 kHz	OBW Power	99.00 %
x dB Bandwidth	689.8 kHz	x dB	-6.00 dB

Frequency

Center Freq
 2.480000000 GHz

CF Step
 300.000 kHz
 Auto Man

Freq Offset
 0 Hz

MSG

STATUS


2.Occupied Bandwidth

Test Mode	Test Channel	OBW[MHz]	Limit[MHz]	Verdict
-----------	--------------	----------	------------	---------


3.Maximum peak conducted output power

Test Mode	Test Channel	Power[dBm]	Limit[dBm]	Verdict
BLE	2402	-1.098	30	PASS
BLE	2440	-0.724	30	PASS
BLE	2480	-0.985	30	PASS


Maximum peak conducted output power_BLE_2402



Maximum peak conducted output power_BLE_2440




Maximum peak conducted output power_BLE_2480




4.Maximum Peak power spectral density

Test Mode	Test Channel	PSD[dBm/MHz]	Limit[dBm/MHz]	Verdict
BLE	2402	-16.624	8.00	PASS
BLE	2440	-16.241	8.00	PASS
BLE	2480	-16.642	8.00	PASS


Maximum Peak power spectral density_BLE_2402



Maximum Peak power spectral density_BLE_2440




Maximum Peak power spectral density_BLE_2480




5.Band-edge for RF Conducted Emissions

Test Mode	Test Channel	Carrier Power[dBm]	Max. Spurious Level [dBm]	Limit [dBm]	Verdict
BLE	2402	-1.831	-56.807	-21.83	PASS
BLE	2480	-1.766	-52.140	-21.77	PASS

Band-edge for RF Conducted Emissions_BLE_2402





Band-edge for RF Conducted Emissions BLE 2480




6.RF Conducted Spurious Emissions


Test Mode	Test Channel	StartFre [MHz]	StopFre [MHz]	RBW [kHz]	VBW [kHz]	Pref[dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BLE	2402	30	10000	100	300	-1.967	-54.572	<-21.967	PASS
BLE	2402	10000	25000	100	300	-1.967	-50.860	<-21.967	PASS
BLE	2440	30	10000	100	300	-1.624	-54.569	<-21.624	PASS
BLE	2440	10000	25000	100	300	-1.624	-50.403	<-21.624	PASS
BLE	2480	30	10000	100	300	-1.869	-54.887	<-21.869	PASS
BLE	2480	10000	25000	100	300	-1.869	-50.490	<-21.869	PASS


RF Conducted Spurious Emissions_BLE_2402





RF Conducted Spurious Emissions_BLE_2440





Frequency

Auto Tune

Center Freq
17.500000000 GHz

Start Freq
10.000000000 GHz

Stop Freq
25.000000000 GHz

CF Step
1.500000000 GHz
Auto Man

Freq Offset
0 Hz

Ref Offset 1.7 dB

Ref 20.00 dBm

Mkr1 24.964 4 GHz
-50.403 dBm

10 dB/div

Log

Start 10.000 GHz

#Res BW 100 kHz

#VBW 300 kHz


Stop 25.000 GHz


Sweep 1.434 s (8001 pts)

MSG

STATUS


RF Conducted Spurious Emissions_BLE_2480






7.Restrict-band band-edge measurements

Test Mode	Test Channel	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdict
BLE	2402	2310.0	-50.04	2.0	0	47.22	PEAK	74	PASS
BLE	2402	2390.0	-49.85	2.0	0	47.41	PEAK	74	PASS
BLE	2480	2483.5	-38.32	2.0	0	58.94	PEAK	74	PASS
BLE	2480	2500.0	-49.54	2.0	0	47.72	PEAK	74	PASS



Restrict-band band-edge measurements_BLE_2402_PEAK



Restrict-band band-edge measurements_BLE_2480_PEAK

