



802.11ac-VHT20 26dB Bandwidth & 99% Bandwidth - Ant 2


Channel 36 (5180MHz)




Channel 44 (5220MHz)



Channel 48 (5240MHz)



Channel 52 (5260MHz)





Channel 60 (5300MHz)



Channel 64 (5320MHz)









802.11ac-VHT40 26dB Bandwidth & 99% Bandwidth - Ant 2


Channel 38 (5190MHz)




Channel 46 (5230MHz)




Channel 54 (5270MHz)



Channel 62 (5310MHz)




Channel 102 (5510MHz)




Channel 110 (5550MHz)






802.11ac-VHT80 26dB Bandwidth & 99% Bandwidth - Ant 2


Channel 42 (5210MHz)




Channel 58 (5290MHz)



Channel 106 (5530MHz)




Channel 122 (5610MHz)



Channel 138 (5690MHz)



Channel 155 (5755MHz)



7.3. 6dB Bandwidth Measurement

7.3.1. Test Limit

The minimum 6dB bandwidth shall be at least 500 kHz.


7.3.2. Test Procedure used

KDB 789033 D02v01 – Section C.2

7.3.3. Test Setting


1. Set center frequency to the nominal EUT channel center frequency.
2. RBW = 100 kHz.
3. VBW $\geq 3 \times$ RBW.
4. Detector = Peak.
5. Trace mode = max hold.
6. Sweep = auto couple.
7. Allow the trace to stabilize.
8. Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower frequencies) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.


7.3.4. Test Setup



7.3.5. Test Result

Test Mode	Data Rate (Mbps)	Channel No.	Frequency (MHz)	6dB Bandwidth (MHz)	Limit (MHz)	Result
Ant 1						
802.11a	6	149	5745	16.39	≥ 0.5	Pass
802.11a	6	157	5785	16.35	≥ 0.5	Pass
802.11a	6	165	5825	16.38	≥ 0.5	Pass
802.11n-HT20	6.5	149	5745	17.24	≥ 0.5	Pass
802.11n-HT20	6.5	157	5785	17.58	≥ 0.5	Pass
802.11n-HT20	6.5	165	5825	17.61	≥ 0.5	Pass
802.11n-HT40	13.5	151	5755	35.96	≥ 0.5	Pass
802.11n-HT40	13.5	159	5795	36.04	≥ 0.5	Pass
802.11ac-VHT20	6.5	149	5745	17.63	≥ 0.5	Pass
802.11ac-VHT20	6.5	157	5785	17.60	≥ 0.5	Pass
802.11ac-VHT20	6.5	165	5825	17.59	≥ 0.5	Pass
802.11ac-VHT40	13.5	151	5755	36.08	≥ 0.5	Pass
802.11ac-VHT40	13.5	159	5795	35.87	≥ 0.5	Pass
802.11ac-VHT80	29.3	155	5775	74.79	≥ 0.5	Pass
Ant 2						
802.11a	6	149	5745	16.39	≥ 0.5	Pass
802.11a	6	157	5785	16.36	≥ 0.5	Pass
802.11a	6	165	5825	16.40	≥ 0.5	Pass
802.11n-HT20	6.5	149	5745	17.54	≥ 0.5	Pass
802.11n-HT20	6.5	157	5785	17.61	≥ 0.5	Pass
802.11n-HT20	6.5	165	5825	17.60	≥ 0.5	Pass
802.11n-HT40	13.5	151	5755	35.59	≥ 0.5	Pass
802.11n-HT40	13.5	159	5795	35.83	≥ 0.5	Pass
802.11ac-VHT20	6.5	149	5745	17.53	≥ 0.5	Pass
802.11ac-VHT20	6.5	157	5785	17.59	≥ 0.5	Pass
802.11ac-VHT20	6.5	165	5825	17.34	≥ 0.5	Pass
802.11ac-VHT40	13.5	151	5755	36.11	≥ 0.5	Pass
802.11ac-VHT40	13.5	159	5795	35.93	≥ 0.5	Pass
802.11ac-VHT80	29.3	155	5775	75.68	≥ 0.5	Pass





802.11ac-VHT20 6dB Bandwidth - Ant 1

Channel 149 (5745MHz)



Channel 157 (5785MHz)



Channel 165 (5825MHz)



802.11ac-VHT40 6dB Bandwidth - Ant 1

Channel 151 (5755MHz)



Channel 159 (5795MHz)

