# Manual



Manufacturer: Shenzhen Dinglongsheng Plastic Mould Co,.LTD

Address: 39# RIFU LOAD BAISHIXIA EAST FUYONG TOWN BAOAN DISTRICT

SHENZHEN, CHINA

Model: BST-305, BST-302, BST-303M, BST-306, BST-221M, BST-226M, BST-229M,

BST-125M, BST-235, BST-236

Trade:BST

(1)Package Contents

2.4G Wireless mouse and keyboard

2\*1.5V AAA battery

Instructions / certificate

Note: If you find discrepancies package, please return the dealer

# (2)Installation Steps:

**Installation Receiver** 

1.If it is a laptop, you can plug the receiver directly in the port USB.

2.If a desktop computer, we recommend that you extend the line through the USB, the receiver plugged into a countertop, so will reduce the impact of the external environment.

# 3.Installation mouse and keyboard

Open the mouse and keyboard at the bottom of the battery cover, press the battery positive and negative inner recesses into the battery, one AAA battery into the mouse, , two AAA batteries into the keyboard and after slide the power switch to ON , at this time LED red light, replace the battery cover, you can use





### (3) Remarks/Troubleshooting

If the mouse and keyboard does not work, you should use the following methods to troubleshoot

- 1. Check that the power switch is turned on
- 2. Determine whether to put on the positive and negative battery or battery has power
- 3. Check that the receiver is properly plugged into the computer USB port
- 4. After determining the receiver into, whether it is the computer to recognize

(4) When the wireless mouse moves slowly or failure, we recommend the following methods to exclude

- 1. Wireless mouse in use for some time to find or cannot properly use the mouse to lose control, it may be insufficient battery power, replace the battery
- 2. Please try to stay away from strong radiation, strong interference or regional settings, such as nuclear reactors, WIFI, Bluetooth, microwave ovens, cooker etc.
- 3. If the operation of the mouse on the metal surface, for example: iron, aluminum, copper, etc., will produce a radio transmission barrier, and the reaction time delay or lead Keyboard Keyboard, Mouse temporary failure
- 4. Use a dry cotton cleaning mouse

CAUTION: RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE. DISPOSE OF USED BATTERIES ACCORDING TO THE INSTRUCTIONS.

The EUT In accordance with the R&TTE directive 1999/5/EC.

Don't placing the product on more than 25 °C or below -5 °C environment.

### **FCC Certification Requirements**

Caution: Any changes or modifications in construction of this device which are not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and

(2) This device must accept any interference received, including interference that may cause undesired operation.

The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -- Reorient or relocate the receiving antenna.
- -- Increase the separation between the equipment and receiver.
- -- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -- Consult the dealer or an experienced radio/TV technician for help.