







## **Band edge emission:**

## LTE Band 2 part:





















































































## LTE Band 4 part:





















































































## LTE band 12 part:





















































## 6.5 Field strength of spurious radiation measurement

|                   | urious radiation measurement   |
|-------------------|--|
| Test Requirement: | Part 24.238 (a), Part 27.53(g), Part 27.53(m),   |
| Test Method:      | ANSI/TIA-603-D 2010  |
| Limit:            | The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least 43 + 10 log <sub>10</sub> (P) dB (-13 dBm).  |
| Test setup:       | Below 1GHz   |
|                   | Antenna Tower  Antenna Tower  Ground Reference Plane  Test Receiver  Test Receiver  Test Receiver  |
|                   | Above 1GHz   |
|                   | Antenna Tower  Ground Reference Plane  Test Receiver  Test Receiver  Controller  |
| Test Procedure:   | 1. The EUT was placed on an non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.   |
|                   | <ol> <li>During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.</li> <li>The frequency range up to tenth harmonic was investigated for each of three fundamental frequency (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.</li> <li>The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.</li> <li>ERP / EIRP = S.G. output (dBm) + Antenna Gain(dB/dBi) - Cable Loss (dB)</li> </ol> |
| Test Instruments: | Refer to section 5.9 for details   |
| Test mode:        | Refer to section 5.3 for details.  |
| Test results:     | Passed   |
|                   |  |





## **Measurement Data:**

## LTE Band 2 part:

|                 | LT           | E Band 2, WB: 1.4MH    | z           |        |
|-----------------|--------------|------------------------|-------------|--------|
|                 | R            | B size 1 & RB offset 0 |             |        |
| Frequency (MHz) | Spurious     | Emission               | Limit (dRm) | Result |
| Frequency (MHZ) | Polarization | Level (dBm)            | Limit (dBm) | Result |
|                 |              | <b>Lowest Channel</b>  |             |        |
| 3701.40         | Vertical     | -37.21                 |             |        |
| 5552.10         | V            | -21.27                 |             |        |
| 7402.00         | V            | -30.32                 | 12.00       | Door   |
| 3701.40         | Horizontal   | -34.01                 | -13.00      | Pass   |
| 5552.10         | Н            | -17.17                 |             |        |
| 7402.00         | Н            | -33.52                 |             |        |
|                 |              | Middle Channel         |             |        |
| 3760.00         | Vertical     | -34.70                 |             | Pass   |
| 5640.00         | V            | -22.86                 |             |        |
| 7520.00         | V            | -33.26                 | 40.00       |        |
| 3760.00         | Horizontal   | -29.79                 | -13.00      |        |
| 5640.00         | Н            | -19.75                 |             |        |
| 7520.00         | Н            | -34.56                 |             |        |
|                 |              | Highest Channel        |             |        |
| 3816.60         | Vertical     | -34.22                 |             |        |
| 5724.90         | V            | -20.93                 |             |        |
| 7633.20         | V            | -28.73                 | -13.00      | Dana   |
| 3816.60         | Horizontal   | -28.96                 |             | Pass   |
| 5724.90         | Н            | -22.45                 |             |        |
| 7633.20         | Н            | -29.46                 |             |        |

## Note:

<sup>1.</sup> The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.

<sup>2.</sup> For above 1 GHz, all test modes were performed, and just the worst case shown in the report.





|                 | Ľ            | TE Band 2, WB: 3MHz    | Z           |         |
|-----------------|--------------|------------------------|-------------|---------|
|                 | R            | B size 1 & RB offset ( | )           |         |
| Eroguanay (MUz) | Spurious     | Emission               | Limit (dDm) | Result  |
| Frequency (MHz) | Polarization | Level (dBm)            | Limit (dBm) | Result  |
|                 |              | <b>Lowest Channel</b>  |             |         |
| 3703.00         | Vertical     | -37.51                 |             |         |
| 5554.50         | V            | -21.36                 |             |         |
| 7406.00         | V            | -30.33                 | -13.00      | Pass    |
| 3703.00         | Horizontal   | -34.29                 | -13.00      | Fa55    |
| 5554.50         | Н            | -17.62                 |             |         |
| 7406.00         | Н            | -33.41                 |             |         |
|                 |              | Middle Channel         |             |         |
| 3760.00         | Vertical     | -34.39                 |             | Pass    |
| 5640.00         | V            | -22.19                 |             |         |
| 7520.00         | V            | -33.41                 | -13.00      |         |
| 3760.00         | Horizontal   | -29.53                 | -13.00      | Fa55    |
| 5640.00         | Н            | -19.49                 |             |         |
| 7520.00         | Н            | -34.21                 |             |         |
|                 |              | Highest Channel        |             |         |
| 3817.00         | Vertical     | -34.18                 |             |         |
| 5725.50         | V            | -20.39                 |             |         |
| 7634.00         | V            | -28.53                 | -13.00      | Pass    |
| 3817.00         | Horizontal   | -28.46                 |             | F d 3 5 |
| 5725.50         | Н            | -22.19                 |             |         |
| 7634.00         | Н            | -29.31                 |             |         |

<sup>1.</sup> The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.

<sup>2.</sup> For above 1 GHz, all test modes were performed, and just the worst case shown in the report.





|                   | Lī           | TE Band 2, WB: 5MHz    | Z            |        |
|-------------------|--------------|------------------------|--------------|--------|
|                   | R            | B size 1 & RB offset ( | )            |        |
| Frequency (MHz)   | Spurious     | Emission               | Limit (dBm)  | Result |
| Frequency (MITIZ) | Polarization | Level (dBm)            | Limit (ubin) | Result |
|                   |              | Lowest Channel         |              |        |
| 3705.00           | Vertical     | -37.15                 |              |        |
| 5557.50           | V            | -21.38                 |              |        |
| 7410.00           | V            | -30.12                 | -13.00       | Pass   |
| 3705.00           | Horizontal   | -34.52                 | -13.00       | Fd55   |
| 5557.50           | Н            | -17.54                 |              |        |
| 7410.00           | Н            | -33.15                 |              |        |
|                   |              | Middle Channel         |              |        |
| 3760.00           | Vertical     | -34.21                 |              |        |
| 5640.00           | V            | -21.86                 |              |        |
| 7520.00           | V            | -30.41                 | -13.00       | Pass   |
| 3760.00           | Horizontal   | -34.29                 | -13.00       | Fd55   |
| 5640.00           | Н            | -17.11                 |              |        |
| 7520.00           | Н            | -33.89                 |              |        |
|                   |              | Highest Channel        |              |        |
| 3815.00           | Vertical     | -34.15                 |              |        |
| 5722.50           | V            | -20.34                 |              |        |
| 7630.00           | V            | -28.73                 | -13.00       | Pass   |
| 3815.00           | Horizontal   | -28.13                 |              | Pass   |
| 5722.50           | Н            | -22.37                 |              |        |
| 7630.00           | Н            | -29.73                 |              |        |

<sup>1.</sup> The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.

<sup>2.</sup> For above 1 GHz, all test modes were performed, and just the worst case shown in the report.





|                 | LT           | E Band 2, WB: 10MH     | z           |        |
|-----------------|--------------|------------------------|-------------|--------|
|                 | R            | B size 1 & RB offset ( | 0           |        |
| Frequency (MHz) | Spurious     | Emission               | Limit (dRm) | Result |
| Frequency (MHZ) | Polarization | Level (dBm)            | Limit (dBm) | Result |
|                 |              | <b>Lowest Channel</b>  |             |        |
| 3710.00         | Vertical     | -37.46                 |             |        |
| 5565.00         | V            | -21.19                 |             |        |
| 7420.00         | V            | -30.34                 | -13.00      | Door   |
| 3710.00         | Horizontal   | -34.18                 | -13.00      | Pass   |
| 5565.00         | Н            | -17.55                 |             |        |
| 7420.00         | Н            | -33.94                 |             |        |
|                 |              | Middle Channel         |             |        |
| 3760.00         | Vertical     | -34.51                 |             |        |
| 5640.00         | V            | -22.97                 |             |        |
| 7520.00         | V            | -33.49                 | -13.00      | Pass   |
| 3760.00         | Horizontal   | -29.34                 | -13.00      | Pass   |
| 5640.00         | Н            | -19.89                 |             |        |
| 7520.00         | Н            | -34.73                 |             |        |
|                 |              | Highest Channel        |             |        |
| 3810.00         | Vertical     | -34.51                 |             |        |
| 5715.00         | V            | -20.46                 |             |        |
| 7620.00         | V            | -28.96                 | -13.00      | Door   |
| 3810.00         | Horizontal   | -28.34                 |             | Pass   |
| 5715.00         | Н            | -22.17                 |             |        |
| 7620.00         | Н            | -29.56                 |             |        |

<sup>1.</sup> The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.

<sup>2.</sup> For above 1 GHz, all test modes were performed, and just the worst case shown in the report.





|                 | LTE Band 2, WB: 15MHz |                        |             |        |
|-----------------|-----------------------|------------------------|-------------|--------|
|                 | R                     | B size 1 & RB offset ( | 0           |        |
| Fraguency (MHz) | Spurious              | Emission               | Limit (dRm) | Result |
| Frequency (MHz) | Polarization          | Level (dBm)            | Limit (dBm) | Result |
|                 |                       | <b>Lowest Channel</b>  |             |        |
| 3715.00         | Vertical              | -37.46                 |             |        |
| 5572.50         | V                     | -21.63                 |             |        |
| 7430.00         | V                     | -30.54                 | -13.00      | Door   |
| 3715.00         | Horizontal            | -34.19                 | -13.00      | Pass   |
| 5572.50         | Н                     | -17.51                 |             |        |
| 7430.00         | Н                     | -33.24                 |             |        |
|                 |                       | Middle Channel         |             |        |
| 3760.00         | Vertical              | -34.83                 |             |        |
| 5640.00         | V                     | -21.19                 |             |        |
| 7520.00         | V                     | -30.92                 | 42.00       | Door   |
| 3760.00         | Horizontal            | -34.33                 | -13.00      | Pass   |
| 5640.00         | Н                     | -17.43                 |             |        |
| 7520.00         | Н                     | -33.78                 |             |        |
|                 |                       | Highest Channel        |             |        |
| 3805.00         | Vertical              | -34.85                 |             |        |
| 5707.50         | V                     | -20.94                 |             |        |
| 7610.00         | V                     | -28.64                 | -13.00      | Dana   |
| 3805.00         | Horizontal            | -28.79                 |             | Pass   |
| 5707.50         | Н                     | -22.19                 |             |        |
| 7610.00         | Н                     | -29.37                 |             |        |

<sup>1.</sup> The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.

<sup>2.</sup> For above 1 GHz, all test modes were performed, and just the worst case shown in the report.





| LTE Band 2, WB: 20MHz   |              |                 |                |        |  |
|-------------------------|--------------|-----------------|----------------|--------|--|
| RB size 1 & RB offset 0 |              |                 |                |        |  |
| Frequency (MHz)         | Spurious     | Emission        | Limit (dBm)    | Result |  |
| Frequency (MHZ)         | Polarization | Level (dBm)     | LIIIII (UDIII) | Result |  |
|                         |              | Lowest Channel  |                |        |  |
| 3720.00                 | Vertical     | -37.51          |                |        |  |
| 5580.00                 | V            | -21.45          |                |        |  |
| 7440.00                 | V            | -30.93          | -13.00         | Pass   |  |
| 3720.00                 | Horizontal   | -34.85          | -13.00         | Fa55   |  |
| 5580.00                 | Н            | -17.51          |                |        |  |
| 7440.00                 | Н            | -33.47          |                |        |  |
|                         |              | Middle Channel  |                |        |  |
| 3760.00                 | Vertical     | -34.47          |                | Pass   |  |
| 5640.00                 | V            | -22.56          |                |        |  |
| 7520.00                 | V            | -33.61          | -13.00         |        |  |
| 3760.00                 | Horizontal   | -29.89          | -13.00         | Pass   |  |
| 5640.00                 | Н            | -19.67          |                |        |  |
| 7520.00                 | Н            | -34.12          |                |        |  |
|                         |              | Highest Channel |                |        |  |
| 3800.00                 | Vertical     | -34.06          |                |        |  |
| 5700.00                 | V            | -20.31          |                |        |  |
| 7600.00                 | V            | -28.41          | -13.00         | Door   |  |
| 3800.00                 | Horizontal   | -28.07          |                | Pass   |  |
| 5700.00                 | Н            | -22.67          |                |        |  |
| 7600.00                 | Н            | -29.53          |                |        |  |

<sup>1.</sup> The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.

<sup>2.</sup> For above 1 GHz, all test modes were performed, and just the worst case shown in the report.





## LTE Band 4 part:

|                   | LT           | E Band 4, WB: 1.4MF    | lz           |        |
|-------------------|--------------|------------------------|--------------|--------|
|                   | R            | B size 1 & RB offset ( | )            |        |
| Frequency (MHz)   | Spurious     | Emission               | Limit (dBm)  | Result |
| Frequency (Miriz) | Polarization | Level (dBm)            | Limit (ubin) | Result |
|                   |              | Lowest Channel         |              |        |
| 3421.40           | Vertical     | -34.94                 |              |        |
| 5132.10           | V            | -28.78                 |              |        |
| 6842.80           | V            | -32.46                 | -13.00       | Pass   |
| 3421.40           | Horizontal   | -34.98                 | -13.00       | Pass   |
| 5132.10           | Н            | -27.04                 |              |        |
| 6842.80           | Н            | -32.11                 |              |        |
|                   |              | Middle Channel         |              |        |
| 3465.00           | Vertical     | -36.68                 |              | Pass   |
| 5197.50           | V            | -18.75                 |              |        |
| 6930.00           | V            | -29.87                 | -13.00       |        |
| 3465.00           | Horizontal   | -40.63                 | -13.00       | Pass   |
| 5197.50           | Н            | -20.25                 |              |        |
| 6930.00           | Н            | -36.30                 |              |        |
|                   |              | Highest Channel        |              |        |
| 3508.60           | Vertical     | -35.54                 |              |        |
| 5262.90           | V            | -18.83                 |              |        |
| 7017.20           | V            | -34.04                 | -13.00       | Door   |
| 3508.60           | Horizontal   | -34.37                 |              | Pass   |
| 5262.90           | Н            | -22.18                 |              |        |
| 7017.20           | Н            | -29.45                 |              |        |

## Note:

<sup>1.</sup> 

The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report. For above 1 GHz, all test modes were performed, and just the worst case shown in the report.





| LTE Band 4, WB: 3MHz |              |                        |             |        |
|----------------------|--------------|------------------------|-------------|--------|
|                      | R            | B size 1 & RB offset ( | )           |        |
| Frequency (MHz)      | Spurious     | Emission               | Limit (dPm) | Result |
| Frequency (MHZ)      | Polarization | Level (dBm)            | Limit (dBm) | Result |
|                      |              | Lowest Channel         |             |        |
| 3423.00              | Vertical     | -34.13                 |             |        |
| 5134.50              | V            | -28.53                 |             |        |
| 6846.00              | V            | -32.16                 | -13.00      | Door   |
| 3423.00              | Horizontal   | -34.83                 | -13.00      | Pass   |
| 5134.50              | Н            | -27.11                 |             |        |
| 6846.00              | Н            | -32.83                 |             |        |
|                      |              | Middle Channel         |             |        |
| 3465.00              | Vertical     | -36.94                 |             | Door   |
| 5197.50              | V            | -18.34                 |             |        |
| 6930.00              | V            | -29.46                 | 42.00       |        |
| 3465.00              | Horizontal   | -40.15                 | -13.00      | Pass   |
| 5197.50              | Н            | -20.37                 |             |        |
| 6930.00              | Н            | -36.85                 |             |        |
|                      |              | Highest Channel        |             |        |
| 3507.00              | Vertical     | -35.18                 |             |        |
| 5260.50              | V            | -18.41                 |             |        |
| 7014.00              | V            | -34.29                 | -13.00      | Door   |
| 3507.00              | Horizontal   | -34.35                 |             | Pass   |
| 5260.50              | Н            | -22.41                 |             |        |
| 7014.00              | Н            | -29.85                 |             |        |

<sup>1.</sup> The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.

<sup>2.</sup> For above 1 GHz, all test modes were performed, and just the worst case shown in the report.





|                 | LTE Band 4, WB: 5MHz |                        |             |        |
|-----------------|----------------------|------------------------|-------------|--------|
|                 | R                    | B size 1 & RB offset ( | 0           |        |
| Fraguency (MHz) | Spurious             | Emission               | Limit (dRm) | Result |
| Frequency (MHz) | Polarization         | Level (dBm)            | Limit (dBm) | Result |
|                 |                      | <b>Lowest Channel</b>  |             |        |
| 3425.00         | Vertical             | -34.15                 |             |        |
| 5137.50         | V                    | -28.94                 |             |        |
| 6850.00         | V                    | -32.14                 | -13.00      | Door   |
| 3425.00         | Horizontal           | -34.18                 | -13.00      | Pass   |
| 5137.50         | Н                    | -27.91                 |             |        |
| 6850.00         | Н                    | -32.55                 |             |        |
|                 |                      | Middle Channel         |             |        |
| 3465.00         | Vertical             | -36.84                 |             | Door   |
| 5197.50         | V                    | -18.15                 |             |        |
| 6930.00         | V                    | -29.37                 | 42.00       |        |
| 3465.00         | Horizontal           | -40.29                 | -13.00      | Pass   |
| 5197.50         | Н                    | -20.31                 |             |        |
| 6930.00         | Н                    | -36.55                 |             |        |
|                 |                      | Highest Channel        |             |        |
| 3505.00         | Vertical             | -35.17                 |             |        |
| 5257.50         | V                    | -18.29                 |             |        |
| 7010.00         | V                    | -34.21                 | -13.00      | Dana   |
| 3505.00         | Horizontal           | -34.33                 |             | Pass   |
| 5257.50         | Н                    | -22.94                 |             |        |
| 7010.00         | Н                    | -29.73                 |             |        |

<sup>1.</sup> The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.

<sup>2.</sup> For above 1 GHz, all test modes were performed, and just the worst case shown in the report.





|                 | Lī           | E Band 4, WB: 10MH     | z           |        |
|-----------------|--------------|------------------------|-------------|--------|
|                 | R            | B size 1 & RB offset ( | )           |        |
| Fraguency (MUz) | Spurious     | Emission               | Limit (dRm) | Result |
| Frequency (MHz) | Polarization | Level (dBm)            | Limit (dBm) | Result |
|                 |              | <b>Lowest Channel</b>  |             |        |
| 3430.00         | Vertical     | -34.79                 |             |        |
| 5145.00         | V            | -28.16                 |             |        |
| 6860.00         | V            | -32.53                 | -13.00      | Door   |
| 3430.00         | Horizontal   | -34.18                 | -13.00      | Pass   |
| 5145.00         | Н            | -27.52                 |             |        |
| 6860.00         | Н            | -32.41                 |             |        |
|                 |              | Middle Channel         |             |        |
| 3465.00         | Vertical     | -36.46                 |             |        |
| 5197.50         | V            | -18.53                 |             |        |
| 6930.00         | V            | -29.52                 | 42.00       | Pass   |
| 3465.00         | Horizontal   | -40.31                 | -13.00      |        |
| 5197.50         | Н            | -20.85                 |             |        |
| 6930.00         | Н            | -36.41                 |             |        |
|                 |              | Highest Channel        |             |        |
| 3500.00         | Vertical     | -35.14                 |             |        |
| 5250.00         | V            | -18.52                 |             |        |
| 7000.00         | V            | -34.91                 | -13.00      | Door   |
| 3500.00         | Horizontal   | -34.15                 |             | Pass   |
| 5250.00         | Н            | -22.56                 |             |        |
| 7000.00         | Н            | -29.47                 |             |        |

<sup>1.</sup> The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.

<sup>2.</sup> For above 1 GHz, all test modes were performed, and just the worst case shown in the report.





| LTE Band 4, WB: 15MHz |              |                        |                 |        |
|-----------------------|--------------|------------------------|-----------------|--------|
|                       | R            | B size 1 & RB offset ( | 0               |        |
| Fraguency (MUz)       | Spurious     | Emission               | Limit (dBm)     | Result |
| Frequency (MHz)       | Polarization | Level (dBm)            | Lilliit (dbill) | Result |
|                       |              | Lowest Channel         |                 |        |
| 3435.00               | Vertical     | -34.28                 |                 |        |
| 5152.50               | V            | -28.16                 |                 |        |
| 6870.00               | V            | -32.96                 | -13.00          | Pass   |
| 3435.00               | Horizontal   | -34.18                 | -13.00          | Fd55   |
| 5152.50               | Н            | -27.53                 |                 |        |
| 6870.00               | Н            | -32.61                 |                 |        |
|                       |              | Middle Channel         |                 |        |
| 3465.00               | Vertical     | -36.28                 |                 | Pass   |
| 5197.50               | V            | -18.51                 |                 |        |
| 6930.00               | V            | -29.55                 | -13.00          |        |
| 3465.00               | Horizontal   | -40.37                 | -13.00          |        |
| 5197.50               | Н            | -20.14                 |                 |        |
| 6930.00               | Н            | -36.79                 |                 |        |
|                       |              | Highest Channel        |                 |        |
| 3495.00               | Vertical     | -35.97                 |                 |        |
| 5242.50               | V            | -18.34                 |                 |        |
| 6990.00               | V            | -34.55                 | -13.00          | Pass   |
| 3495.00               | Horizontal   | -34.13                 |                 | Pass   |
| 5242.50               | Н            | -22.32                 |                 |        |
| 6990.00               | Н            | -29.71                 |                 |        |

<sup>1.</sup> The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.

<sup>2.</sup> For above 1 GHz, all test modes were performed, and just the worst case shown in the report.





|                   | Lī               | E Band 4, WB: 20MH     | z           |        |
|-------------------|------------------|------------------------|-------------|--------|
|                   | R                | B size 1 & RB offset ( | 0           |        |
| Frequency (MHz)   | Spurious         | Emission               | Limit (dRm) | Result |
| Frequency (MITIZ) | Polarization     | Level (dBm)            | Limit (dBm) | Result |
|                   |                  | Lowest Channel         |             |        |
| 3440.00           | Vertical         | -34.57                 |             |        |
| 5160.00           | V                | -28.91                 |             |        |
| 6880.00           | 6880.00 V -32.41 |                        | -13.00      | Door   |
| 3440.00           | Horizontal       | -34.55                 | -13.00      | Pass   |
| 5160.00           | Н                | -27.16                 |             |        |
| 6880.00           | Н                | -32.93                 |             |        |
|                   |                  | Middle Channel         |             |        |
| 3465.00           | Vertical         | -36.83                 |             |        |
| 5197.50           | V                | -18.49                 |             |        |
| 6930.00           | V                | -29.34                 | 42.00       | Door   |
| 3465.00           | Horizontal       | -40.13                 | -13.00      | Pass   |
| 5197.50           | Н                | -20.69                 |             |        |
| 6930.00           | Н                | -36.51                 |             |        |
|                   |                  | Highest Channel        |             |        |
| 3490.00           | Vertical         | -35.28                 |             |        |
| 5235.00           | V                | -18.49                 |             |        |
| 6980.00           | V                | -34.55                 | 40.00       | Dana   |
| 3490.00           | Horizontal       | -34.71                 | -13.00      | Pass   |
| 5235.00           | Н                | -22.61                 |             |        |
| 6980.00           | Н                | -29.80                 |             |        |

<sup>1.</sup> The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.

<sup>2.</sup> For above 1 GHz, all test modes were performed, and just the worst case shown in the report.





## LTE Band 12 part:

| LTE Band 12, WB: 1.4MHz |                |                        |                 |        |  |  |  |
|-------------------------|----------------|------------------------|-----------------|--------|--|--|--|
|                         | R              | B size 1 & RB offset   | 0               |        |  |  |  |
| Frequency (MHz)         | Spurious       | Emission               | Limit (dBm)     | Result |  |  |  |
| Frequency (MHZ)         | Polarization   | Level (dBm)            | Lilliit (ubili) | Result |  |  |  |
|                         |                | Lowest Channel         |                 |        |  |  |  |
| 1399.40                 | Vertical       | -45.43                 |                 |        |  |  |  |
| 2099.10                 | V              | -53.56                 |                 |        |  |  |  |
| 2798.80                 | V              | -49.43                 | -13.00          | Pass   |  |  |  |
| 1399.40                 | Horizontal     | -43.98                 | -13.00          | Fd55   |  |  |  |
| 2099.10                 | Н              | -51.01                 |                 |        |  |  |  |
| 2798.80                 | Н              | -50.89                 |                 |        |  |  |  |
|                         | Middle Channel |                        |                 |        |  |  |  |
| 1415.00                 | Vertical       | -44.47                 |                 |        |  |  |  |
| 2122.50                 | V              | -51.89                 |                 |        |  |  |  |
| 2830.00                 | V              | -48.50                 | -13.00          | Pass   |  |  |  |
| 1415.00                 | Horizontal     | -45.32                 | -13.00          | Fd55   |  |  |  |
| 2122.50                 | Н              | -50.98                 |                 |        |  |  |  |
| 2830.00                 | Н              | -50.73                 |                 |        |  |  |  |
|                         |                | <b>Highest Channel</b> |                 |        |  |  |  |
| 1430.60                 | Vertical       | -44.31                 |                 |        |  |  |  |
| 2145.90                 | V              | -52.98                 |                 |        |  |  |  |
| 2861.20                 | V              | -47.93                 | -13.00          | Pass   |  |  |  |
| 1430.60                 | Horizontal     | -47.57                 | -13.00          | Pass   |  |  |  |
| 2145.90                 | Н              | -53.13                 |                 |        |  |  |  |
| 2861.20                 | Н              | -49.60                 |                 |        |  |  |  |

## Note:

<sup>1.</sup> The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.

<sup>2.</sup> For above 1 GHz, all test modes were performed, and just the worst case shown in the report.





|                 | LT           | E Band 12, WB: 3MH     | z             |        |
|-----------------|--------------|------------------------|---------------|--------|
|                 | R            | B size 1 & RB offset ( | 0             |        |
| Frequency (MHz) | Spurious     | Emission               | Limit (dBm)   | Result |
| Frequency (MHZ) | Polarization | Level (dBm)            | Limit (dbiii) | Result |
|                 |              | <b>Lowest Channel</b>  |               |        |
| 1401.00         | Vertical     | -45.28                 |               |        |
| 2101.50         | V            | -53.18                 |               |        |
| 2802.00         | 2802.00 V    |                        | -13.00        | Door   |
| 1401.00         | Horizontal   | -43.15                 | -13.00        | Pass   |
| 2101.50         | Н            | -51.28                 |               |        |
| 2802.00         | Н            | -50.91                 |               |        |
|                 |              | Middle Channel         |               |        |
| 1415.00         | Vertical     | -44.50                 |               |        |
| 2122.50         | V            | -51.48                 |               |        |
| 2830.00         | V            | -48.91                 | -13.00        | Pass   |
| 1415.00         | Horizontal   | -45.39                 | -13.00        | Pass   |
| 2122.50         | Н            | -50.16                 |               |        |
| 2830.00         | Н            | -50.34                 |               |        |
|                 |              | Highest Channel        |               |        |
| 1429.00         | Vertical     | -44.17                 |               |        |
| 2143.50         | V            | -52.41                 |               |        |
| 2858.00         | V            | -47.15                 | -13.00        | Pass   |
| 1429.00         | Horizontal   | -47.34                 | -13.00        | Pass   |
| 2143.50         | Н            | -53.38                 |               |        |
| 2858.00         | Н            | -49.43                 |               |        |

<sup>1.</sup> The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.

<sup>2.</sup> For above 1 GHz, all test modes were performed, and just the worst case shown in the report.





|                 | L1              | E Band 12, WB: 5MH     | z           |        |
|-----------------|-----------------|------------------------|-------------|--------|
|                 | R               | B size 1 & RB offset ( | )           |        |
| Fraguenov (MUz) | Spurious        | Emission               | Limit (dDm) | Result |
| Frequency (MHz) | Polarization    | Level (dBm)            | Limit (dBm) | Result |
|                 |                 | <b>Lowest Channel</b>  |             |        |
| 1403.00         | Vertical        | -45.10                 |             |        |
| 2104.50         | V               | -53.24                 |             |        |
| 2806.00         | 2806.00 V -49.3 |                        | 42.00       | Door   |
| 1403.00         | Horizontal      | -43.15                 | -13.00      | Pass   |
| 2104.50         | Н               | -51.33                 |             |        |
| 2806.00         | Н               | -50.29                 |             |        |
|                 |                 | Middle Channel         |             |        |
| 1415.00         | Vertical        | -44.83                 |             |        |
| 2122.50         | V               | -51.97                 |             |        |
| 2830.00         | V               | -48.50                 | 42.00       | Door   |
| 1415.00         | Horizontal      | -45.39                 | -13.00      | Pass   |
| 2122.50         | Н               | -50.19                 |             |        |
| 2830.00         | Н               | -50.71                 |             |        |
| <u>.</u>        |                 | Highest Channel        |             |        |
| 1427.00         | Vertical        | -44.29                 |             |        |
| 2410.50         | V               | -52.61                 |             |        |
| 2854.00         | V               | -47.41                 | 42.00       | Daga   |
| 1427.00         | Horizontal      | -47.15                 | -13.00      | Pass   |
| 2410.50         | Н               | -53.82                 |             |        |
| 2854.00         | Н               | -49.13                 |             |        |

<sup>1.</sup> The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.

<sup>2.</sup> For above 1 GHz, all test modes were performed, and just the worst case shown in the report.





| LTE Band 12, WB: 10MHz |                   |                        |                |        |  |
|------------------------|-------------------|------------------------|----------------|--------|--|
|                        | RI                | B size 1 & RB offset ( | )              |        |  |
| Frequency (MHz)        | Spurious Emission |                        | Limit (dBm)    | Result |  |
| Frequency (MHZ)        | Polarization      | Level (dBm)            | LIIIII (UDIII) | Result |  |
|                        |                   | <b>Lowest Channel</b>  |                |        |  |
| 1408.00                | Vertical          | -45.87                 |                |        |  |
| 2112.00                | V                 | -53.81                 |                |        |  |
| 2816.00                | V                 | -49.37                 | -13.00         | Door   |  |
| 1408.00                | Horizontal        | -43.87                 | -13.00         | Pass   |  |
| 2112.00                | Н                 | -51.28                 |                |        |  |
| 2816.00                | Н                 | -50.29                 |                |        |  |
|                        |                   | Middle Channel         |                |        |  |
| 1415.00                | Vertical          | -44.13                 |                |        |  |
| 2122.50                | V                 | -51.92                 |                |        |  |
| 2830.00                | V                 | -48.37                 | -13.00         | Pass   |  |
| 1415.00                | Horizontal        | -45.18                 | -13.00         | Pass   |  |
| 2122.50                | Н                 | -50.29                 |                |        |  |
| 2830.00                | Н                 | -50.43                 |                |        |  |
|                        |                   | Highest Channel        |                |        |  |
| 1422.00                | Vertical          | -44.85                 |                |        |  |
| 2133.00                | V                 | -52.97                 |                |        |  |
| 2844.00                | V                 | -47.13                 | 12.00          | Door   |  |
| 1422.00                | Horizontal        | -47.29                 | -13.00         | Pass   |  |
| 2133.00                | Н                 | -53.88                 |                |        |  |
| 2844.00                | Н                 | -49.37                 |                |        |  |

<sup>1.</sup> The emission levels of below 1 GHz are 20 dB lower than the limit so not show in this report.

<sup>2.</sup> For above 1 GHz, all test modes were performed, and just the worst case shown in the report.





# 6.6 Frequency stability V.S. Temperature measurement

| Test Requirement: | Part 24.235, Part 27.54, Part 2.1055(a)(1)(b)   |
|-------------------|---|
| Test Method:      | ANSI/TIA-603-D 2010   |
| Limit:            | ±2.5ppm   |
| Test setup:       | SS  Divider  Temperature & Humidity Chamber  Power Source   |
| Test procedure:   | <ol> <li>The equipment under test was connected to an external DC power supply and input rated voltage.</li> <li>RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators.</li> <li>The EUT was placed inside the temperature chamber.</li> <li>Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency.</li> <li>Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency.</li> <li>Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached</li> </ol> |
| Test Instruments: | Refer to section 5.9 for details  |
| Test mode:        | Refer to section 5.3 for details  |
| Test results:     | Passed  |





## Measurement Data (worst case):

## LTE Band 2 part:

|                | requency: LTE Band 2 |       |            | ) channel=1880.0 | 0MHz   |
|----------------|----------------------|-------|------------|------------------|--------|
| Power supplied | Temperature (°C) ⊢   |       | ency error | Limit (ppm)      | Result |
| (Vdc)          | 7 7 333 2 ( )        | Hz    | ppm        | - (FT /          |        |
|                |                      | QPSK  |            |                  |        |
|                | -30                  | 198   | 0.105319   |                  |        |
|                | -20                  | 155   | 0.082447   |                  |        |
|                | -10                  | 163   | 0.086702   |                  |        |
|                | 0                    | 123   | 0.065426   |                  |        |
| 3.80           | 10                   | 188   | 0.100000   | ±2.5             | Pass   |
|                | 20                   | 174   | 0.092553   |                  |        |
|                | 30                   | 114   | 0.060638   |                  |        |
|                | 40                   | 105   | 0.055851   |                  |        |
|                | 50                   | 150   | 0.079787   |                  |        |
|                |                      | 16QAM |            |                  |        |
|                | -30                  | 123   | 0.065426   |                  |        |
|                | -20                  | 150   | 0.079787   |                  |        |
|                | -10                  | 166   | 0.088298   |                  |        |
|                | 0                    | 122   | 0.064894   |                  |        |
| 3.80           | 10                   | 144   | 0.076596   | ±2.5             | Pass   |
|                | 20                   | 140   | 0.074468   | ]                |        |
|                | 30                   | 156   | 0.082979   | ]                |        |
|                | 40                   | 133   | 0.070745   | 1                |        |
|                | 50                   | 138   | 0.073404   | ]                |        |





## LTE Band 4 part:

| Reference F    | requency: LTE Band 4 |        |            | 5 channel=1732.5 | 0MHz    |
|----------------|----------------------|--------|------------|------------------|---------|
| Power supplied | Temperature (°C)     | Freque | ency error | Limit (ppm)      | Result  |
| (Vdc)          | Tomporators ( °)     | Hz     | ppm        | Ешти (ррпп)      | rtcouit |
|                |                      | QPSK   |            |                  |         |
|                | -30                  | 198    | 0.114286   |                  |         |
|                | -20                  | 155    | 0.089466   |                  |         |
|                | -10                  | 163    | 0.094084   |                  |         |
|                | 0                    | 123    | 0.070996   |                  |         |
| 3.80           | 10                   | 188    | 0.108514   | ±2.5             | Pass    |
|                | 20                   | 174    | 0.100433   |                  |         |
|                | 30                   | 114    | 0.065801   |                  |         |
|                | 40                   | 105    | 0.060606   | _                |         |
|                | 50                   | 150    | 0.086580   |                  |         |
|                |                      | 16QAM  |            |                  |         |
|                | -30                  | 123    | 0.070996   |                  |         |
|                | -20                  | 150    | 0.086580   |                  |         |
|                | -10                  | 166    | 0.095815   |                  |         |
|                | 0                    | 122    | 0.070418   |                  |         |
| 3.80           | 10                   | 144    | 0.083117   | ±2.5             | Pass    |
|                | 20                   | 140    | 0.080808   |                  |         |
|                | 30                   | 156    | 0.090043   |                  |         |
|                | 40                   | 133    | 0.076768   |                  |         |
|                | 50                   | 138    | 0.079654   |                  |         |





LTE Band 12 part:

| Power supplied | requency: LTE Band 1 |       | ency error |             | Result |
|----------------|----------------------|-------|------------|-------------|--------|
| (Vdc)          | Temperature (°C)     | Hz    | ppm        | Limit (ppm) |        |
|                | ·                    | QPSK  |            |             |        |
|                | -30                  | 198   | 0.278873   |             |        |
|                | -20                  | 155   | 0.218310   |             |        |
|                | -10                  | 163   | 0.229577   |             |        |
|                | 0                    | 123   | 0.173239   |             |        |
| 3.80           | 10                   | 188   | 0.264789   | ±2.5        | Pass   |
|                | 20                   | 174   | 0.245070   |             |        |
|                | 30                   | 114   | 0.160563   |             |        |
|                | 40                   | 105   | 0.147887   |             |        |
|                | 50                   | 150   | 0.211268   |             |        |
|                |                      | 16QAM |            |             |        |
|                | -30                  | 123   | 0.173239   |             |        |
|                | -20                  | 150   | 0.211268   |             |        |
|                | -10                  | 166   | 0.233803   |             |        |
|                | 0                    | 122   | 0.171831   |             |        |
| 3.80           | 10                   | 144   | 0.202817   | ±2.5        | Pass   |
|                | 20                   | 140   | 0.197183   |             |        |
|                | 30                   | 156   | 0.219718   |             |        |
|                | 40                   | 133   | 0.187324   |             |        |
|                | 50                   | 138   | 0.194366   |             |        |





# 6.7 Frequency stability V.S. Voltage measurement

| Test Requirement: | Part 24.235, Part 27.54, Part 2.1055(d)(2)   |
|-------------------|--|
| Test Method:      | ANSI/TIA-603-D 2010  |
| Limit:            | ±2.5ppm  |
| Test setup:       | SS  EUT  Divider  Temperature & Humidity Chamber   |
| Test procedure:   | <ol> <li>Set chamber temperature to 25°C. Use a variable DC power source to power the EUT and set the voltage to rated voltage.</li> <li>Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.</li> <li>Reduce the input voltage to specify extreme voltage variation (+/-15%) and endpoint, record the maximum frequency change.</li> </ol> |
| Test Instruments: | Refer to section 5.9 for details   |
| Test mode:        | Refer to section 5.3 for details   |
| Test results:     | Passed   |



Report No: CCISE180916705

## Measurement Data (worst case):

## LTE Band 2 part:

| Reference Frequency: LTE Band 2(10MHz) Middle channel=18900 channel=1880.00MHz |                         |         |          |               |        |  |  |
|--|-------------------------|---------|----------|---------------|--------|--|--|
| Tomporature (°C)   | Power supplied          | Frequen | cy error | Limeit (mmma) | Result |  |  |
| Temperature (℃)  | (Vdc)                   | Hz      | ppm      | Limit (ppm)   | Result |  |  |
|  | QPSK                    |         |          |               |        |  |  |
|  | 4.35                    | 98      | 0.052128 |               |        |  |  |
| 25   | 3.80                    | 65      | 0.034574 | ±2.5          | Pass   |  |  |
|  | 3.50                    | 74      | 0.039362 |               |        |  |  |
|  |                         | 16QAM   |          |               |        |  |  |
|  | 4.35                    | 80      | 0.042553 |               |        |  |  |
| 25   | 3.80                    | 96      | 0.051064 | ±2.5          | Pass   |  |  |
|  | 3.50                    | 48      | 0.025532 |               |        |  |  |
| Note: Only the worst case  | se shown in the report. |         |          |               |        |  |  |

## LTE Band 4 part:

| Reference Fr            | equency: LTE Band       | 4(10MHz) Middle | channel=20175 | channel=1732.5 | 0MHz   |
|-------------------------|-------------------------|-----------------|---------------|----------------|--------|
| Temperature (°C)        | Power supplied          | Frequen         | cy error      | Limit (nnm)    | Result |
| remperature (C)         | (Vdc)                   | Hz              | ppm           | Limit (ppm)    | Result |
|                         |                         | QPSK            |               |                |        |
|                         | 4.35                    | 98              | 0.056566      |                | Pass   |
| 25                      | 3.80                    | 65              | 0.037518      | ±2.5           |        |
|                         | 3.50                    | 74              | 0.042713      |                |        |
|                         |                         | 16QAM           |               |                |        |
|                         | 4.35                    | 80              | 0.046176      |                |        |
| 25                      | 3.80                    | 96              | 0.055411      | ±2.5           | Pass   |
|                         | 3.50                    | 48              | 0.027706      | ]              |        |
| Note: Only the worst ca | se shown in the report. |                 |               |                |        |

## LTE Band 12 part:

| Reference Fre    | equency: LTE Band    | 12(10MHz) Midd  | le channel=2309 | 5 channel=707.5 | 0MHz   |
|------------------|----------------------|-----------------|-----------------|-----------------|--------|
| Temperature (°C) | Power supplied (Vdc) | Frequency error |                 | Limit (nnm)     | Result |
|                  |                      | Hz              | ppm             | Limit (ppm)     | Result |
|                  |                      | QPSK            |                 |                 |        |
| 25               | 4.35                 | 98              | 0.138028        | ±2.5            | Pass   |
|                  | 3.80                 | 65              | 0.091549        |                 |        |
|                  | 3.50                 | 74              | 0.104225        |                 |        |
|                  |                      | 16QAM           |                 |                 |        |
| 25               | 4.35                 | 80              | 0.112676        | ±2.5            | Pass   |
|                  | 3.80                 | 96              | 0.135211        |                 |        |
|                  | 3.50                 | 48              | 0.067606        |                 |        |