1 of 67 Page:

Appendix B

GSM 850 & 1900



2 of 67 Page:

CONTENT

	l de la companya de	Page
1.	Effective (Isotropic) Radiated Power Output Data	4
	1.1. Test Result	4
2.	Peak-to-Average Ratio	6
	2.1. Test Result	6
	2.2. Part II - Test Plots	6
3.	Modulation Characteristics	13
	3.1. For GSM	13
	3.1.1. Test Band = GSM 850	13
	3.1.1.1. Test Mode = GSM/TM1	13
	3.1.1.1.1. Test Channel = MCH	13
	3.1.1.2. Test Mode = GSM/TM2	14
	3.1.1.2.1. Test Channel = MCH	14
	3.1.2. Test Band = GSM 1900	15
	3.1.2.1. Test Mode = GSM/TM1	15
	3.1.2.1.1. Test Channel = MCH	15
	3.1.2.2. Test Mode = GSM/TM2	16
	3.1.2.2.1. Test Channel = MCH	16
4.	26dB Bandwidth and Occupied Bandwidth	17
	4.1. Test Result	17
	4.2. Test Plots	17
5.	BAND EDGE COMPLIANCE	24
	5.1. Test Plots	24
6.	Spurious Emission at Antenna Terminal	28
	6.1. Test Plots	28
7.	FIELD STRENGTH OF SPURIOUS RADIATION	58
	7.1. Test Band = GSM 1900 (Main Ant)	58
	7.1.1. Test Channel = LCH	58
	7.1.2. Test Channel = MCH	58
	7.1.3. Test Channel = HCH	59
	7.2. Test Band = GSM 850 (Main Ant)	59
	7.2.1. Test Channel = LCH	59
	7.2.2. Test Channel = MCH	60
	Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any, here Company's sold responsibility is to its Client and dis document does not exometed parties to a strength of the company's properties of the company of the contained appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Assessment of the adherence of the sample of the sample of the sample of testing inspection reports a certificate, please contact us at telephone: (86-755) 8307 1443.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2019/B002401

Page: 3 of 67

	7.2.3.	Test Channel = HCH	60
	7.3.	Test Band = GSM 850 (Second Ant)	61
	7.3.1.	Test Channel = LCH	61
	7.3.2.	Test Channel = MCH	61
	7.3.3.	Test Channel = HCH	62
	7.4.	Test Band = GSM 1900 (Second Ant)	62
	7.4.1.	Test Channel = LCH	62
	7.4.2.	Test Channel = MCH	63
	7.4.3.	Test Channel = HCH	63
8.	FREQ	UENCY STABILITY	64
	8.1.	Frequency Error Vs Voltage	64
	8.2.	Frequency Error Vs Temperature	65

Page: 4 of 67

1. Effective (Isotropic) Radiated Power Output Data

1.1. Test Result

Band	Channel	Slot	Conducted Power (dBm)	ERP (dBm)	Limit(dBm)	Verdict
GSM850	128		32.67	31.02	38.45	PASS
GSM850	190		32.77	31.12	38.45	PASS
GSM850	251		32.81	31.16	38.45	PASS
EGPRS850 (GMSK)	128	1	32.66	31.01	38.45	PASS
EGPRS850 (GMSK)	128	2	31.65	30.00	38.45	PASS
EGPRS850 (GMSK)	128	3	29.47	27.82	38.45	PASS
EGPRS850 (GMSK)	128	4	28.27	26.62	38.45	PASS
EGPRS850 (GMSK)	190	1	32.76	31.11	38.45	PASS
EGPRS850 (GMSK)	190	2	31.76	30.11	38.45	PASS
EGPRS850 (GMSK)	190	3	29.61	27.96	38.45	PASS
EGPRS850 (GMSK)	190	4	28.37	26.72	38.45	PASS
EGPRS850 (GMSK)	251	1	32.80	31.15	38.45	PASS
EGPRS850 (GMSK)	251	2	31.86	30.21	38.45	PASS
EGPRS850 (GMSK)	251	3	29.72	28.07	38.45	PASS
EGPRS850 (GMSK)	251	4	28.51	26.86	38.45	PASS
EGPRS850 (8PSK)	128	1	26.87	25.22	38.45	PASS
EGPRS850 (8PSK)	128	2	25.74	24.09	38.45	PASS
EGPRS850 (8PSK)	128	3	23.52	21.87	38.45	PASS
EGPRS850 (8PSK)	128	4	22.28	20.63	38.45	PASS
EGPRS850 (8PSK)	190	1	26.99	25.34	38.45	PASS
EGPRS850 (8PSK)	190	2	25.84	24.19	38.45	PASS
EGPRS850 (8PSK)	190	3	23.64	21.99	38.45	PASS
EGPRS850 (8PSK)	190	4	22.48	20.83	38.45	PASS
EGPRS850 (8PSK)	251	1	27.04	25.39	38.45	PASS
EGPRS850 (8PSK)	251	2	25.90	24.25	38.45	PASS
EGPRS850 (8PSK)	251	3	23.52	21.87	38.45	PASS
EGPRS850 (8PSK)	251	4	22.55	20.90	38.45	PASS





Report No.: ZR/2019/B002401

5 of 67 Page:

Band	Channel	Slot	Conducted Power (dBm)	EIRP (dBm)	Limit(dBm)	Verdict
GSM1900	512		29.91	30.41	33.00	PASS
GSM1900	661		29.89	30.39	33.00	PASS
GSM1900	810		29.91	30.41	33.00	PASS
EGPRS1900 (GMSK)	512	1	29.95	30.45	33.00	PASS
EGPRS1900 (GMSK)	512	2	29.02	29.52	33.00	PASS
EGPRS1900 (GMSK)	512	3	26.94	27.44	33.00	PASS
EGPRS1900 (GMSK)	512	4	25.88	26.38	33.00	PASS
EGPRS1900 (GMSK)	661	1	29.93	30.43	33.00	PASS
EGPRS1900 (GMSK)	661	2	28.95	29.45	33.00	PASS
EGPRS1900 (GMSK)	661	3	26.93	27.43	33.00	PASS
EGPRS1900 (GMSK)	661	4	25.83	26.33	33.00	PASS
EGPRS1900 (GMSK)	810	1	29.92	30.42	33.00	PASS
EGPRS1900 (GMSK)	810	2	28.97	29.47	33.00	PASS
EGPRS1900 (GMSK)	810	3	26.95	27.45	33.00	PASS
EGPRS1900 (GMSK)	810	4	25.86	26.36	33.00	PASS
EGPRS1900 (8PSK)	512	1	28.85	29.35	33.00	PASS
EGPRS1900 (8PSK)	512	2	28.05	28.55	33.00	PASS
EGPRS1900 (8PSK)	512	3	26.50	27.00	33.00	PASS
EGPRS1900 (8PSK)	512	4	25.62	26.12	33.00	PASS
EGPRS1900 (8PSK)	661	1	26.28	26.78	33.00	PASS
EGPRS1900 (8PSK)	661	2	25.34	25.84	33.00	PASS
EGPRS1900 (8PSK)	661	3	23.49	23.99	33.00	PASS
EGPRS1900 (8PSK)	661	4	22.41	22.91	33.00	PASS
EGPRS1900 (8PSK)	810	1	28.93	29.43	33.00	PASS
EGPRS1900 (8PSK)	810	2	28.15	28.65	33.00	PASS
EGPRS1900 (8PSK)	810	3	26.61	27.11	33.00	PASS
EGPRS1900 (8PSK)	810	4	25.67	26.17	33.00	PASS

a: For getting the EIRP (Efficient Isotropic Radiated Power), the following formula should be taken to calculate it,

ERP [dBm] = Conducted Power [dBm] + Gain [dBd]

EIRP [dBm] = Conducted Power [dBm] + Gain [dBi]




Page: 6 of 67

2. Peak-to-Average Ratio

2.1. Test Result


Band	Channel	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
GSM850	128	7.65	13	PASS
GSM850	190	7.68	13	PASS
GSM850	251	7.62	13	PASS
EGPRS850	128	10.70	13	PASS
EGPRS850	190	10.41	13	PASS
EGPRS850	251	10.99	13	PASS
GSM1900	512	7.71	13	PASS
GSM1900	661	7.71	13	PASS
GSM1900	810	7.71	13	PASS
EGPRS1900	512	9.97	13	PASS
EGPRS1900	661	9.94	13	PASS
EGPRS1900	810	9.71	13	PASS

2.2. Part II - Test Plots





Page: 7 of 67





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594


sgs.china@sgs.com

Page: 8 of 67





Page: 9 of 67





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594


sgs.china@sgs.com

Page: 10 of 67






Page: 11 of 67





Page: 12 of 67





13 of 67 Page:


3. Modulation Characteristics

3.1. For GSM

3.1.1. Test Band = GSM 850

3.1.1.1. Test Mode = GSM/TM1

3.1.1.1.1. Test Channel = MCH






Page: 14 of 67

3.1.1.2. Test Mode = GSM/TM2

3.1.1.2.1. Test Channel = MCH






Page: 15 of 67

3.1.2. Test Band = GSM 1900

3.1.2.1. Test Mode = GSM/TM1

3.1.2.1.1. Test Channel = MCH






16 of 67 Page:

3.1.2.2. Test Mode = GSM/TM2

3.1.2.2.1. Test Channel = MCH





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sole responsibility is to its Client and his document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Newsley Benezies and the content of the content of

Member of the SGS Group (SGS SA)


Page: 17 of 67

4. 26dB Bandwidth and Occupied Bandwidth

4.1. Test Result

Band	Channel	Occupied Bandwidth (kHz)	26dB Bandwidth (kHz)	Limit(kHz)	Verdict
GSM850	128	247.47	313.04		PASS
GSM850	190	246.02	308.70		PASS
GSM850	251	244.57	298.55		PASS
EGPRS850	128	247.47	297.10		PASS
EGPRS850	190	251.81	295.65		PASS
EGPRS850	251	251.81	307.25		PASS
GSM1900	512	247.47	298.55		PASS
GSM1900	661	244.57	310.14		PASS
GSM1900	810	244.57	314.49		PASS
EGPRS1900	512	260.49	320.29		PASS
EGPRS1900	661	254.70	308.70		PASS
EGPRS1900	810	259.04	314.49		PASS


4.2. Test Plots





Report No.: ZR/2019/B002401


Page: 18 of 67





Report No.: ZR/2019/B002401


Page: 19 of 67





Report No.: ZR/2019/B002401


Page: 20 of 67





Report No.: ZR/2019/B002401


Page: 21 of 67





Report No.: ZR/2019/B002401

Page: 22 of 67








Report No.: ZR/2019/B002401

Page: 23 of 67





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

sgs.china@sgs.com

Page: 24 of 67

5. Band Edge Compliance


5.1. Test Plots





Report No.: ZR/2019/B002401


Page: 25 of 67





Report No.: ZR/2019/B002401

Page: 26 of 67





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

sgs.china@sgs.com

Report No.: ZR/2019/B002401

Page: 27 of 67





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

sgs.china@sgs.com


Page: 28 of 67

6. Spurious Emission at Antenna Terminal

Remark1: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of < RBW/2 so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = k * (Span / RBW)" with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.

Remark2: only the worst case data displayed in this report.


6.1. Test Plots





Report No.: ZR/2019/B002401

Page: 29 of 67








Report No.: ZR/2019/B002401

Page: 30 of 67








Report No.: ZR/2019/B002401


Page: 31 of 67





Report No.: ZR/2019/B002401

Page: 32 of 67








Report No.: ZR/2019/B002401


Page: 33 of 67





Report No.: ZR/2019/B002401


Page: 34 of 67





Report No.: ZR/2019/B002401

Page: 35 of 67





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

Report No.: ZR/2019/B002401


Page: 36 of 67





Report No.: ZR/2019/B002401


Page: 37 of 67





Report No.: ZR/2019/B002401

Page: 38 of 67








Report No.: ZR/2019/B002401


Page: 39 of 67





Report No.: ZR/2019/B002401

Page: 40 of 67








Report No.: ZR/2019/B002401

Page: 41 of 67





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443,


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



Report No.: ZR/2019/B002401


Page: 42 of 67





Report No.: ZR/2019/B002401

Page: 43 of 67








Report No.: ZR/2019/B002401

Page: 44 of 67








Report No.: ZR/2019/B002401

Page: 45 of 67








Report No.: ZR/2019/B002401

Page: 46 of 67








Report No.: ZR/2019/B002401

Page: 47 of 67








Report No.: ZR/2019/B002401

Page: 48 of 67








Report No.: ZR/2019/B002401


Page: 49 of 67





Report No.: ZR/2019/B002401

Page: 50 of 67








Report No.: ZR/2019/B002401


Page: 51 of 67





Report No.: ZR/2019/B002401

Page: 52 of 67








Report No.: ZR/2019/B002401

Page: 53 of 67








Report No.: ZR/2019/B002401

Page: 54 of 67





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

Report No.: ZR/2019/B002401


Page: 55 of 67





Report No.: ZR/2019/B002401

Page: 56 of 67








Report No.: ZR/2019/B002401

Page: 57 of 67





58 of 67 Page:

7. Field Strength of Spurious Radiation

7.1. Test Band = GSM 1900 (Main Ant)

7.1.1. Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
109.7380	-64.71	-13.00	51.71	Vertical
2713.5427	-37.64	-13.00	24.64	Vertical
3700.0233	-49.89	-13.00	36.89	Vertical
5550.5850	-55.84	-13.00	42.84	Vertical
7400.6467	-49.70	-13.00	36.70	Vertical
17997.9999	-35.00	-13.00	22.00	Vertical
41.2041	-63.19	-13.00	50.19	Horizontal
2701.5403	-36.26	-13.00	23.26	Horizontal
3700.5234	-55.01	-13.00	42.01	Horizontal
5550.5850	-56.50	-13.00	43.50	Horizontal
7400.6467	-52.67	-13.00	39.67	Horizontal
16390.4463	-39.07	-13.00	26.07	Horizontal

712 Test Channel = MCH

7.1.2. Test Chamier - Worl					
Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization	
108.0404	-64.73	-13.00	51.73	Vertical	
2693.5387	-37.61	-13.00	24.61	Vertical	
3760.0253	-48.91	-13.00	35.91	Vertical	
5640.0880	-54.60	-13.00	41.60	Vertical	
11280.2760	-44.35	-13.00	31.35	Vertical	
17998.5000	-35.54	-13.00	22.54	Vertical	
39.8945	-63.87	-13.00	50.87	Horizontal	
2702.7405	-36.40	-13.00	23.40	Horizontal	
3760.0253	-54.49	-13.00	41.49	Horizontal	
5640.0880	-55.60	-13.00	42.60	Horizontal	
11280.2760	-44.42	-13.00	31.42	Horizontal	
16399.9467	-39.17	-13.00	26.17	Horizontal	



Page: 59 of 67

7.1.3. Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
106.7793	-64.61	-13.00	51.61	Vertical
2700.7401	-37.43	-13.00	24.43	Vertical
3819.5273	-52.77	-13.00	39.77	Vertical
5729.0910	-55.11	-13.00	42.11	Vertical
14474.3825	-43.48	-13.00	30.48	Vertical
17978.4993	-36.18	-13.00	23.18	Vertical
41.2526	-62.21	-13.00	49.21	Horizontal
2695.1390	-36.41	-13.00	23.41	Horizontal
3819.5273	-55.12	-13.00	42.12	Horizontal
5729.0910	-51.35	-13.00	38.35	Horizontal
9297.2099	-48.92	-13.00	35.92	Horizontal
16380.9460	-39.40	-13.00	26.40	Horizontal

7.2. Test Band = GSM 850 (Main Ant)

7.2.1. Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
113.5697	-64.25	-13.00	51.25	Vertical
1648.1296	-61.86	-13.00	48.86	Vertical
2472.6945	-40.99	-13.00	27.99	Vertical
3296.5099	-58.78	-13.00	45.78	Vertical
14461.3820	-43.65	-13.00	30.65	Vertical
17992.9998	-35.93	-13.00	22.93	Vertical
41.2041	-63.32	-13.00	50.32	Horizontal
236.8628	-66.44	-13.00	53.44	Horizontal
1648.1296	-62.00	-13.00	49.00	Horizontal
2472.6945	-43.98	-13.00	30.98	Horizontal
3297.0099	-57.93	-13.00	44.93	Horizontal
16389.9463	-39.69	-13.00	26.69	Horizontal



Report No.: ZR/2019/B002401

60 of 67 Page:

7.2.2. Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
110.4170	-63.68	-13.00	50.68	Vertical
1673.3347	-62.27	-13.00	49.27	Vertical
2509.9020	-43.66	-13.00	30.66	Vertical
3346.5116	-57.30	-13.00	44.30	Vertical
14506.8836	-43.82	-13.00	30.82	Vertical
17995.9999	-37.00	-13.00	24.00	Vertical
40.7675	-62.78	-13.00	49.78	Horizontal
1672.9346	-61.24	-13.00	48.24	Horizontal
2510.3021	-44.49	-13.00	31.49	Horizontal
3346.5116	-54.58	-13.00	41.58	Horizontal
16386.4462	-39.85	-13.00	26.85	Horizontal
17985.9995	-40.89	-13.00	27.89	Horizontal

7.2.3. Test Channel = HCH

712101 Test Shamior - 11611				
Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
112.9391	-64.66	-13.00	51.66	Vertical
1697.3395	-61.48	-13.00	48.48	Vertical
2546.7093	-49.95	-13.00	36.95	Vertical
7349.6450	-53.36	-13.00	40.36	Vertical
14475.8825	-44.32	-13.00	31.32	Vertical
17989.9997	-37.66	-13.00	24.66	Vertical
42.5136	-64.59	-13.00	51.59	Horizontal
1697.3395	-61.06	-13.00	48.06	Horizontal
2546.7093	-47.99	-13.00	34.99	Horizontal
3395.5132	-55.33	-13.00	42.33	Horizontal
16397.9466	-40.61	-13.00	27.61	Horizontal
17998.5000	-42.29	-13.00	29.29	Horizontal



Page: 61 of 67

7.3. Test Band = GSM 850 (Second Ant)

7.3.1. Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
113.7152	-63.70	-13.00	50.70	Vertical
1648.1296	-55.34	-13.00	42.34	Vertical
2472.6945	-47.72	-13.00	34.72	Vertical
3296.5099	-59.18	-13.00	46.18	Vertical
14513.3838	-44.17	-13.00	31.17	Vertical
17999.0000	-37.39	-13.00	24.39	Vertical
41.1556	-64.18	-13.00	51.18	Horizontal
1648.1296	-62.12	-13.00	49.12	Horizontal
2472.6945	-38.39	-13.00	25.39	Horizontal
7347.6449	-54.16	-13.00	41.16	Horizontal
16380.9460	-40.43	-13.00	27.43	Horizontal
17991.4997	-41.45	-13.00	28.45	Horizontal

7.3.2. Test Channel = MCH

110121 1001 0110111101 = 111011				
Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
114.2002	-63.96	-13.00	50.96	Vertical
1673.3347	-59.53	-13.00	46.53	Vertical
2509.9020	-49.20	-13.00	36.20	Vertical
3346.5116	-60.61	-13.00	47.61	Vertical
14479.8827	-44.99	-13.00	31.99	Vertical
17999.5000	-39.44	-13.00	26.44	Vertical
41.1556	-63.69	-13.00	50.69	Horizontal
1672.9346	-63.06	-13.00	50.06	Horizontal
2509.9020	-39.99	-13.00	26.99	Horizontal
7369.1456	-53.74	-13.00	40.74	Horizontal
16399.9467	-41.60	-13.00	28.60	Horizontal
17991.9997	-43.34	-13.00	30.34	Horizontal



62 of 67 Page:

7.3.3. Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
108.2829	-63.89	-13.00	50.89	Vertical
1697.3395	-61.11	-13.00	48.11	Vertical
2546.7093	-44.93	-13.00	31.93	Vertical
3395.0132	-57.23	-13.00	44.23	Vertical
14488.8830	-45.23	-13.00	32.23	Vertical
17983.4995	-39.02	-13.00	26.02	Vertical
41.3011	-63.42	-13.00	50.42	Horizontal
1700.1400	-63.04	-13.00	50.04	Horizontal
2546.7093	-42.16	-13.00	29.16	Horizontal
3395.0132	-57.94	-13.00	44.94	Horizontal
16398.9466	-42.61	-13.00	29.61	Horizontal
17991.4997	-43.97	-13.00	30.97	Horizontal

7.4. Test Band = GSM 1900 (Second Ant)

7.4.1. Test Channel = LCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization	
112.3086	-64.54	-13.00	51.54	Vertical	
2699.9400	-37.54	-13.00	24.54	Vertical	
3700.5234	-52.70	-13.00	39.70	Vertical	
5550.5850	-57.65	-13.00	44.65	Vertical	
7400.6467	-49.89	-13.00	36.89	Vertical	
17997.9999	-35.09	-13.00	22.09	Vertical	
41.2526	-63.26	-13.00	50.26	Horizontal	
2702.7405	-36.45	-13.00	23.45	Horizontal	
3700.5234	-54.05	-13.00	41.05	Horizontal	
5550.5850	-55.50	-13.00	42.50	Horizontal	
7401.1467	-51.76	-13.00	38.76	Horizontal	
16400.9467	-39.09	-13.00	26.09	Horizontal	



Page: 63 of 67

7.4.2. Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
113.5212	-64.59	-13.00	51.59	Vertical
2728.3457	-38.36	-13.00	25.36	Vertical
3760.0253	-49.58	-13.00	36.58	Vertical
5639.5880	-56.00	-13.00	43.00	Vertical
14461.8821	-43.90	-13.00	30.90	Vertical
17999.5000	-37.09	-13.00	24.09	Vertical
44.5507	-63.60	-13.00	50.60	Horizontal
2700.3401	-36.49	-13.00	23.49	Horizontal
3760.0253	-50.62	-13.00	37.62	Horizontal
5640.0880	-56.31	-13.00	43.31	Horizontal
16378.9460	-40.41	-13.00	27.41	Horizontal
17997.9999	-40.87	-13.00	27.87	Horizontal

7.4.3. Test Channel = HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Margin (dB)	Polarization
116.0433	-65.68	-13.00	52.68	Vertical
2694.3389	-37.77	-13.00	24.77	Vertical
3819.5273	-50.33	-13.00	37.33	Vertical
5729.5910	-53.37	-13.00	40.37	Vertical
11458.2819	-45.98	-13.00	32.98	Vertical
17919.9973	-38.23	-13.00	25.23	Vertical
41.2041	-64.71	-13.00	51.71	Horizontal
2728.7457	-37.57	-13.00	24.57	Horizontal
3819.5273	-51.98	-13.00	38.98	Horizontal
5729.5910	-51.56	-13.00	38.56	Horizontal
16398.9466	-41.65	-13.00	28.65	Horizontal
17996.4999	-42.79	-13.00	29.79	Horizontal

Remark:

- 1) According to 971168 D01 Power Meas License Digital Systems, The amplitudes of unwanted emissions that are attenuated more than 20 dB below the applicable limit are not required to be reported.
- 2) The disturbance above 12.75GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the worst case data had been displayed.



Page: 64 of 67

8. Frequency Stability

8.1. Frequency Error Vs Voltage

Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM850	128	VL	TN	0.81	0.000979	±2.5	PASS
GSM850	128	VN	TN	-1.74	-0.002115	±2.5	PASS
GSM850	128	VH	TN	-2.55	-0.003095	±2.5	PASS
GSM850	190	VL	TN	0.90	0.001081	±2.5	PASS
GSM850	190	VN	TN	0.58	0.000695	±2.5	PASS
GSM850	190	VH	TN	1.97	0.002354	±2.5	PASS
GSM850	251	VL	TN	-1.26	-0.001483	±2.5	PASS
GSM850	251	VN	TN	-1.45	-0.001712	±2.5	PASS
GSM850	251	VH	TN	1.65	0.001940	±2.5	PASS
EGPRS850	128	VL	TN	-1.42	-0.001724	±2.5	PASS
EGPRS850	128	VN	TN	5.13	0.006228	±2.5	PASS
EGPRS850	128	VH	TN	2.91	0.003526	±2.5	PASS
EGPRS850	190	VL	TN	1.74	0.002084	±2.5	PASS
EGPRS850	190	VN	TN	5.13	0.006136	±2.5	PASS
EGPRS850	190	VH	TN	-1.00	-0.001196	±2.5	PASS
EGPRS850	251	VL	TN	5.81	0.006847	±2.5	PASS
EGPRS850	251	VN	TN	0.94	0.001103	±2.5	PASS
EGPRS850	251	VH	TN	0.19	0.000228	±2.5	PASS
GSM1900	512	VL	TN	8.17	0.004415	±2.5	PASS
GSM1900	512	VN	TN	7.26	0.003926	±2.5	PASS
GSM1900	512	VH	TN	13.79	0.007451	±2.5	PASS
GSM1900	661	VL	TN	8.56	0.004551	±2.5	PASS
GSM1900	661	VN	TN	13.04	0.006938	±2.5	PASS
GSM1900	661	VH	TN	8.81	0.004688	±2.5	PASS
GSM1900	810	VL	TN	7.30	0.003821	±2.5	PASS
GSM1900	810	VN	TN	7.04	0.003685	±2.5	PASS
GSM1900	810	VH	TN	5.46	0.002857	±2.5	PASS
EGPRS1900	512	VL	TN	0.58	0.000314	±2.5	PASS
EGPRS1900	512	VN	TN	1.55	0.000838	±2.5	PASS
EGPRS1900	512	VH	TN	13.33	0.007207	±2.5	PASS
EGPRS1900	661	VL	TN	8.62	0.004585	±2.5	PASS
EGPRS1900	661	VN	TN	10.98	0.005839	±2.5	PASS
EGPRS1900	661	VH	TN	6.52	0.003469	±2.5	PASS
EGPRS1900	810	VL	TN	11.59	0.006069	±2.5	PASS
EGPRS1900	810	VN	TN	8.56	0.004480	±2.5	PASS
EGPRS1900	810	VH	TN	7.75	0.004057	±2.5	PASS





Report No.: ZR/2019/B002401

Page: 65 of 67

8.2. Frequency Error Vs Temperature

Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
GSM850	128	VN	-30	4.39	0.005327	±2.5	PASS
GSM850	128	VN	-20	2.78	0.003369	±2.5	PASS
GSM850	128	VN	-10	-0.68	-0.000823	±2.5	PASS
GSM850	128	VN	0	-1.61	-0.001959	±2.5	PASS
GSM850	128	VN	10	-5.17	-0.006268	±2.5	PASS
GSM850	128	VN	20	-2.68	-0.003251	±2.5	PASS
GSM850	128	VN	30	-5.20	-0.006307	±2.5	PASS
GSM850	128	VN	40	-2.29	-0.002781	±2.5	PASS
GSM850	128	VN	50	-3.16	-0.003839	±2.5	PASS
GSM850	190	VN	-30	0.87	0.001042	±2.5	PASS
GSM850	190	VN	-20	2.20	0.002624	±2.5	PASS
GSM850	190	VN	-10	5.23	0.006252	±2.5	PASS
GSM850	190	VN	0	1.07	0.001274	±2.5	PASS
GSM850	190	VN	10	-1.68	-0.002007	±2.5	PASS
GSM850	190	VN	20	-2.39	-0.002856	±2.5	PASS
GSM850	190	VN	30	-1.23	-0.001466	±2.5	PASS
GSM850	190	VN	40	0.26	0.000309	±2.5	PASS
GSM850	190	VN	50	-2.39	-0.002856	±2.5	PASS
GSM850	251	VN	-30	0.58	0.000685	±2.5	PASS
GSM850	251	VN	-20	4.94	0.005820	±2.5	PASS
GSM850	251	VN	-10	1.87	0.002206	±2.5	PASS
GSM850	251	VN	0	-3.10	-0.003652	±2.5	PASS
GSM850	251	VN	10	-1.68	-0.001978	±2.5	PASS
GSM850	251	VN	20	2.29	0.002701	±2.5	PASS
GSM850	251	VN	30	-0.16	-0.000190	±2.5	PASS
GSM850	251	VN	40	-0.03	-0.000038	±2.5	PASS
GSM850	251	VN	50	-0.87	-0.001027	±2.5	PASS
EGPRS850	128	VN	-30	1.00	0.001214	±2.5	PASS
EGPRS850	128	VN	-20	3.39	0.004113	±2.5	PASS
EGPRS850	128	VN	-10	-0.71	-0.000862	±2.5	PASS
EGPRS850	128	VN	0	3.75	0.004544	±2.5	PASS
EGPRS850	128	VN	10	-1.32	-0.001606	±2.5	PASS
EGPRS850	128	VN	20	3.94	0.004779	±2.5	PASS
EGPRS850	128	VN	30	1.78	0.002154	±2.5	PASS
EGPRS850	128	VN	40	3.81	0.004622	±2.5	PASS
EGPRS850	128	VN	50	0.42	0.000509	±2.5	PASS
EGPRS850	190	VN	-30	1.16	0.001389	±2.5	PASS
EGPRS850	190	VN	-20	-1.61	-0.001930	±2.5	PASS
EGPRS850	190	VN	-10	1.58	0.001891	±2.5	PASS
EGPRS850	190	VN	0	-0.26	-0.000309	±2.5	PASS
EGPRS850	190	VN	10	3.10	0.003705	±2.5	PASS
EGPRS850	190	VN	20	0.58	0.000695	±2.5	PASS
EGPRS850	190	VN	30	3.07	0.003666	±2.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2019/B002401

66 of 67 Page:

EGPRS850	190	VN	40	0.03	0.000039	±2.5	PASS
EGPRS850	190	VN	50	1.61	0.001930	±2.5	PASS
EGPRS850	251	VN	-30	0.68	0.000799	±2.5	PASS
EGPRS850	251	VN	-20	1.87	0.002206	±2.5	PASS
EGPRS850	251	VN	-10	1.26	0.001483	±2.5	PASS
EGPRS850	251	VN	0	0.16	0.000190	±2.5	PASS
EGPRS850	251	VN	10	-0.42	-0.000494	±2.5	PASS
EGPRS850	251	VN	20	-0.65	-0.000761	±2.5	PASS
EGPRS850	251	VN	30	0.65	0.000761	±2.5	PASS
EGPRS850	251	VN	40	-1.68	-0.001978	±2.5	PASS
EGPRS850	251	VN	50	3.13	0.003690	±2.5	PASS
GSM1900	512	VN	-30	8.59	0.004642	±2.5	PASS
GSM1900	512	VN	-20	9.91	0.005357	±2.5	PASS
GSM1900	512	VN	-10	12.82	0.006928	±2.5	PASS
GSM1900 GSM1900	512	VN	0	1.84	0.000928	±2.5	PASS
GSM1900 GSM1900	512	VN	10	0.19	0.000995	±2.5	PASS
GSM1900 GSM1900	512	VN	20	-1.36	-0.000733	±2.5	PASS
GSM1900	512	VN	30	-2.49	-0.000733	±2.5	PASS
GSM1900 GSM1900	512	VN	40	0.65	0.000349	±2.5	PASS
GSM1900 GSM1900	512	VN	50	1.45	0.000349	±2.5	PASS
GSM1900 GSM1900	661	VN	-30	11.36	0.006785	±2.5	PASS
GSM1900 GSM1900	661	VN	-20	11.24	0.005976	±2.5	PASS
GSM1900 GSM1900	661	VN	-20 -10	6.97	0.00376	±2.5	PASS
GSM1900 GSM1900	661	VN	0	3.55	0.003709	±2.5	PASS
GSM1900	661	VN	10	3.58	0.001889	±2.5	PASS
GSM1900 GSM1900	661	VN	20	2.74	0.001900	±2.5	PASS
GSM1900 GSM1900	661	VN	30	0.45	0.001460	±2.5	PASS
GSM1900 GSM1900	661	VN	40	-1.81	-0.000240	±2.5	PASS
GSM1900 GSM1900	661	VN	50	1.78	0.000945	±2.5	PASS
GSM1900 GSM1900	810	VN	-30	7.04	0.000945	±2.5	PASS
GSM1900 GSM1900	810	VN	-20	7.59	0.003973	±2.5	PASS
GSM1900 GSM1900	810	VN	-10	4.94	0.003973	±2.5	PASS
GSM1900 GSM1900	810	VN	0	9.10	0.002387	±2.5	PASS
GSM1900 GSM1900	810	VN	10	0.06	0.00034	±2.5	PASS
GSM1900 GSM1900	810	VN	20	-0.39	-0.000203	±2.5	PASS
GSM1900 GSM1900	810	VN	30	-4.07	-0.00203		PASS
GSM1900 GSM1900	810	VN	40	1.90	0.000997	±2.5	PASS
				+		±2.5	
GSM1900	810	VN VN	50	1.45	0.000761 0.001221	±2.5	PASS
EGPRS1900	512		-30	2.26		±2.5	PASS
EGPRS1900	512	VN	-20 10	4.46 12.88	0.002408	±2.5	PASS
EGPRS1900	512	VN	-10	+	0.006963	±2.5	PASS
EGPRS1900	512	VN	0	8.39	0.004537	±2.5	PASS
EGPRS1900	512	VN	10	4.04	0.002181	±2.5	PASS
EGPRS1900	512	VN	20	8.59	0.004642	±2.5	PASS
EGPRS1900	512	VN	30	2.55	0.001379	±2.5	PASS
EGPRS1900	512	VN	40	1.65	0.000890	±2.5	PASS
EGPRS1900	512	VN	50	-3.97	-0.002146	±2.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents stability. Indemnification is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (85-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

sgs.china@sgs.com



Report No.: ZR/2019/B002401

67 of 67 Page:

EGPRS1900	661	VN	-30	3.94	0.002095	±2.5	PASS
EGPRS1900	661	VN	-20	8.04	0.004276	±2.5	PASS
EGPRS1900	661	VN	-10	4.46	0.002370	±2.5	PASS
EGPRS1900	661	VN	0	10.91	0.005805	±2.5	PASS
EGPRS1900	661	VN	10	9.46	0.005032	±2.5	PASS
EGPRS1900	661	VN	20	4.71	0.002507	±2.5	PASS
EGPRS1900	661	VN	30	-2.16	-0.001151	±2.5	PASS
EGPRS1900	661	VN	40	-0.81	-0.000429	±2.5	PASS
EGPRS1900	661	VN	50	5.00	0.002662	±2.5	PASS
EGPRS1900	810	VN	-30	5.36	0.002806	±2.5	PASS
EGPRS1900	810	VN	-20	5.07	0.002654	±2.5	PASS
EGPRS1900	810	VN	-10	5.26	0.002756	±2.5	PASS
EGPRS1900	810	VN	0	8.65	0.004531	±2.5	PASS
EGPRS1900	810	VN	10	4.62	0.002417	±2.5	PASS
EGPRS1900	810	VN	20	4.84	0.002536	±2.5	PASS
EGPRS1900	810	VN	30	2.10	0.001099	±2.5	PASS
EGPRS1900	810	VN	40	3.20	0.001674	±2.5	PASS
EGPRS1900	810	VN	50	4.88	0.002553	±2.5	PASS

The End

