
Page number: 900 of 958










Fig.6










Fig.8

Band freq	Carrier Chan	Channel	BW	/ RB Size	RB Offset	Band EdgesPlot	
	frequency (MHz)	(Low)	DVV			QPSK	16-QAM
				1	0	Fig.1	Fig.5
5	829	20450	10	1	49	Fig.2	Fig.6
3	829	20430	10	24	12	Fig.3	Fig.7
				50	0	Fig.4	Fig.8


The State Radio_monitoring_center Testing Center (SRTC)

Tel: 86-10-5799 6181 Fax: 86-10-5799 6288



Page number: 902 of 958









Fig.2

Page number: 903 of 958











Fig.4

Page number: 904 of 958











Fig.6











Fig.8


Band fred	Carrier	Channel	BW	RB Size	_	Band EdgesPlot	
	frequency (MHz)	(High)	DVV			QPSK	16-QAM
		20600	10	1	0	Fig.1	Fig.5
5	844			1	49	Fig.2	Fig.6
3	044			24	12	Fig.3	Fig.7
				50	0	Fig.4	Fig.8

Tel: 86-10-5799 6181 Fax: 86-10-5799 6288



Page number: 906 of 958









Fig.2

Page number: 907 of 958





Date: 23 MAY 2017 15:46:14





Fig.4

Page number: 908 of 958










Fig.6











Fig.8

Band Carrier frequency (MHz)		Channel (Low)	BW	RB Size		Band EdgesPlot	
						QPSK	16-QAM
			5	1	0	Fig.1	Fig.5
7	2502.5	20775		1	24	Fig.2	Fig.6
7 2302.	2302.3	2302.3 20773		12	6	Fig.3	Fig.7
				25	0	Fig.4	Fig.8


The State Radio_monitoring_center Testing Center (SRTC)

Tel: 86-10-5799 6181 Fax: 86-10-5799 6288



Page number: 910 of 958









Fig.2

Page number: 911 of 958











Fig.4

Page number: 912 of 958





Date: 23 MAY 2017 15:56:23





Fig.6










Fig.8


Band Carrier frequence (MHz)	Carrier	Channel (High)	DW	RB Size	RB Offset	Band EdgesPlot	
			DVV			QPSK	16-QAM
			5	1	0	Fig.1	Fig.5
7	2567.5	21425		1	24	Fig.2	Fig.6
7 2307.3	2307.3	3 21423		12	6	Fig.3	Fig.7
				25	0	Fig.4	Fig.8

Tel: 86-10-5799 6181 Fax: 86-10-5799 6288



Page number: 914 of 958









Fig.2

Page number: 915 of 958











Fig.4

Page number: 916 of 958











Fig.6





Date: 23 MAY 2017 16:15:21




Fig.8

Band frequer	Carrier	Channel (Low)	DW	RB	RB Offset	Band EdgesPlot	
	(MHz)		DVV	Size		QPSK	16-QAM
				1	0	Fig.1	Fig.5
7	2505	20800	10	1	49	Fig.2	Fig.6
7 230	2303	2303 20800		24	12	Fig.3	Fig.7
				50	0	Fig.4	Fig.8


The State Radio_monitoring_center Testing Center (SRTC)

Tel: 86-10-5799 6181 Fax: 86-10-5799 6288



Page number: 918 of 958









Fig.2

Page number: 919 of 958











Fig.4

Page number: 920 of 958





Date: 23 MAY 2017 16:24:50






Fig.6







Date: 23.MAY.2017 16:25:20

-50 dBm

Date: 23 MAY 2017 16:25:11


Fig.8

691 pts

Band frequen	Carrier Channel		BW	RB	RB	Band EdgesPlot	
	(MHz)	(High)	DVV	Size	Offset	QPSK	16-QAM
			10	1	0	Fig.1	Fig.5
7	2565	2565 21400		1	49	Fig.2	Fig.6
7 2303	2303			24	12	Fig.3	Fig.7
				50	0	Fig.4	Fig.8


The State Radio_monitoring_center Testing Center (SRTC)

Tel: 86-10-5799 6181 Fax: 86-10-5799 6288 Span 20.0 MHz



Page number: 922 of 958









Fig.2

Page number: 923 of 958











Fig.4

Page number: 924 of 958





Date: 23 MAY 2017 16:43:38





Fig.6





Date: 23 MAY 2017 16:43:59




Fig.8

Band fre	Carrier	Channel	BW	RB Size	RB	Band EdgesPlot	
	frequency (MHz)	(Low)	DVV		Offset	QPSK	16-QAM
		20825	15	1	0	Fig.1	Fig.5
7	2507.5			1	74	Fig.2	Fig.6
7 23	2307.3			40	18	Fig.3	Fig.7
				75	0	Fig.4	Fig.8


The State Radio_monitoring_center Testing Center (SRTC)

Tel: 86-10-5799 6181 Fax: 86-10-5799 6288



Page number: 926 of 958








Fig.2

Page number: 927 of 958











Fig.4

Page number: 928 of 958











Fig.6





Date: 23 MAY 2017 16:53:45





Fig.8

Band fred	Carrier Chann		nnel BW	RB	RB	Band EdgesPlot	
	frequency (MHz)	(High)	DVV	Size	Offset	QPSK	16-QAM
		21375	15	1	0	Fig.1	Fig.5
7	2562.5			1	74	Fig.2	Fig.6
/	2302.3			40	18	Fig.3	Fig.7
				75	0	Fig.4	Fig.8


The State Radio_monitoring_center Testing Center (SRTC)

Tel: 86-10-5799 6181 Fax: 86-10-5799 6288



Page number: 930 of 958








Fig.2

Page number: 931 of 958











Fig.4

Page number: 932 of 958











Fig.6





Date: 23 MAY 2017 17:12:26




Fig.8

Band frequ	Carrier Ch	Channel	DW	BW RB Size	RB	Band EdgesPlot	
	frequency (MHz)	(Low)	DVV		Offset	QPSK	16-QAM
		20850	20	1	0	Fig.1	Fig.5
7	2510			1	99	Fig.2	Fig.6
	2310			50	25	Fig.3	Fig.7
				100	0	Fig.4	Fig.8

The State Radio_monitoring_center Testing Center (SRTC)


Tel: 86-10-5799 6181 Fax: 86-10-5799 6288

Copyright © SRTC



Page number: 934 of 958









Fig.2

Page number: 935 of 958











Fig.4

Page number: 936 of 958







Date: 23 MAY 2017 17:21:53





Fig.6

Date: 23.MAY.2017 17:22:02





Date: 23.MAY.2017 17:22:12




Fig.8

Band	Carrier	Channel	BW	RB	RB	Band EdgesPlot	
Danu	frequency (MHz)	(High)	DVV	Size	Offset	QPSK	16-QAM
		2560 21350	20	1	0	Fig.1	Fig.5
7	2560			1	99	Fig.2	Fig.6
7 23	2300			50	25	Fig.3	Fig.7
				100	0	Fig.4	Fig.8


The State Radio_monitoring_center Testing Center (SRTC)

Tel: 86-10-5799 6181 Fax: 86-10-5799 6288



Page number: 938 of 958









Fig.2

Page number: 939 of 958





Date: 23 MAY 2017 17:40:15





Fig.4

Page number: 940 of 958











Fig.6

Page number: 941 of 958





Date: 23 MAY 2017 17:40:51




Fig.8



7 Frequency Stability-FCC Part 2.1055/27.54

Test result:

Band	BW	Test Result (ppm)@NV Temperature(°C)		Test Result (ppm)@NT		
				Voltage		
		-30	0.005	LV	0.010	
		-20	-0.001			
		-10	-0.012			
		0	0.016			
	1.4	10	0.044			
		20	-0.006	HV	0.001	
		30	-0.002			
		40	-0.008			
		50	0.004			
		-30	0.000	LV	-0.002	
		-20	-0.001			
		-10	0.004			
		0	-0.001			
	3	10	0.005			
		20	-0.002	HV	-0.002	
2		30	-0.003			
		40	-0.003			
		50	0.001			
		-30	-0.009	LV	0.000	
		-20	-0.005			
		-10	-0.001			
		0	-0.002			
	5	10	-0.001			
		20	-0.002	HV	-0.001	
		30	-0.002			
		40	-0.001			
		50	0.000			
		-30	-0.002	LV	-0.002	
	10	-20	-0.007			
		-10	-0.001			

Fax: 86-10-5799 6288





1					
		0	-0.002		
		10	-0.001		
		20	0.000	HV	0.000
		30	-0.002		
		40	0.000		
		50	-0.002		
		-30	-0.003	LV	-0.001
		-20	-0.003		
		-10	-0.001		
		0	0.000		
	15	10	-0.002		
		20	0.001	HV	0.000
		30	-0.001		
		40	0.000		
		50	0.003		
		-30	-0.002	LV	-0.001
		-20	0.000		
		-10	-0.001		
		0	-0.002		
	20	10	-0.003		
		20	-0.002	HV	0.000
		30	-0.002		
		40	0.000		
		50	-0.005		

Band	Band BW		Test Result (ppm)@NV		Test Result (ppm)@NT		
		Tempe	erature(°C)		Voltage		
		-30	-0.001	LV	0.000		
		-20	-0.003				
		-10	0.001				
		0	-0.001				
4	1.4	10	-0.001				
		20	-0.001	HV	0.000		
		30	-0.002				
		40	0.000				
		50	0.000				





国家尤级电监测中心程制					
		-30	0.001	LV	-0.001
		-20	-0.011		
	-	-10	0.001		
	-	0	0.000		
	3	10	0.001		
	=	20	-0.001	HV	0.001
		30	-0.001		
		40	0.003		
		50	-0.006		
		-30	-0.001	LV	0.000
		-20	0.001		
	-	-10	0.000		
	-	0	0.000		
	5	10	-0.003		
		20	0.002	HV	0.001
	ļ	30	0.000		
		40	0.000		
		50	0.005		
		-30	-0.001	LV	0.001
		-20	0.000		
		-10	-0.001		
	-	0	0.002		
	10	10	-0.001		
	ļ	20	0.000	HV	0.000
		30	-0.001		
		40	0.000		
		50	0.006		
		-30	0.000	LV	0.000
		-20	0.001		
		-10	0.034		
	-	0	0.002		
	15	10	0.001		
		20	-0.003	HV	-0.001
		30	0.000		
		40	0.001		
	Ī	50	-0.002		

Page number: 944 of 958





	-30	0.002	LV	0.000
	-20	0.001		
	-10	0.000		
	0	0.001		
20	10	0.000		
	20	-0.001	HV	-0.001
	30	-0.001		
	40	0.000		
	50	0.001		

Band	Band BW		ult (ppm)@NV		Test Result (ppm)@NT	
		Temperature(°C)		Voltage		
		-30	-0.002	LV	0.001	
		-20	0.000			
		-10	0.004			
		0	0.002			
	1.4	10	0.001			
		20	-0.002	HV	0.000	
		30	-0.001			
		40	-0.003			
		50	0.002			
		-30	0.004	LV	0.001	
		-20	0.000			
5		-10	0.002			
3		0	0.003			
	3	10	-0.001			
		20	0.006	HV	-0.001	
		30	-0.002			
		40	0.001			
		50	-0.003			
		-30	-0.001	LV	-0.001	
		-20	-0.001			
	5	-10	0.002			
	3	0	-0.002			
		10	0.000			
		20	-0.002	HV	-0.004	

Page number: 945 of 958





	30	-0.005		
	40	-0.002		
	50	-0.003		
	-30	0.000	LV	-0.001
	-20	-0.001		
	-10	0.000		
	0	0.002		
10	10	0.001		
	20	0.002	HV	-0.002
	30	0.001		
	40	0.001		
	50	0.001		

Band	BW	Test Resi	ult (ppm)@NV	Test Result (ppm)@NT		
		Temperature(°C)		Voltage		
		-30	0.002	LV	0.000	
		-20	-0.001			
		-10	-0.002			
		0	0.001			
	5	10	0.002			
		20	-0.001	HV	-0.002	
		30	0.002			
		40	0.002			
		50	-0.002			
		-30	0.002	LV	0.001	
7		-20	0.000			
		-10	0.000			
		0	0.002			
	10	10	0.002			
		20	-0.001	HV	-0.002	
		30	0.000			
		40	0.000			
		50	0.007			
		-30	0.003	LV	-0.001	
	15	-20	0.001			
		-10	0.001			

The State Radio_monitoring_center Testing Center (SRTC)
Tel: 86-10-5799 6181

Fax: 86-10-5799 6288



Page number: 947 of 958



国家人口交出四位十一	CHT00-L-C				
		0	0.000		
		10	0.002		
		20	0.002	HV	0.000
		30	0.000		
		40	0.000		
		50	0.007		
		-30	0.000	LV	-0.001
		-20	0.002		
		-10	0.003		
		0	0.001		
	20	10	-0.001		
		20	0.000	HV	0.002
		30	-0.001		
		40	0.001		
		50	0.005		





APPENDIX B – TEST DATA OF RADIATED EMISSION

Effective Radiated Power-FCC Part 27.50(d)(4)

LTE band 2

BW 1.4MHz Test result:

Frequency (MHz)	Peak EIRP(dBm)	Pca Cable loss	Ga Antenna Gain (dB)	Pmea (dBm)	Polarization
1850.7	20.13	-4.8	8.6	16.33	Vertical
1880.0	20.64	-4.8	8.6	16.84	Vertical
1909.3	20.23	-4.8	8.6	16.43	Vertical

BW 3MHz Test result:

Frequency (MHz)	Peak EIRP(dBm)	Pca Cable loss	Ga Antenna Gain (dB)	Pmea (dBm)	Polarization
1851.4	20.29	-4.8	8.6	16.49	Vertical
1880.0	20.31	-4.8	8.6	16.51	Vertical
1908.6	20.01	-4.8	8.6	16.21	Vertical


BW 5MHz Test result:

Frequency (MHz)	Peak EIRP(dBm)	Pca Cable loss	Ga Antenna Gain (dB)	Pmea (dBm)	Polarization
1852.5	20.71	-4.8	8.6	16.91	Vertical
1880.0	20.45	-4.8	8.6	16.65	Vertical
1907.5	20.28	-4.8	8.6	16.48	Vertical

BW 10MHz Test result:

Frequency (MHz)	Peak EIRP(dBm)	Pca Cable loss	Ga Antenna Gain (dB)	Pmea (dBm)	Polarization
1855	20.61	-4.8	8.6	16.81	Vertical
1880.0	20.16	-4.8	8.6	16.36	Vertical
1905	20.01	-4.8	8.6	16.21	Vertical

Tel: 86-10-5799 6181 Fax: 86-10-5799 6288





BW 15MHz Test result:

Frequency (MHz)	Peak EIRP(dBm)	Pca Cable loss	Ga Antenna Gain (dB)	Pmea (dBm)	Polarization
1857.5	20.01	-4.8	8.6	16.21	Vertical
1880.0	20.22	-4.8	8.6	16.42	Vertical
1902.5	20.76	-4.8	8.6	16.96	Vertical

BW 20MHz Test result:

Frequency (MHz)	Peak EIRP(dBm)	Pca Cable loss	Ga Antenna Gain (dB)	Pmea (dBm)	Polarization
1860	20.40	-4.8	8.6	16.60	Vertical
1880.0	20.37	-4.8	8.6	16.57	Vertical
1900	20.43	-4.8	8.6	16.63	Vertical

LTE band 4


BW 1.4MHz Test result:

Frequency (MHz)	Peak EIRP(dBm)	Pca Cable loss	Ga Antenna Gain (dB)	Pmea (dBm)	Polarization
1710.7	19.94	-4.8	8.6	16.14	Vertical
1732.5	20.03	-4.8	8.6	16.23	Vertical
1754.3	20.54	-4.8	8.6	16.74	Vertical

BW 3MHz Test result:

Frequency (MHz)	Peak EIRP(dBm)	Pca Cable loss	Ga Antenna Gain (dB)	Pmea (dBm)	Polarization
1711.5	20.35	-4.8	8.6	16.55	Vertical
1732.5	19.97	-4.8	8.6	16.17	Vertical
1753.5	20.34	-4.8	8.6	16.54	Vertical

Tel: 86-10-5799 6181 Fax: 86-10-5799 6288



Page number: 950 of 958



BW 5MHz Test result:

Frequency (MHz)	Peak EIRP(dBm)	Pca Cable loss	Ga Antenna Gain (dB)	Pmea (dBm)	Polarization
1712.5	20.12	-4.8	8.6	16.32	Vertical
1732.5	20.45	-4.8	8.6	16.65	Vertical
1752.5	20.72	-4.8	8.6	16.92	Vertical

BW 10MHz Test result:

Frequency (MHz)	Peak EIRP(dBm)	Pca Cable loss	Ga Antenna Gain (dB)	Pmea (dBm)	Polarization
1715	20.57	-4.8	8.6	16.77	Vertical
1732.5	20.05	-4.8	8.6	16.25	Vertical
1750	20.73	-4.8	8.6	16.93	Vertical

BW 15MHz Test result:

Frequency (MHz)	Peak EIRP(dBm)	Pca Cable loss	Ga Antenna Gain (dB)	Pmea (dBm)	Polarization
1717.5	20.03	-4.8	8.6	16.23	Vertical
1732.5	19.85	-4.8	8.6	16.05	Vertical
1747.5	19.87	-4.8	8.6	16.07	Vertical

BW 20MHz Test result:

Frequency (MHz)	Peak EIRP(dBm)	Pca Cable loss	Ga Antenna Gain (dB)	Pmea (dBm)	Polarization
1720	20.78	-4.8	8.6	16.98	Vertical
1732.5	19.89	-4.8	8.6	16.09	Vertical
1745	20.02	-4.8	8.6	16.22	Vertical

LTE band 5



BW 1.4MHz Test result:

Frequency (MHz)	Peak ERP (dBm)	Pca Cable loss(dB)	Ga Antenna Gain (dB)	Correction (dB)	Pmea (dBm)	Polarizatio n
824.7	20.16	-3.8	8.6	2.15	16.38	Vertical
836.5	20.62	-3.8	8.6	2.15	16.25	Vertical
848.3	20.31	-3.8	8.6	2.15	15.97	Vertical

BW 3MHz Test result:


Frequency (MHz)	Peak ERP (dBm)	Pca Cable loss(dB)	Ga Antenna Gain (dB)	Correction (dB)	Pmea (dBm)	Polarizatio n
825.4	20.24	-3.8	8.6	2.15	16.34	Vertical
836.5	19.76	-3.8	8.6	2.15	15.61	Vertical
847.6	20.03	-3.8	8.6	2.15	16.44	Vertical

BW 5MHz Test result:

Frequency (MHz)	Peak ERP (dBm)	Pca Cable loss(dB)	Ga Antenna Gain (dB)	Correction (dB)	Pmea (dBm)	Polarizatio n
826.5	19.64	-3.8	8.6	2.15	16.49	Vertical
836.5	20.46	-3.8	8.6	2.15	16.08	Vertical
846.5	19.52	-3.8	8.6	2.15	15.75	Vertical

BW 10MHz Test result:


Fax: 86-10-5799 6288



Page number: 952 of 958



Frequency (MHz)	Peak ERP (dBm)	Pca Cable loss(dB)	Ga Antenna Gain (dB)	Correction (dB)	Pmea (dBm)	Polarizatio n
829	19.83	-3.8	8.6	2.15	17.18	Vertical
836.5	20.18	-3.8	8.6	2.15	17.53	Vertical
844	20.30	-3.8	8.6	2.15	17.65	Vertical



Page number: 953 of 958



LTE band 7

BW 5MHz Test result:

Frequency (MHz)	Peak EIRP(dBm)	Pca Cable loss	Ga Antenna Gain (dB)	Pmea (dBm)	Polarization
2502.5	20.14	-5.8	8	17.94	Vertical
2535	19.96	-5.8	8	17.76	Vertical
2567.5	19.63	-5.8	8.2	17.23	Vertical

BW 10MHz Test result:

Frequency (MHz)	Peak EIRP(dBm)	Pca Cable loss	Ga Antenna Gain (dB)	Pmea (dBm)	Polarization
2505	19.81	-5.8	8	17.61	Vertical
2535	19.47	-5.8	8	17.27	Vertical
2565	19.54	-5.8	8.2	17.14	Vertical

BW 15MHz Test result:

Frequency (MHz)	Peak EIRP(dBm)	Pca Cable loss	Ga Antenna Gain (dB)	Pmea (dBm)	Polarization
2507.5	19.63	-5.8	8	17.43	Vertical
2535	20.18	-5.8	8	17.98	Vertical
2562.5	19.76	-5.8	8.2	17.36	Vertical

BW 20MHz Test result:

Frequency (MHz)	Peak EIRP(dBm)	Pca Cable loss	Ga Antenna Gain (dB)	Pmea (dBm)	Polarization
2510	19.26	-5.8	8	17.06	Vertical
2535	19.55	-5.8	8	17.35	Vertical
2560	20.35	-5.8	8.2	17.95	Vertical



Page number: 954 of 958



Radiated Spurious Emissions-FCC Part 2.1053/27.53(h), 27.53(g)

LTE band 2 Test result: Channel 18607


ename recor					
Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization		
2456.59	-52.44	-13	Vertical		
2781.03	-51.25	-13	Vertical		
3727.86	-44.10	-13	Vertical		
6677.32	-43.92	-13	Vertical		
9961.86	-40.03	-13	Vertical		
17820.75	-35.56	-13	Vertical		

Channel 18900

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.06	-52.31	-13	Vertical
2781.98	-51.81	-13	Vertical
3731.11	-44.23	-13	Vertical
6679.88	-43.04	-13	Vertical
9962.47	-39.68	-13	Vertical
17824.30	-36.13	-13	Vertical

Channel 19193

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization		
2454.26	-52.97	-13	Vertical		
2781.31	-52.14	-13	Vertical		
3730.34	-43.63	-13	Vertical		
6677.76	-43.76	-13	Vertical		
9964.18	-39.47	-13	Vertical		
17821.30	-36.15	-13	Vertical		



Page number: 955 of 958



LTE band 4 Test result: Channel 17214

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.15	-52.60	-13	Vertical
2780.18	-51.88	-13	Vertical
3731.12	-43.82	-13	Horizontal
6677.95	-43.19	-13	Vertical
9963.07	-40.14	-13	Vertical
17821.67	-35.43	-13	Vertical

Channel 17425

Chamber 17 120					
Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization		
2454.45	-52.68	-13	Vertical		
2778.53	-52.04	-13	Vertical		
3727.19	-44.33	-13	Vertical		
6679.57	-43.66	-13	Vertical		
9962.79	-39.93	-13	Vertical		
17824.26	-35.92	-13	Vertical		

Channel 17636

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.32	-52.53	-13	Vertical
2779.15	-51.32	-13	Vertical
3728.40	-43.76	-13	Vertical
6679.18	-42.98	-13	Vertical
9963.90	-39.87	-13	Vertical
17823.48	-36.12	-13	Vertical





LTE band 5 Test result: Channel 8365

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2453.84	-52.87	-13	Vertical
2781.55	-52.03	-13	Vertical
3727.45	-43.49	-13	Vertical
6678.53	-43.36	-13	Vertical
9964.73	-40.30	-13	Vertical
17823.52	-35.36	-13	Vertical

Channel 8465

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2455.79	-53.14	-13	Vertical
2778.04	-51.89	-13	Vertical
3730.70	-43.89	-13	Vertical
6677.35	-43.65	-13	Vertical
9965.14	-40.02	-13	Vertical
17820.77	-36.06	-13	Vertical

Channel 8565

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.93	-52.46	-13	Vertical
2780.63	-51.39	-13	Horizontal
3729.03	-44.26	-13	Vertical
6677.64	-43.00	-13	Vertical
9964.12	-40.00	-13	Vertical
17820.98	-35.27	-13	Vertical

Fax: 86-10-5799 6288



No.: SRTC2017-9004(F)-0042 FCC ID: 2ADOBF10

Page number: 957 of 958

Test result: Channel 25200


<u> </u>			
Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2456.01	-52.85	-13	Vertical
2781.91	-51.33	-13	Vertical
3728.92	-43.48	-13	Horizontal
6678.20	-42.99	-13	Vertical
9963.07	-39.64	-13	Vertical
17822.15	-35.43	-13	Vertical

Channel 25450

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.87	-52.85	-13	Vertical
2779.94	-51.63	-13	Vertical
3728.45	-44.31	-13	Vertical
6679.61	-43.44	-13	Vertical
9962.43	-39.40	-13	Vertical
17821.47	-36.05	-13	Vertical


Channel 25700

Frequency (MHz)	Power (dBm)	Limited (dBm)	Polarization
2454.38	-52.31	-13	Vertical
2781.02	-51.62	-13	Vertical
3730.38	-43.64	-13	Vertical
6676.80	-43.85	-13	Horizontal
9964.01	-40.01	-13	Vertical
17822.47	-35.42	-13	Vertical





APPENDIX C -TEST SETUP



Spurious RF Conducted Emissions Test setup



Radiated Spurious Emissions Test setup

Tel: 86-10-5799 6181 Fax: 86-10-5799 6288