

Product Specifications

DB586-Y

Omni Antenna, 890–960 MHz, 360° horizontal beamwidth, fixed electrical tilt



- Light weight, low profile omnidirectional antenna ideal for low to moderate gain applications
- Integral dual purpose mount allows top or side mounting

CHARACTERISTICS

General Specifications

Antenna Type	Omni
Includes	V-bolts
Operating Frequency Band	890 – 960 MHz

Electrical Specifications

Frequency Band, MHz	890–960
Beamwidth, Horizontal, degrees	360
Gain, dBd	6.0
Gain, dBi	8.1
Beamwidth, Vertical, degrees	18.0
Beam Tilt, degrees	0
VSWR Return Loss, db	1.5:1 14.0
Intermodulation Products, 5th Order, 2 x 20 W, dBc	-150
Input Power, maximum, watts	300
Polarization	Vertical
Impedance, ohms	50
Lightning Protection	dc Ground

Product Specifications

DB586-Y



Mechanical Specifications

Color	Horizon blue
Connector Interface	N Female
Connector Location	Bottom
Connector Quantity	1
Wind Loading, maximum	89.4 N @ 100 mph 20.1 lbf @ 100 mph
Wind Speed, maximum	201.2 km/h 125.0 mph

Dimensions

Length	1498.6 mm 59.0 in
Outer Diameter	38.1 mm 1.5 in
Net Weight	3.7 kg 8.3 lb

Regulatory Compliance/Certifications

Agency

RoHS 2002/95/EC
China RoHS SJ/T 11364-2006

Classification

Compliant by Exemption
Above Maximum Concentration Value (MCV)




Product Specifications


DB586-Y



Horizontal Pattern



Vertical Pattern



www.commscope.com/andrew

©2010 CommScope, Inc. All rights reserved.

All trademarks identified by ® or ™ are registered trademarks or trademarks, respectively, of CommScope. All specifications are subject to change. See www.commscope.com/andrew for the most current information.

page 3 of 3
8/6/2010