Appendix A for SHEM180800670001


1.6dB Bandwidth

Test Mode	Test Channel	Ant	EBW[MHz]	Limit	Verdict
11B	2412	Ant1	9.06	0.5	PASS
11B	2437	Ant1	9.04	0.5	PASS
11B	2462	Ant1	16.29	0.5	PASS
11G	2412	Ant1	15.66	0.5	PASS
11G	2437	Ant1	15.94	0.5	PASS
11G	2462	Ant1	16.02	0.5	PASS
11N20SISO	2412	Ant1	17.54	0.5	PASS
11N20SISO	2437	Ant1	17.55	0.5	PASS
11N20SISO	2462	Ant1	17.16	0.5	PASS


















SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.


2.Maximum conducted (average) output power

Test Mode	Test Channel	Ant	Level [dBm]	10log(1/x) Factor[dB]	Power [dBm]	Limit [dBm]	Verdict
11B	2412	Ant1	9.7	0.02	9.72	30	PASS
11B	2437	Ant1	9.11	0.02	9.12	30	PASS
11B	2462	Ant1	9.43	0.10	9.53	30	PASS
11G	2412	Ant1	8.41	0.11	8.52	30	PASS
11G	2437	Ant1	9.5	0.11	9.61	30	PASS
11G	2462	Ant1	9.5	0.11	9.61	30	PASS
11N20SISO	2412	Ant1	7.35	0.11	7.47	30	PASS
11N20SISO	2437	Ant1	8.39	0.12	8.51	30	PASS
11N20SISO	2462	Ant1	8.47	0.12	8.59	30	PASS












Maximum conducted (average) output power_11B_2462_Ant1












Maximum conducted (average) output power_11G_2437_Ant1




Maximum conducted (average) output power_11G_2462_Ant1











Maximum conducted (average) output power_11N20SISO_2437_Ant1



Maximum conducted (average) output power_11N20SISO_2462_Ant1



3.Maximum(average) power spectral density

Test Mode	Test Channel	Ant	Level [dBm/3kHz]	10log(1/x) Factor[dB]	PSD[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
11B	2412	Ant1	-21.08	0.02	-21.06	8.00	PASS
11B	2437	Ant1	-20.32	0.02	-20.30	8.00	PASS
11B	2462	Ant1	-19.31	0.10	-19.21	8.00	PASS
11G	2412	Ant1	-25.36	0.11	-25.25	8.00	PASS
11G	2437	Ant1	-24.49	0.11	-24.38	8.00	PASS
11G	2462	Ant1	-23.21	0.11	-23.10	8.00	PASS
11N20SISO	2412	Ant1	-27.07	0.11	-26.96	8.00	PASS
11N20SISO	2437	Ant1	-25.32	0.12	-25.20	8.00	PASS
11N20SISO	2462	Ant1	-24.16	0.12	-24.04	8.00	PASS






Maximum(average) power spectral density_11B_2437_Ant1



Maximum(average) power spectral density_11B_2462_Ant1








Maximum(average) power spectral density_11G_2437_Ant1



Maximum(average) power spectral density_11G_2462_Ant1





Maximum(average) power spectral density_11N20SISO_2437_Ant1



Maximum(average) power spectral density_11N20SISO_2462_Ant1







4.Band-edge for RF Conducted Emissions

Test Mode	Test Channel	Ant	Carrier Power[dBm]	Max. Spurious Level [dBm]	Limit [dBm]	Verdict
11B	2412	Ant1	1.95	-29.39	-28.05	PASS
11B	2462	Ant1	3.42	-54.90	-26.58	PASS
11G	2412	Ant1	-1.63	-33.02	-31.63	PASS
11G	2462	Ant1	0.23	-42.00	-29.77	PASS
11N20SISO	2412	Ant1	-2.65	-36.67	-32.65	PASS
11N20SISO	2462	Ant1	-0.67	-41.29	-30.67	PASS











5.RF Conducted Spurious Emissions


Test Mode	Test Channel	Ant	StartFre [MHz]	StopFre [MHz]	RBW [kHz]	VBW [kHz]	Pref[dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
11B	2412	Ant1	30	10000	100	300	2.38	-54.62	<- 27.62	PASS
11B	2412	Ant1	10000	26000	100	300	2.382	-44.050	<- 27.618	PASS
11B	2437	Ant1	30	10000	100	300	3.49	-53.75	<- 26.51	PASS
11B	2437	Ant1	10000	26000	100	300	3.494	-42.933	<- 26.506	PASS
11B	2462	Ant1	30	10000	100	300	3.90	-53.12	<- 26.10	PASS
11B	2462	Ant1	10000	26000	100	300	3.904	-43.274	<- 26.096	PASS
11G	2412	Ant1	30	10000	100	300	-2.35	-54.48	<- 32.35	PASS
11G	2412	Ant1	10000	26000	100	300	-2.354	-43.310	<- 32.354	PASS
11G	2437	Ant1	30	10000	100	300	-0.61	-54.16	<- 30.61	PASS
11G	2437	Ant1	10000	26000	100	300	-0.606	-43.448	<- 30.606	PASS
11G	2462	Ant1	30	10000	100	300	-0.02	-53.48	<- 30.02	PASS
11G	2462	Ant1	10000	26000	100	300	-0.024	-42.508	<- 30.024	PASS
11N20SISO	2412	Ant1	30	10000	100	300	-2.51	-54.18	<- 32.51	PASS
11N20SISO	2412	Ant1	10000	26000	100	300	-2.506	-44.454	<- 32.506	PASS
11N20SISO	2437	Ant1	30	10000	100	300	-1.28	-48.74	<- 31.28	PASS
11N20SISO	2437	Ant1	10000	26000	100	300	-1.28	-44.161	<- 31.28	PASS
11N20SISO	2462	Ant1	30	10000	100	300	-0.44	-49.35	<- 30.44	PASS
11N20SISO	2462	Ant1	10000	26000	100	300	-0.435	-44.054	<- 30.435	PASS







































6.Duty Cycle

Test Mode	Test Channel	Ant	Duty Cycle[%]	10log(1/x) Factor[dB]
11B	2412	Ant1	99.62	0.02
11B	2437	Ant1	99.65	0.02
11B	2462	Ant1	97.74	0.10
11G	2412	Ant1	97.57	0.11
11G	2437	Ant1	97.57	0.11
11G	2462	Ant1	97.57	0.11
11N20SISO	2412	Ant1	97.40	0.11
11N20SISO	2437	Ant1	97.22	0.12
11N20SISO	2462	Ant1	97.22	0.12



