
Appendix A for SHEM190701522101


1.6dB Bandwidth

Test Mode	Test	EBW	Limit	Verdict		
Test Mode	1651	Ant1	Ant2	Limit	verdict	
11B	2412	10.07	10.06	0.5	PASS	
11B	2437	10.06	10.03	0.5	PASS	
11B	2462	10.07	10.07	0.5	PASS	
11G	2412	16.58	16.59	0.5	PASS	
11G	2437	16.58	16.58	0.5	PASS	
11G	2462	16.58	16.57	0.5	PASS	
11N20SISO	2412	17.81	17.82	0.5	PASS	
11N20SISO	2437	17.81	17.81	0.5	PASS	
11N20SISO	2462	17.79	17.81	0.5	PASS	
11N40SISO	2422	36.43	36.44	0.5	PASS	
11N40SISO	2437	36.40	36.41	0.5	PASS	
11N40SISO	2452	36.44	36.43	0.5	PASS	






















6dB Bandwidth 11N20SISO 2462 Ant1












6dB Bandwidth 11N40SISO 2452 Ant1










6dB Bandwidth_11G_2412_Ant2




6dB Bandwidth_11G_2437_Ant2




6dB Bandwidth_11G_2462_Ant2






6dB Bandwidth_11N20SISO_2412_Ant2




6dB Bandwidth_11N20SISO_2437_Ant2




6dB Bandwidth_11N20SISO_2462_Ant2






6dB Bandwidth_11N40SISO_2422_Ant2



6dB Bandwidth_11N40SISO_2437_Ant2



6dB Bandwidth_11N40SISO_2452_Ant2




2.Occupied Bandwidth

Took Mode	Took Channal	OBW	1 : i4[N A] 1=1	Vandiat	
Test Mode	Test Channel	Ant1	Ant2	Limit[MHz]	Verdict
11B	2412	15.12	15.12		PASS
11B	2437	15.12	15.10		PASS
11B	2462	15.13	15.13		PASS
11G	2412	16.96	17.00		PASS
11G	2437	16.94	16.97		PASS
11G	2462	16.99	17.01		PASS
11N20SISO	2412	18.03	18.05		PASS
11N20SISO	2437	18.03	18.05		PASS
11N20SISO	2462	18.02	18.05		PASS
11N40SISO	2422	36.59	36.64		PASS
11N40SISO	2437	36.53	36.61		PASS
11N40SISO	2452	36.52	36.62		PASS










































3. Maximum conducted (average) output power

Test	Test	Level [dBm]		_	g(1/x) pr[dB]		Power [dBm]	Limit	Verdict	
Mode	Channel	Ant1	Ant2	Ant1	Ant2	Ant1	Ant2	MIMO	[dBm]	
11B	2412	16.05	15.26	0.00	0.00	16.05	15.26	NA	29.91	PASS
11B	2437	15.84	15.65	0.00	0.00	15.84	15.65	NA	29.91	PASS
11B	2462	15.01	15.42	0.00	0.00	15.01	15.42	NA	29.91	PASS
11G	2412	14.67	14.27	0.00	0.00	14.67	14.27	NA	29.91	PASS
11G	2437	14.53	14.65	0.00	0.00	14.53	14.65	NA	29.91	PASS
11G	2462	13.80	14.36	0.00	0.00	13.80	14.36	NA	29.91	PASS
11N20MIMO	2412	13.52	12.82	0.00	0.00	13.52	12.82	16.19	29.91	PASS
11N20MIMO	2437	13.23	12.16	0.00	0.00	13.23	12.16	15.74	29.91	PASS
11N20MIMO	2462	12.58	12.67	0.00	0.00	12.58	12.67	15.64	29.91	PASS
11N40MIMO	2422	12.06	10.86	0.00	0.00	12.06	10.86	14.51	29.91	PASS
11N40MIMO	2437	11.88	11.74	0.00	0.00	11.88	11.74	14.82	29.91	PASS
11N40MIMO	2452	11.62	11.73	0.00	0.00	11.62	11.73	14.69	29.91	PASS























Maximum conducted (average) output power_11G_2437_Ant1




Maximum conducted (average) output power_11G_2462_Ant1









Maximum conducted (average) output power 11N40MIMO 2437 Ant1





Maximum conducted (average) output power_11N40MIMO_2452_Ant1


























Maximum conducted (average) output power_11G_2437_Ant2




Maximum conducted (average) output power_11G_2462_Ant2












Maximum conducted (average) output power 11N20MIMO 2437 Ant2



Maximum conducted (average) output power_11N20MIMO_2462_Ant2





-63.91 dBm /Hz

11.73 dBm / 36.62 MHz

Freq Offset



4.Maximum(average) power spectral density

Test	Test Chann	_	vel '3kHz]		og(1/x) tor[dB]	PS	D[dBm/3l	κHz]	Limit[dBm/3k	Verdic
Mode	el	Ant1	Ant2	Ant1	Ant2	Ant1	Ant2	MIMO	Hz]	Voido
11B	2412	-16.72	-17.51	0.00	0.00	-16.72	-17.51	NA	7.91	PASS
11B	2437	-16.93	-17.08	0.00	0.00	-16.93	-17.08	NA	7.91	PASS
11B	2462	-17.78	-17.32	0.00	0.00	-17.78	-17.32	NA	7.91	PASS
11G	2412	-19.97	-20.55	0.00	0.00	-19.97	-20.55	NA	7.91	PASS
11G	2437	-20.26	-19.99	0.00	0.00	-20.26	-19.99	NA	7.91	PASS
11G	2462	-20.91	-20.14	0.00	0.00	-20.91	-20.14	NA	7.91	PASS
11N20MIMO	2412	-21.72	-22.46	0.00	0.00	-21.72	-22.46	-19.06	7.91	PASS
11N20MIMO	2437	-21.93	-22.97	0.00	0.00	-21.93	-22.97	-19.41	7.91	PASS
11N20MIMO	2462	-22.52	-22.28	0.00	0.00	-22.52	-22.28	-19.39	7.91	PASS
11N40MIMO	2422	-26.21	-27.41	0.00	0.00	-26.21	-27.41	-23.76	7.91	PASS
11N40MIMO	2437	-26.25	-26.44	0.00	0.00	-26.25	-26.44	-23.33	7.91	PASS
11N40MIMO	2452	-26.63	-26.58	0.00	0.00	-26.63	-26.58	-23.59	7.91	PASS





Maximum(average) power spectral density_11B_2437_Ant1

#VBW 10 kHz*




Maximum(average) power spectral density_11B_2462_Ant1



Center 2.41200 GHz #Res BW 3.0 kHz


SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.




Maximum(average) power spectral density_11G_2437_Ant1


#VBW 10 kHz*

Span 33.92 MHz #Sweep 60.00 s (2001 pts)




Maximum(average) power spectral density_11G_2462_Ant1







Maximum(average) power spectral density_11N20MIMO_2437_Ant1




Maximum(average) power spectral density_11N20MIMO_2462_Ant1







Maximum(average) power spectral density_11N40MIMO_2437_Ant1



Maximum(average) power spectral density_11N40MIMO_2452_Ant1











Maximum(average) power spectral density_11B_2437_Ant2




Maximum(average) power spectral density_11B_2462_Ant2









Maximum(average) power spectral density_11N20MIMO_2437_Ant2



Maximum(average) power spectral density_11N20MIMO_2462_Ant2





Maximum(average) power spectral density_11N40MIMO_2437_Ant2



Maximum(average) power spectral density_11N40MIMO_2452_Ant2






5.Band-edge for RF Conducted Emissions


Test	Test Channel	Carrier Po	ower[dBm]	•	rious Level Bm]	Li [dl	Verdict	
Mode		Ant1	Ant2	Ant1	Ant2	Ant1	Ant2	Vordiot
11B	2412	6.26	5.54	-29.62	-30.85	-23.74	-24.47	PASS
11B	2462	5.17	5.62	-52.81	-53.72	-24.83	-24.38	PASS
11G	2412	0.22	-0.19	-32.01	-32.82	-29.79	-30.19	PASS
11G	2462	-0.62	-0.09	-43.37	-42.76	-30.62	-30.09	PASS
11N20SISO	2412	-0.97	-1.43	-32.73	-32.76	-30.97	-31.43	PASS
11N20SISO	2462	-1.62	-1.50	-43.04	-40.00	-31.62	-31.50	PASS
11N40SISO	2422	-5.26	-6.70	-36.23	-38.32	-35.26	-36.70	PASS
11N40SISO	2452	-5.45	-5.29	-40.68	-38.47	-35.45	-35.29	PASS


















Band-edge for RF Conducted Emissions_11B_2412_Ant2





Band-edge for RF Conducted Emissions_11B_2462_Ant2



Band-edge for RF Conducted Emissions_11G_2412_Ant2




Band-edge for RF Conducted Emissions_11G_2462_Ant2






Band-edge for RF Conducted Emissions_11N20SISO_2412_Ant2



Band-edge for RF Conducted Emissions_11N20SISO_2462_Ant2



Band-edge for RF Conducted Emissions_11N40SISO_2422_Ant2



6.RF Conducted Spurious Emissions

Test Mode	Test	StartFre				Pref[dBm]		Level Bm]	Li [dE	Verdict	
Took mode	Channel	[MHz]	[MHz]	[kHz]	[kHz]	Ant1	Ant2	Ant1	Ant2	Ant1	Ant2	Voralist
11B	2412	30	10000	100	300	6.15	5.47	-29.05	-41.67	<- 23.85	<- 24.53	PASS
11B	2412	10000	26000	100	300	6.148	5.467	-42.776	-44.573	<- 23.852	<- 24.533	PASS
11B	2437	30	10000	100	300	6.04	5.92	-29.33	-41.49	<- 23.97	<- 24.08	PASS
11B	2437	10000	26000	100	300	6.035	5.924	-43.652	-43.318	<- 23.965	<- 24.076	PASS
11B	2462	30	10000	100	300	5.16	5.65	-30.88	-43.09	<- 24.84	<- 24.35	PASS
11B	2462	10000	26000	100	300	5.159	5.647	-43.643	-43.779	<- 24.841	<- 24.353	PASS
11G	2412	30	10000	100	300	0.11	-0.22	-41.81	-53.34	<- 29.89	<- 30.22	PASS
11G	2412	10000	26000	100	300	0.114	-0.222	-44.500	-44.614	<- 29.886	<- 30.222	PASS
11G	2437	30	10000	100	300	0.05	0.09	-41.03	-53.51	<- 29.95	<- 29.92	PASS
11G	2437	10000	26000	100	300	0.05	0.085	-43.849	-43.324	<- 29.95	<- 29.915	PASS
11G	2462	30	10000	100	300	-0.55	-0.19	-43.36	-52.42	<- 30.55	<- 30.19	PASS
11G	2462	10000	26000	100	300	-0.554	-0.19	-43.198	-43.652	<- 30.554	<- 30.19	PASS
11N20SISO	2412	30	10000	100	300	-0.82	-1.47	-43.01	-53.67	<- 30.82	<- 31.47	PASS
11N20SISO	2412	10000	26000	100	300	-0.817	-1.468	-44.799	-44.046	<- 30.817	<- 31.468	PASS
11N20SISO	2437	30	10000	100	300	-0.99	-1.90	-41.90	-53.63	<- 30.99	<- 31.90	PASS
11N20SISO	2437	10000	26000	100	300	-0.99	-1.897	-43.718	-42.892	<- 30.99	<- 31.897	PASS
11N20SISO	2462	30	10000	100	300	-1.82	-1.41	-44.66	-54.04	<- 31.82	<- 31.41	PASS
11N20SISO	2462	10000	26000	100	300	-1.823	-1.414	-44.350	-42.850	<- 31.823	<- 31.414	PASS
11N40SISO	2422	30	10000	100	300	-5.21	-6.40	-48.81	-53.94	<- 35.21	<- 36.40	PASS
11N40SISO	2422	10000	26000	100	300	-5.209	-6.401	-43.496	-44.322	<- 35.209	<- 36.401	PASS
11N40SISO	2437	30	10000	100	300	-5.34	-5.22	-47.86	-53.92	<- 35.34	<- 35.22	PASS
11N40SISO	2437	10000	26000	100	300	-5.336	-5.222	-42.937	-44.337	<- 35.336	<- 35.222	PASS



11N40SISO	2452	30	10000	100	300	-5.50	-5.26	-48.24	-52.66	<- 35.50	<- 35.26	PASS
11N40SISO	2452	10000	26000	100	300	-5.501	-5.258	-43.864	-43.521	<- 35.501	<- 35.258	PASS