

10 6 dB Bandwidth

Test Requirement: FCC CFR47 Part 15 Section 15.407 and Part 2.1049

KDB662911 D01 Multiple Transmitter Output v02r01

Test Method: KDB789033 D02 General UNII Test Procedures New Rules v01

Section C

Test Limit: ≥ 500 kHz

Test Result: PASS

10.1 Test Procedure:

1. Remove the antenna from the EUT and then connect a low RF cable from the antenna port to the spectrum;

2. Set the spectrum analyzer: RBW = 100kHz, VBW = 300kHz

10.2 Test Result:

	Operation	6 dB Bandwidth (MHz)					
Band	mode	Low	Middle	High			
	802.11a	16.50	16.38	16.41			
	802.11n(HT20)	17.67	17.67	17.64			
ANT0	802.11n(HT40)	36.42	1	36.44			
Band IV	802.11ac(HT20)	17.67	17.67	17.64			
	802.11ac(HT40)	36.42	1	36.44			
	802.11ac(HT80)	76.32	1	1			
	802.11a	16.38	16.41	16.44			
	802.11n(HT20)	17.58	17.04	17.31			
ANT1	802.11n(HT40)	35.94	1	36.18			
Band IV	802.11ac(HT20)	17.22	17.25	17.34			
	802.11ac(HT40)	36.48	1	36.42			
	802.11ac(HT80)	76.08	/	1			




Test result plots shown as follows:

ANT0


802.11a band IV Low channel




802.11a band IV Middle channel



















































ANT1


802.11a band IV Low channel




802.11a band IV Middle channel



















































11 26 dB Bandwidth and 99% Occupied Bandwidth

Test Requirement: 47 CFR Part 15C Section 15.407 (a)

KDB662911 D01 Multiple Transmitter Output v02r01

Test Method: KDB789033 D02 General UNII Test Procedures New Rules v01

Section D

Test Limit: No restriction limits

Test Result: PASS

11.1 Test Procedure:

1. Remove the antenna from the EUT and then connect a low RF cable from the antenna port to the spectrum;

2. Set the spectrum analyzer: RBW = 100kHz, VBW = 300kHz



11.2 Test Result:

	Operation	26 dB Bandwidth (MHz)		99% Bandwidth (MHz)			
Band	mode	Low	Middle	High	Low	Middle	High
	802.11a	21.52	21.45	21.69	16.92	16.93	16.93
	802.11n(HT20)	21.77	21.98	21.77	18.01	17.98	17.99
ANT0	802.11n(HT40)	40.41	1	40.29	35.93	1	35.92
Band I	802.11ac(HT20)	21.92	21.81	21.80	17.97	17.98	17.92
	802.11ac(HT40)	40.26	1	40.76	36.36	1	36.34
	802.11ac(HT80)	81.63	1	1	75.70	1	1
	802.11a	21.72	21.83	21.71	16.85	16.91	16.88
	802.11n(HT20)	21.77	21.74	21.81	17.91	17.93	17.94
ANT0	802.11n(HT40)	40.01	1	40.30	36.31	1	36.33
Band IV	802.11ac(HT20)	21.83	21.78	21.88	17.92	17.93	17.95
	802.11ac(HT40)	40.16	1	40.50	36.33	1	36.33
	802.11ac(HT80)	81.86	1	1	75.90	1	1
	802.11a	21.41	21.49	21.53	16.84	16.86	16.86
	802.11n(HT20)	21.76	21.84	21.71	17.97	17.95	17.96
ANT1	802.11n(HT40)	40.10	1	40.13	36.34	1	36.36
Band I	802.11ac(HT20)	21.95	21.74	21.64	17.97	17.97	17.94
	802.11ac(HT40)	40.10	1	39.98	36.32	1	36.37
	802.11ac(HT80)	82.02	1	1	75.71	1	1
	802.11a	21.53	21.61	21.54	16.81	16.91	16.86
	802.11n(HT20)	21.70	21.70	21.79	17.98	17.98	17.97
ANT1	802.11n(HT40)	40.07	1	40.64	36.35	1	36.43
Band IV	802.11ac(HT20)	21.84	21.74	21.98	17.95	17.99	17.97
	802.11ac(HT40)	40.28	1	40.21	36.34	1	36.41
	802.11ac(HT80)	82.16	1	1	75.85	1	1



Test result plots shown as follows:

ANT0


802.11a band I Low channel




802.11a band I Middle channel











































































































ANT1

802.11a band I Low channel



802.11a band I Middle channel

