



**1.76. LTE Peak to Average Ratio(NTNV)(Subtest:76, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	4.35	13	Pass




**1.77. LTE Peak to Average Ratio(NTNV)(Subtest:77, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	4.09	13	Pass




**1.78. LTE Peak to Average Ratio(NTNV)(Subtest:78, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	6.04	13	Pass




**1.79. LTE Peak to Average Ratio(NTNV)(Subtest:79, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	5.93	13	Pass



**1.80. LTE Peak to Average Ratio(NTNV)(Subtest:80, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	5.85	13	Pass



Average Power  
20.34 dBm  
45.93 % at 0dB

10.0 %	2.81 dB
1.0 %	4.77 dB
0.1 %	5.85 dB
0.01 %	6.47 dB
0.001 %	6.70 dB
0.0001 %	6.78 dB
Peak	6.81 dB
	27.15 dBm

Center Freq 2.565000001 GHz  
Trig: Free Run Counts:1.00 M/1.00 Mpt  
#IFGain:Low #Atten: 40 dB

Gaussian

100 %  
10 %  
1 %  
0.1 %  
0.01 %  
0.001 %  
0.0001 %

0 dB 20 dB


Info BW 10.000 MHz

MSG STATUS

Frequency  
Center Freq 2.565000001 GHz  
CF Step 5.000000 MHz Man  
Freq Offset 0 Hz


**1.81. LTE Peak to Average Ratio(NTNV)(Subtest:81, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	5.9	13	Pass




**1.82. LTE Peak to Average Ratio(NTNV)(Subtest:82, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	5.26	13	Pass




**1.83. LTE Peak to Average Ratio(NTNV)(Subtest:83, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	5	13	Pass




**1.84. LTE Peak to Average Ratio(NTNV)(Subtest:84, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	4.84	13	Pass



**1.85. LTE Peak to Average Ratio(NTNV)(Subtest:85, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.58	13	Pass



Average Power  
**21.34 dBm**  
**47.16 % at 0dB**

10.0 %	2.41 dB
1.0 %	4.50 dB
0.1 %	5.58 dB
0.01 %	6.02 dB
0.001 %	6.66 dB
0.0001 %	6.90 dB
Peak	6.90 dB
	28.24 dBm

Center Freq 2.507500000 GHz      Center Freq: 2.507500000 GHz      Radio Std: None  
Trig: Free Run      Counts: 1.00 M/1.00 Mpt  
#IFGain:Low      #Atten: 40 dB

Gaussian

Frequency


CF Step 5.000000 MHz  
Auto Man

Freq Offset 0 Hz

MSG STATUS


**1.86. LTE Peak to Average Ratio(NTNV)(Subtest:86, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.12	13	Pass




**1.87. LTE Peak to Average Ratio(NTNV)(Subtest:87, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.1	13	Pass




**1.88. LTE Peak to Average Ratio(NTNV)(Subtest:88, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.21	13	Pass




**1.89. LTE Peak to Average Ratio(NTNV)(Subtest:89, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	4.21	13	Pass




**1.90. LTE Peak to Average Ratio(NTNV)(Subtest:90, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	4.39	13	Pass




**1.91. LTE Peak to Average Ratio(NTNV)(Subtest:91, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	4.62	13	Pass




**1.92. LTE Peak to Average Ratio(NTNV)(Subtest:92, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	6.09	13	Pass



**1.93. LTE Peak to Average Ratio(NTNV)(Subtest:93, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.82	13	Pass




Average Power  
20.34 dBm  
45.22 % at 0dB

10.0 %	2.94 dB
1.0 %	4.76 dB
0.1 %	5.82 dB
0.01 %	6.61 dB
0.001 %	6.98 dB
0.0001 %	7.15 dB
Peak	7.16 dB
	27.50 dBm

Info BW 15.000 MHz

**1.94. LTE Peak to Average Ratio(NTNV)(Subtest:94, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.78	13	Pass



**1.95. LTE Peak to Average Ratio(NTNV)(Subtest:95, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.9	13	Pass

Keysight Spectrum Analyzer - Power Stat CCDF

RL RF 50 Ω AC INT REF ALIGN OFF 03:02:03 下午 五月 30, 201

Center Freq 2.507500000 GHz Center Freq: 2.507500000 GHz Radio Std: None  
Trig: Free Run Counts: 1.00 M/1.00 Mpt  
#IFGain:Low #Atten: 40 dB

Average Power 20.21 dBm  
44.88 % at 0dB

10.0 % 2.95 dB  
1.0 % 4.80 dB  
0.1 % 5.90 dB  
0.01 % 6.74 dB  
0.001 % 7.17 dB  
0.0001 % 7.32 dB  
Peak 7.33 dB  
27.54 dBm

Gaussian




0 dB 20 dB  
Info BW 15.000 MHz

Frequency  
Center Freq 2.507500000 GHz  
CF Step 5.000000 MHz  
Auto Man  
Freq Offset 0 Hz

MSG STATUS

**1.96. LTE Peak to Average Ratio(NTNV)(Subtest:96, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	4.99	13	Pass



Average Power  
**21.49 dBm**  
46.17 % at 0dB

10.0 %	2.74 dB
1.0 %	4.49 dB
0.1 %	4.99 dB
0.01 %	5.14 dB
0.001 %	5.20 dB
0.0001 %	5.23 dB
Peak	5.25 dB
	26.74 dBm

Center Freq 2.507500000 GHz      Center Freq: 2.507500000 GHz      Radio Std: None  
Trig: Free Run      Counts: 1.00 M/1.00 Mpt  
#IFGain:Low      #Atten: 40 dB

Gaussian

100 %  
10 %  
1 %  
0.1 %  
0.01 %  
0.001 %  
0.0001 %


0 dB      20 dB

Info BW 15.000 MHz

MSG STATUS


**1.97. LTE Peak to Average Ratio(NTNV)(Subtest:97, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.16	13	Pass




**1.98. LTE Peak to Average Ratio(NTNV)(Subtest:98, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.46	13	Pass




**1.99. LTE Peak to Average Ratio(NTNV)(Subtest:99, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.7	13	Pass




**1.100. LTE Peak to Average Ratio(NTNV)(Subtest:100, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.22	13	Pass




**1.101. LTE Peak to Average Ratio(NTNV)(Subtest:101, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.18	13	Pass




**1.102. LTE Peak to Average Ratio(NTNV)(Subtest:102, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.26	13	Pass




**1.103. LTE Peak to Average Ratio(NTNV)(Subtest:103, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.73	13	Pass




**1.104. LTE Peak to Average Ratio(NTNV)(Subtest:104, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.71	13	Pass




**1.105. LTE Peak to Average Ratio(NTNV)(Subtest:105, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.71	13	Pass




**1.106. LTE Peak to Average Ratio(NTNV)(Subtest:106, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.15	13	Pass




**1.107. LTE Peak to Average Ratio(NTNV)(Subtest:107, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.98	13	Pass




**1.108. LTE Peak to Average Ratio(NTNV)(Subtest:108, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.91	13	Pass




**1.109. LTE Peak to Average Ratio(NTNV)(Subtest:109, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.95	13	Pass




**1.110. LTE Peak to Average Ratio(NTNV)(Subtest:110, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.5	13	Pass




**1.111. LTE Peak to Average Ratio(NTNV)(Subtest:111, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.53	13	Pass




**1.112. LTE Peak to Average Ratio(NTNV)(Subtest:112, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.44	13	Pass




**1.113. LTE Peak to Average Ratio(NTNV)(Subtest:113, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.63	13	Pass




**1.114. LTE Peak to Average Ratio(NTNV)(Subtest:114, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.17	13	Pass




**1.115. LTE Peak to Average Ratio(NTNV)(Subtest:115, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.07	13	Pass




**1.116. LTE Peak to Average Ratio(NTNV)(Subtest:116, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.15	13	Pass



**1.117. LTE Peak to Average Ratio(NTNV)(Subtest:117, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	4.41	13	Pass



**1.118. LTE Peak to Average Ratio(NTNV)(Subtest:118, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	4.3	13	Pass

Keysight Spectrum Analyzer - Power Stat CCDF

RL RF 50 Ω AC INT REF ALIGN OFF 03:03:43 下午 五月 30, 201

Center Freq 2.562500001 GHz Center Freq: 2.562500001 GHz Radio Std: None  
Trig: Free Run Counts: 1.00 M/1.00 Mpt  
#IFGain:Low #Atten: 40 dB

Average Power 22.08 dBm  
49.46 % at 0dB

10.0 % 2.40 dB  
1.0 % 3.77 dB  
0.1 % 4.30 dB  
0.01 % 4.56 dB  
0.001 % 4.63 dB  
0.0001 % 4.66 dB  
Peak 4.67 dB  
26.75 dBm

Gaussian




0.0001 % 0 dB 20 dB  
Info BW 15.000 MHz

Frequency  
Center Freq 2.562500001 GHz  
CF Step 5.000000 MHz  
Auto Man  
Freq Offset 0 Hz

MSG STATUS


**1.119. LTE Peak to Average Ratio(NTNV)(Subtest:119, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	3.9	13	Pass




**1.120. LTE Peak to Average Ratio(NTNV)(Subtest:120, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	6.12	13	Pass




**1.121. LTE Peak to Average Ratio(NTNV)(Subtest:121, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	6.02	13	Pass




**1.122. LTE Peak to Average Ratio(NTNV)(Subtest:122, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.88	13	Pass




**1.123. LTE Peak to Average Ratio(NTNV)(Subtest:123, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:HIGH)**




**1.124. LTE Peak to Average Ratio(NTNV)(Subtest:124, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.4	13	Pass




**1.125. LTE Peak to Average Ratio(NTNV)(Subtest:125, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.26	13	Pass



**1.126. LTE Peak to Average Ratio(NTNV)(Subtest:126, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	4.82	13	Pass



Average Power  
21.50 dBm  
46.49 % at 0dB

10.0 %	2.78 dB
1.0 %	4.48 dB
0.1 %	4.82 dB
0.01 %	4.91 dB
0.001 %	4.96 dB
0.0001 %	4.98 dB
Peak	5.02 dB
	26.52 dBm


Center Freq  
2.562500001 GHz

CF Step  
5.000000 MHz

Freq Offset  
0 Hz


**1.127. LTE Peak to Average Ratio(NTNV)(Subtest:127, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.35	13	Pass




**1.128. LTE Peak to Average Ratio(NTNV)(Subtest:128, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.13	13	Pass




**1.129. LTE Peak to Average Ratio(NTNV)(Subtest:129, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.12	13	Pass




**1.130. LTE Peak to Average Ratio(NTNV)(Subtest:130, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.27	13	Pass




**1.131. LTE Peak to Average Ratio(NTNV)(Subtest:131, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	4.19	13	Pass



**1.132. LTE Peak to Average Ratio(NTNV)(Subtest:132, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:MID)**


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	4.38	13	Pass



10.0 %	2.38 dB
1.0 %	3.81 dB
0.1 %	4.38 dB
0.01 %	4.65 dB
0.001 %	4.82 dB
0.0001 %	4.84 dB
Peak	4.85 dB
	26.78 dBm


**1.133. LTE Peak to Average Ratio(NTNV)(Subtest:133, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	4.64	13	Pass




**1.134. LTE Peak to Average Ratio(NTNV)(Subtest:134, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	6.02	13	Pass




**1.135. LTE Peak to Average Ratio(NTNV)(Subtest:135, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.87	13	Pass




**1.136. LTE Peak to Average Ratio(NTNV)(Subtest:136, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.88	13	Pass




**1.137. LTE Peak to Average Ratio(NTNV)(Subtest:137, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.94	13	Pass




**1.138. LTE Peak to Average Ratio(NTNV)(Subtest:138, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	4.98	13	Pass




**1.139. LTE Peak to Average Ratio(NTNV)(Subtest:139, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.21	13	Pass




**1.140. LTE Peak to Average Ratio(NTNV)(Subtest:140, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.51	13	Pass




**1.141. LTE Peak to Average Ratio(NTNV)(Subtest:141, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.4	13	Pass




**1.142. LTE Peak to Average Ratio(NTNV)(Subtest:142, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.23	13	Pass




**1.143. LTE Peak to Average Ratio(NTNV)(Subtest:143, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.2	13	Pass




**1.144. LTE Peak to Average Ratio(NTNV)(Subtest:144, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.28	13	Pass




**1.145. LTE Peak to Average Ratio(NTNV)(Subtest:145, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.66	13	Pass




**1.146. LTE Peak to Average Ratio(NTNV)(Subtest:146, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.69	13	Pass




**1.147. LTE Peak to Average Ratio(NTNV)(Subtest:147, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.6	13	Pass




**1.148. LTE Peak to Average Ratio(NTNV)(Subtest:148, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.11	13	Pass



**1.149. LTE Peak to Average Ratio(NTNV)(Subtest:149, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.98	13	Pass



**1.150. LTE Peak to Average Ratio(NTNV)(Subtest:150, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:MID)**

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.96	13	Pass

