


# Indoor Air Detector Manual

## 1、Introduce



## 3、Working mode

- 1、Directly
- 2、Network
- 3、Cloud

## 4、Directly Setting

Mainly is connected directly to WIAIR through the phone App.



Phone




WIAIR  
Indoor Air Detector

- 1、Confirm WIAIR the WiFi light flashing。
- 2、Open the phone WiFi configuration, connected WisensorXXX。
- 3、Open WIAIR APP。
- 4、Display the data。



## 5、Network Setting

1、 Network model is to directly after configure the WIAIR, WIAIR by smart phones with wireless router interactive communication, WIAIR obtained by wireless router IP address, if the router does not have a DHCP automatically assign IP function, you need to configure static IP address. Please note that only in the network mode, and wireless router to be able to access the Internet, E-mail (SMS) alarm can work normally。



- 1、 Through direct mode is connected to the first WIAIR, and open the APP。
- 2、 Click on the configuration, enter the "network Setting" interface, After the completion of the configuration , please click "save".

Location: the location of the WIAIR installation, such as: the sitting room, bedroom, kitchen, etc

SSID: wireless router SSID name.

Password: wireless router WiFi password.

DHCP: unite by the wireless router to WIAIR to assign IP addresses.

Static: custom IP address

(Note: if the name and password error because wireless mobile access to WIAIR data, please long press air treasure Reset button for 5 seconds until the WiFi light flash, reconfiguration into direct mode)

3、Click on “Alarm setting”, After the completion of the configuration , please click "save".

Outbox: commonly used the sender address, support SMTP email (such as: QQ mailbox, 163 mailbox)

password: fill in passwords.

Inbox: fill in the address, can receive E-mail address .

(note: if you need to support mobile phone message, please fill out the reminder email

address phone support, such as 139 email)

Infrared protection: protection on the human body induction infrared detection, and send alarm information to the appropriate email (SMS)

Air alarm: the air more than standard information set (attached) sent to the corresponding email (SMS)

#### FCC Certification Requirements

Caution: Any changes or modifications in construction of this device which are not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons.