CH38


```
                                    * RBW  1 MHz      Marker 1 [T1 ]
                                    * VBW  3 MHz               1.63 dBm
    Ref  30 dBm       * Att  40 dB  SWT 20 ms         5.197400000 GHz
   30  Offset  3 dB                                                    A
-20
                                                                      LVL
-10
 0                    ᴍᴍᴍ  ᴍᴍᴍᴍᴍᴍ  ᴍᴍᴍᴍᴍᴍᴍ
-10
-20                                                                   3DB
       SWP   100 of  100
-30

-40

-50

-60

-70
   Center 5.19 GHz              10 MHz/           Span 100 MHz
```

Date: 1.MAR.2018 16:07:38

CH46


```
                                    * RBW  1 MHz      Marker 1 [T1 ]
                                    * VBW  3 MHz              -0.09 dBm
    Ref  30 dBm       * Att  40 dB  SWT 20 ms         5.235400000 GHz
   30  Offset  3 dB                                                    A
-20
                                                                      LVL
-10
 0                       ᴍᴍᴍᴍᴍ  ᴍᴍᴍᴍᴍ
-10
-20
       SWP   100 of  100                                              3DB
-30

-40

-50

-60

-70
   Center 5.23 GHz              10 MHz/           Span 100 MHz
```

Date: 1.MAR.2018 16:08:49

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.13	0.57	2.70	14.18
CH46	5230	1.45	0.57	2.02	14.18

CH38

* RBW 1 MHz   Marker 1 [T1]
* VBW 3 MHz   2.13 dBm
SWT 20 ms   5.196200000 GHz

Ref 30 dBm   * Att 40 dB

30 Offset 3 dB

Center 5.19 GHz   10 MHz/   Span 100 MHz

Date: 1.MAR.2018 16:22:49

CH46

* RBW 1 MHz   Marker 1 [T1]
* VBW 3 MHz   1.45 dBm
SWT 20 ms   5.235400000 GHz

Ref 30 dBm   * Att 40 dB

30 Offset 3 dB

Center 5.23 GHz   10 MHz/   Span 100 MHz

Date: 1.MAR.2018 16:24:22

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	8.02	14.18
CH46	5230	6.39	14.18

| Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-5.26	0.25	-5.01	27.18
CH157	5785	-5.26	0.25	-5.01	27.18
CH165	5825	-6.11	0.25	-5.86	27.18

TX CH149

Date: 1.MAR.2018 11:32:48

TX CH157


```
                                    *RBW 1 MHz      Marker 1 [T1 ]
                                    *VBW 3 MHz                  -5.26 dBm
        Ref  30 dBm      *Att  40 dB   SWT 20 ms        5.788900000 GHz
```

```
Date: 1.MAR.2018  11:34:03
```

TX CH165


```
                                    *RBW 1 MHz      Marker 1 [T1 ]
                                    *VBW 3 MHz                  -6.11 dBm
        Ref  30 dBm      *Att  40 dB   SWT 20 ms        5.820400000 GHz
```

```
Date: 1.MAR.2018  11:35:06
```

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-4.85	0.25	-4.60	27.18
CH157	5785	-5.24	0.25	-4.99	27.18
CH165	5825	-6.42	0.25	-6.17	27.18

TX CH149

Date: 1.MAR.2018 11:51:01

TX CH157


```
                                    *RBW  1 MHz    Marker 1 [T1 ]
                                    *VBW  3 MHz              -5.24 dBm
        Ref  30 dBm    *Att  40 dB   SWT 20 ms       5.781400000 GHz
```

Date: 1.MAR.2018 11:52:15

TX CH165


```
                                    *RBW  1 MHz    Marker 1 [T1 ]
                                    *VBW  3 MHz              -6.42 dBm
        Ref  30 dBm    *Att  40 dB   SWT 20 ms       5.820100000 GHz
```

Date: 1.MAR.2018 11:53:40

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-5.99	0.25	-5.74	27.18
CH157	5785	-5.96	0.25	-5.71	27.18
CH165	5825	-6.47	0.25	-6.22	27.18

TX CH149

Date: 1.MAR.2018 13:52:50

TX CH157


```
                                          *RBW 1 MHz      Marker 1 [T1 ]
                                          *VBW 3 MHz                -5.96 dBm
        Ref  30 dBm        *Att  40 dB    SWT 20 ms         5.782600000 GHz
```

Date: 1.MAR.2018 13:54:55

TX CH165


```
                                          *RBW 1 MHz      Marker 1 [T1 ]
                                          *VBW 3 MHz                -6.47 dBm
        Ref  30 dBm        *Att  40 dB    SWT 20 ms         5.820800000 GHz
```

Date: 1.MAR.2018 13:56:22

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-3.79	0.25	-3.54	27.18
CH157	5785	-3.96	0.25	-3.71	27.18
CH165	5825	-4.60	0.25	-4.35	27.18

TX CH149

Date: 1.MAR.2018 14:07:48

TX CH157


```
                              *RBW  1 MHz      Marker 1 [T1 ]
                              *VBW  3 MHz                -3.96 dBm
      Ref  30 dBm    *Att  40 dB    SWT  20 ms      5.788800000 GHz
```

Date: 1.MAR.2018 14:08:51

TX CH165


```
                              *RBW  1 MHz      Marker 1 [T1 ]
                              *VBW  3 MHz                -4.60 dBm
      Ref  30 dBm    *Att  40 dB    SWT  20 ms      5.820400000 GHz
```

Date: 1.MAR.2018 14:10:10

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165_Total

| Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.37	27.18
CH157	5785	1.22	27.18
CH165	5825	0.44	27.18

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-5.80	0.24	-5.56	27.18
CH157	5785	-5.89	0.24	-5.65	27.18
CH165	5825	-6.82	0.24	-6.58	27.18

TX CH149

Date: 1.MAR.2018 15:33:34

TX CH157

```
                                          * RBW  1 MHz      Marker 1 [T1 ]
                                          * VBW  3 MHz                -5.89 dBm
          Ref  30 dBm        * Att  40 dB    SWT 20 ms       5.789800000 GHz
```



```
  30
 -20                                                                          A
-10
  0
-10
-20
      SWP   100 of  100                                                      3DB
-30
-40
-50
-60
-70
      Center 5.785 GHz              5 MHz/              Span 50 MHz
```

Date: 1.MAR.2018 15:34:31

TX CH165

```
                                          * RBW  1 MHz      Marker 1 [T1 ]
                                          * VBW  3 MHz                -6.82 dBm
          Ref  30 dBm        * Att  40 dB    SWT 20 ms       5.820400000 GHz
```



```
  30
 -20                                                                          A
-10
  0
-10
-20
      SWP   100 of  100                                                      3DB
-30
-40
-50
-60
-70
      Center 5.825 GHz              5 MHz/              Span 50 MHz
```

Date: 1.MAR.2018 15:35:47

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-5.99	0.24	-5.75	27.18
CH157	5785	-5.75	0.24	-5.51	27.18
CH165	5825	-6.75	0.24	-6.51	27.18

TX CH149

Date: 1.MAR.2018 14:59:45

TX CH157

Center 5.785 GHz   5 MHz/   Span 50 MHz

Date: 1.MAR.2018 15:00:42

TX CH165

Center 5.825 GHz   5 MHz/   Span 50 MHz

Date: 1.MAR.2018 15:01:45

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-3.78	0.24	-3.54	27.18
CH157	5785	-4.23	0.24	-3.99	27.18
CH165	5825	-5.12	0.24	-4.88	27.18

TX CH149

Date: 1.MAR.2018 14:41:55

TX CH157

RBW 1 MHz Marker 1 [T1]
VBW 3 MHz -4.23 dBm
Ref 30 dBm Att 40 dB SWT 20 ms 5.788300000 GHz

Center 5.785 GHz 5 MHz/ Span 50 MHz

Date: 1.MAR.2018 14:42:53

TX CH165

RBW 1 MHz Marker 1 [T1]
VBW 3 MHz -5.12 dBm
Ref 30 dBm Att 40 dB SWT 20 ms 5.820400000 GHz

Center 5.825 GHz 5 MHz/ Span 50 MHz

Date: 1.MAR.2018 14:44:05

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-3.49	0.24	-3.25	27.18
CH157	5785	-4.11	0.24	-3.87	27.18
CH165	5825	-5.09	0.24	-4.85	27.18

TX CH149

Date: 1.MAR.2018 14:23:06

TX CH157

Date: 1.MAR.2018 14:24:02

TX CH165

Date: 1.MAR.2018 14:25:06

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
		Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total	
CH149	5745	1.64	27.18
CH157	5785	1.34	27.18
CH165	5825	0.40	27.18

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1

| Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-6.11	0.57	-5.54	27.18
CH159	5795	-7.35	0.57	-6.78	27.18

TX CH151

Date: 1.MAR.2018 15:50:24

TX CH159

Date: 1.MAR.2018 15:51:58

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-6.92	0.57	-6.35	27.18
CH159	5795	-8.57	0.57	-8.00	27.18

TX CH151


```
                                              *RBW  1 MHz    Marker 1 [T1 ]
                                              *VBW  3 MHz              -6.92 dBm
             Ref  30 dBm        *Att  40 dB    SWT 20 ms       5.758400000 GHz
```

Date: 1.MAR.2018   16:04:13

TX CH159


```
                                              *RBW  1 MHz    Marker 1 [T1 ]
                                              *VBW  3 MHz              -8.57 dBm
             Ref  30 dBm        *Att  40 dB    SWT 20 ms       5.801200000 GHz
```

Date: 1.MAR.2018   16:05:32

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-6.88	0.57	-6.31	27.18
CH159	5795	-7.63	0.57	-7.06	27.18

TX CH151

Date: 1.MAR.2018 16:17:08

TX CH159

Date: 1.MAR.2018 16:18:25

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-5.05	0.57	-4.48	27.18
CH159	5795	-5.35	0.57	-4.78	27.18

TX CH151

Date: 1.MAR.2018 16:58:00

TX CH159

Date: 1.MAR.2018 16:59:54

| **Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total**			
Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	0.42	27.18
CH159	5795	-0.46	27.18

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.54	0.32	3.86	14.18
CH40	5200	2.54	0.32	2.86	14.18
CH48	5240	2.72	0.32	3.04	14.18

CH36

Date: 2.MAR.2018 10:12:36

CH40


```
                                      *RBW  1 MHz     Marker 1 [T1 ]
                                      *VBW  3 MHz                2.54 dBm
     Ref  30 dBm        *Att  40 dB   SWT  20 ms        5.204700000 GHz
     30  Offset  3 dB                                                    A
-20
                                                                        LVL
-10

-0
                                          1
-10

-20
          SWP   100 of  100
-30                                                                     3DB

-40

-50

-60

-70
     Center 5.2 GHz              5 MHz/              Span 50 MHz
```

Date: 1.MAR.2018 17:18:44

CH48


```
                                      *RBW  1 MHz     Marker 1 [T1 ]
                                      *VBW  3 MHz                2.72 dBm
     Ref  30 dBm        *Att  40 dB   SWT  20 ms        5.243600000 GHz
     30  Offset  3 dB                                                    A
-20
                                                                        LVL
-10

-0
                                        1
-10

-20
          SWP   100 of  100
-30                                                                     3DB

-40

-50

-60

-70
     Center 5.24 GHz             5 MHz/              Span 50 MHz
```

Date: 1.MAR.2018 17:20:24

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.45	0.32	4.77	14.18
CH40	5200	3.84	0.32	4.16	14.18
CH48	5240	1.15	0.32	1.47	14.18

CH36

Date: 2.MAR.2018 10:13:26

CH40

```
                                    *RBW  1 MHz      Marker 1 [T1 ]
                                    *VBW  3 MHz             3.84 dBm
    Ref  30 dBm        *Att  40 dB   SWT 20 ms       5.202300000 GHz
    30  Offset  3 dB
  -20-
  -10-                                                              LVL
    0-
  -10-
  -20-
         SWP   100 of  100
  -30-                                                              3DB
  -40-
  -50-
  -60-
  -70-
    Center 5.2 GHz           5 MHz/              Span 50 MHz
```

Date: 1.MAR.2018 19:32:40

CH48

```
                                    *RBW  1 MHz      Marker 1 [T1 ]
                                    *VBW  3 MHz             1.15 dBm
    Ref  30 dBm        *Att  40 dB   SWT 20 ms       5.242300000 GHz
    30  Offset  3 dB
  -20-
  -10-                                                              LVL
    0-
  -10-
  -20-
         SWP   100 of  100
  -30-                                                              3DB
  -40-
  -50-
  -60-
  -70-
    Center 5.24 GHz          5 MHz/              Span 50 MHz
```

Date: 1.MAR.2018 19:45:52

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.82	0.32	4.14	14.18
CH40	5200	3.71	0.32	4.03	14.18
CH48	5240	3.85	0.32	4.17	14.18

CH36

Date: 2.MAR.2018 10:54:00

CH40


```
                                    * RBW  1 MHz     Marker 1 [T1 ]
                                    * VBW  3 MHz                3.71 dBm
    Ref  30 dBm        * Att  40 dB   SWT  20 ms       5.202200000 GHz
```

Date: 2.MAR.2018 10:16:07

CH48


```
                                    * RBW  1 MHz     Marker 1 [T1 ]
                                    * VBW  3 MHz                3.85 dBm
    Ref  30 dBm        * Att  40 dB   SWT  20 ms       5.242100000 GHz
```

Date: 2.MAR.2018 10:17:00

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.57	0.32	3.89	14.18
CH40	5200	3.13	0.32	3.45	14.18
CH48	5240	3.30	0.32	3.62	14.18

CH36

Date: 2.MAR.2018 10:56:13

CH40


```
                                          *RBW 1 MHz      Marker 1 [T1 ]
                                          *VBW 3 MHz                 3.13 dBm
            Ref  30 dBm        *Att  40 dB  SWT 20 ms        5.203800000 GHz
            30  Offset  3 dB
         -20                                                              A
     1 RM*
     VIEW  -10                                                          LVL
            0                          1
          -10
          -20
            SWP   100 of  100                                          3DB
          -30
          -40
          -50
          -60
          -70
            Center 5.2 GHz              5 MHz/            Span 50 MHz
```

Date: 2.MAR.2018 10:57:11

CH48


```
                                          *RBW 1 MHz      Marker 1 [T1 ]
                                          *VBW 3 MHz                 3.30 dBm
            Ref  30 dBm        *Att  40 dB  SWT 20 ms        5.243800000 GHz
            30  Offset  3 dB
         -20                                                              A
     1 RM*
     VIEW  -10                                                          LVL
            0                          1
          -10
          -20
            SWP   100 of  100                                          3DB
          -30
          -40
          -50
          -60
          -70
            Center 5.24 GHz             5 MHz/            Span 50 MHz
```

Date: 2.MAR.2018 10:58:09

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	10.20	14.18
CH40	5200	9.68	14.18
CH48	5240	9.21	14.18

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.10	1.07	1.17	14.18
CH46	5230	-2.42	1.07	-1.35	14.18

CH38

Date: 2.MAR.2018 14:09:52

CH46

Date: 2.MAR.2018 14:10:46

| Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2					
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.00	1.07	2.07	14.18
CH46	5230	-1.97	1.07	-0.90	14.18

CH38

```
                                        *RBW 1 MHz      Marker 1 [T1 ]
                                        *VBW 3 MHz                  1.00 dBm
        Ref  30 dBm        *Att  40 dB  SWT 20 ms           5.197800000 GHz
        30  Offset  3 dB                                                      [A]
      -20

1 RM                                                                          LVL
VIEW  -10

       -0                        1

      -10

      -20
              SWP    100 of   100                                             3DB
      -30

      -40

      -50

      -60

      -70
        Center 5.19 GHz              10 MHz/              Span 100 MHz
```

Date: 2.MAR.2018 13:48:50

CH46

```
                                        *RBW 1 MHz      Marker 1 [T1 ]
                                        *VBW 3 MHz                 -1.97 dBm
        Ref  30 dBm        *Att  40 dB  SWT 20 ms           5.237800000 GHz
        30  Offset  3 dB                                                      [A]
      -20

1 RM                                                                          LVL
VIEW  -10

       -0                        1

      -10

      -20
              SWP    100 of   100                                             3DB
      -30

      -40

      -50

      -60

      -70
        Center 5.23 GHz              10 MHz/              Span 100 MHz
```

Date: 2.MAR.2018 13:50:09

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.99	1.07	2.06	14.18
CH46	5230	-2.01	1.07	-0.94	14.18

CH38

* RBW 1 MHz   Marker 1 [T1]
* VBW 3 MHz   0.99 dBm
Ref 30 dBm   * Att 40 dB   SWT 20 ms   5.197800000 GHz

30 Offset 3 dB

SWP   100 of   100

Center 5.19 GHz   10 MHz/   Span 100 MHz

Date: 2.MAR.2018 11:47:20

CH46

* RBW 1 MHz   Marker 1 [T1]
* VBW 3 MHz   -2.01 dBm
Ref 30 dBm   * Att 40 dB   SWT 20 ms   5.237800000 GHz

30 Offset 3 dB

SWP   100 of   100

Center 5.23 GHz   10 MHz/   Span 100 MHz

Date: 2.MAR.2018 11:48:34

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.64	1.07	1.71	14.18
CH46	5230	-2.17	1.07	-1.10	14.18

CH38


```
                                    *RBW 1 MHz      Marker 1 [T1 ]
                                    *VBW 3 MHz              0.64 dBm
        Ref  30 dBm      *Att  40 dB   SWT 20 ms       5.195000000 GHz
        30  Offset  3 dB
  -20                                                                  A

  -10                                                                  LVL

   0                              1

  -10
  -20
        SWP   100 of  100                                              3DB
  -30

  -40

  -50

  -60

  -70
        Center 5.19 GHz          10 MHz/          Span 100 MHz
```

Date: 2.MAR.2018 11:26:44

CH46


```
                                    *RBW 1 MHz      Marker 1 [T1 ]
                                    *VBW 3 MHz             -2.17 dBm
        Ref  30 dBm      *Att  40 dB   SWT 20 ms       5.225000000 GHz
        30  Offset  3 dB
  -20                                                                  A

  -10                                                                  LVL

   0                      1

  -10
  -20
        SWP   100 of  100                                              3DB
  -30

  -40

  -50

  -60

  -70
        Center 5.23 GHz          10 MHz/          Span 100 MHz
```

Date: 2.MAR.2018 11:28:47

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	7.79	14.18
CH46	5230	4.95	14.18

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-7.21	1.65	-5.56	14.18

CH42

Date: 2.MAR.2018 14:57:31

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-3.71	1.65	-2.06	14.18

CH42

Date: 2.MAR.2018 15:30:32

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.14	1.65	-2.49	14.18

CH42

Date: 2.MAR.2018 15:42:53

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.45	1.65	-2.80	14.18

CH42

Date: 2.MAR.2018 15:53:01

Test Mode: UNII-1/TX AC80 Mode_CH42_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	2.98	14.18

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

| Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-4.87	0.32	-4.55	27.18
CH157	5785	-5.56	0.32	-5.24	27.18
CH165	5825	-6.45	0.32	-6.13	27.18

TX CH149

Date: 1.MAR.2018 19:21:02

TX CH157

* RBW 1 MHz   Marker 1 [T1]
* VBW 3 MHz   -5.56 dBm
Ref 30 dBm   * Att 40 dB   SWT 20 ms   5.789300000 GHz

Center 5.785 GHz   5 MHz/   Span 50 MHz

Date: 1.MAR.2018 19:22:05

TX CH165

* RBW 1 MHz   Marker 1 [T1]
* VBW 3 MHz   -6.45 dBm
Ref 30 dBm   * Att 40 dB   SWT 20 ms   5.820700000 GHz

Center 5.825 GHz   5 MHz/   Span 50 MHz

Date: 1.MAR.2018 19:23:33

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2

| Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-4.55	0.32	-4.23	27.18
CH157	5785	-4.93	0.32	-4.61	27.18
CH165	5825	-5.69	0.32	-5.37	27.18

TX CH149

Date: 2.MAR.2018 09:59:38

TX CH157

* RBW 1 MHz
* VBW 3 MHz
SWT 20 ms

Marker 1 [T1]
-4.93 dBm
5.787100000 GHz

Ref 30 dBm   * Att 40 dB

Center 5.785 GHz   5 MHz/   Span 50 MHz

Date: 2.MAR.2018 10:01:07

TX CH165

* RBW 1 MHz
* VBW 3 MHz
SWT 20 ms

Marker 1 [T1]
-5.69 dBm
5.827100000 GHz

Ref 30 dBm   * Att 40 dB

Center 5.825 GHz   5 MHz/   Span 50 MHz

Date: 2.MAR.2018 10:02:05

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-5.26	0.32	-4.94	27.18
CH157	5785	-5.25	0.32	-4.93	27.18
CH165	5825	-5.87	0.32	-5.55	27.18

TX CH149

Date: 2.MAR.2018 10:42:09

TX CH157


```
                                    *RBW  1 MHz     Marker 1 [T1 ]
                                    *VBW  3 MHz              -5.25 dBm
        Ref  30 dBm      *Att  40 dB    SWT 20 ms      5.782700000 GHz
```

Center 5.785 GHz   5 MHz/   Span 50 MHz

Date: 2.MAR.2018 10:43:08

TX CH165


```
                                    *RBW  1 MHz     Marker 1 [T1 ]
                                    *VBW  3 MHz              -5.87 dBm
        Ref  30 dBm      *Att  40 dB    SWT 20 ms      5.827300000 GHz
```

Center 5.825 GHz   5 MHz/   Span 50 MHz

Date: 2.MAR.2018 10:44:17

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	4.39	0.32	4.71	27.18
CH157	5785	-4.96	0.32	-4.64	27.18
CH165	5825	-5.70	0.32	-5.38	27.18

TX CH149

Date: 2.MAR.2018 11:05:57

TX CH157


```
                                    *RBW  1 MHz      Marker 1 [T1 ]
                                    *VBW  3 MHz                -4.96 dBm
        Ref  30 dBm      *Att  40 dB    SWT 20 ms      5.788600000 GHz
```

Date: 2.MAR.2018 11:06:56

TX CH165


```
                                    *RBW  1 MHz      Marker 1 [T1 ]
                                    *VBW  3 MHz                -5.70 dBm
        Ref  30 dBm      *Att  40 dB    SWT 20 ms      5.828800000 GHz
```

Date: 2.MAR.2018 11:08:02

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	6.03	27.18
CH157	5785	1.17	27.18
CH165	5825	0.43	27.18

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.65	1.07	-1.58	27.18
CH159	5795	-6.30	1.07	-5.23	27.18

TX CH151

Center 5.755 GHz   10 MHz/   Span 100 MHz

Date: 2.MAR.2018 14:31:15

TX CH159

Center 5.795 GHz   10 MHz/   Span 100 MHz

Date: 2.MAR.2018 14:33:09

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.82	1.07	-1.75	27.18
CH159	5795	-5.50	1.07	-4.43	27.18

TX CH151


```
                                              *RBW  1 MHz      Marker 1 [T1 ]
                                              *VBW  3 MHz                 -2.82 dBm
          Ref  30 dBm         *Att  40 dB      SWT  20 ms         5.762800000 GHz
```

Date: 2.MAR.2018 13:58:31

TX CH159


```
                                              *RBW  1 MHz      Marker 1 [T1 ]
                                              *VBW  3 MHz                 -5.50 dBm
          Ref  30 dBm         *Att  40 dB      SWT  20 ms         5.787200000 GHz
```

Date: 2.MAR.2018 13:59:46

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 3

| Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-3.53	1.07	-2.46	27.18
CH159	5795	-6.26	1.07	-5.19	27.18

TX CH151


```
                                    *RBW  1 MHz      Marker 1 [T1 ]
                                    *VBW  3 MHz                  -3.53 dBm
      Ref  30 dBm       *Att  40 dB  SWT  20 ms        5.762800000 GHz
```

Date: 2.MAR.2018 12:00:57

TX CH159


```
                                    *RBW  1 MHz      Marker 1 [T1 ]
                                    *VBW  3 MHz                  -6.26 dBm
      Ref  30 dBm       *Att  40 dB  SWT  20 ms        5.787200000 GHz
```

Date: 2.MAR.2018 13:44:16

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 4

| Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-3.13	1.07	-2.06	27.18
CH159	5795	-5.85	1.07	-4.78	27.18

TX CH151

Date: 2.MAR.2018 11:43:05

TX CH159

Date: 2.MAR.2018 11:45:06

| Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.07	27.18
CH159	5795	1.13	27.18

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-5.63	1.65	-3.98	27.18

TX CH155

```
                                        *RBW  1 MHz    Marker 1 [T1 ]
                                        *VBW  3 MHz              -5.63 dBm
         Ref  30 dBm        *Att  40 dB  SWT 20 ms    5.761400000 GHz
          30
          -20                                                        A
 1 RM
 VIEW    -10

           0
          -10                   1

          -20
 SWP  100 of 10                                                      3DB
          -30

          -40

          -50

          -60

          -70
         Center 5.775 GHz         20 MHz/          Span 200 MHz
```

Date: 2.MAR.2018 15:27:34

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-5.28	1.65	-3.63	27.18

TX CH155

Date: 2.MAR.2018 15:40:44

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 3

| Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-5.68	1.65	-4.03	27.18

TX CH155


```
                                        *RBW 1 MHz    Marker 1 [T1 ]
                                        *VBW 3 MHz           -5.68 dBm
         Ref  30 dBm      *Att  40 dB   SWT 20 ms      5.787400000 GHz
          30
         -20                                                          A
1 RM
VIEW     -10

           0
                                                1
         -10

         -20
         SWP   100 of 100
         -30                                                          3DB

         -40

         -50

         -60

         -70
         Center 5.775 GHz        20 MHz/            Span 200 MHz
```

Date: 2.MAR.2018 15:49:47

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-5.24	1.65	-3.59	27.18

TX CH155

Date: 2.MAR.2018 15:58:52

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	2.22	27.18

Beamforming

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.54	0.32	3.86	14.20
CH40	5200	2.54	0.32	2.86	14.20
CH48	5240	2.72	0.32	3.04	14.20

CH36

Date: 2.MAR.2018 10:12:36

CH40

```
                                    *RBW  1 MHz    Marker 1 [T1 ]
                                    *VBW  3 MHz              2.54 dBm
    Ref  30 dBm        *Att  40 dB   SWT  20 ms       5.204700000 GHz
```



```
Center 5.2 GHz              5 MHz/              Span 50 MHz
```

Date: 1.MAR.2018 17:18:44

CH48

```
                                    *RBW  1 MHz    Marker 1 [T1 ]
                                    *VBW  3 MHz              2.72 dBm
    Ref  30 dBm        *Att  40 dB   SWT  20 ms       5.243600000 GHz
```



```
Center 5.24 GHz             5 MHz/              Span 50 MHz
```

Date: 1.MAR.2018 17:20:24

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.45	0.32	4.77	14.20
CH40	5200	3.84	0.32	4.16	14.20
CH48	5240	1.15	0.32	1.47	14.20

CH36

Date: 2.MAR.2018 10:13:26

CH40

Date: 1.MAR.2018 19:32:40

CH48

Date: 1.MAR.2018 19:45:52

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.82	0.32	4.14	14.20
CH40	5200	3.71	0.32	4.03	14.20
CH48	5240	3.85	0.32	4.17	14.20

CH36

Date: 2.MAR.2018 10:54:00

CH40

```
                                    *RBW 1 MHz    Marker 1 [T1 ]
                                    *VBW 3 MHz              3.71 dBm
        Ref  30 dBm      *Att  40 dB  SWT 20 ms       5.202200000 GHz
        30  Offset  3 dB
      -20                                                              A
      -10                                                              LVL
                                         1
        0
      -10
      -20                                                              3DB
              SWP    100 of   100
      -30
      -40
      -50
      -60
      -70
        Center 5.2 GHz              5 MHz/              Span 50 MHz
```

Date: 2.MAR.2018 10:16:07

CH48

```
                                    *RBW 1 MHz    Marker 1 [T1 ]
                                    *VBW 3 MHz              3.85 dBm
        Ref  30 dBm      *Att  40 dB  SWT 20 ms       5.242100000 GHz
        30  Offset  3 dB
      -20                                                              A
      -10                                                              LVL
                                         1
        0
      -10
      -20                                                              3DB
              SWP    100 of   100
      -30
      -40
      -50
      -60
      -70
        Center 5.24 GHz             5 MHz/              Span 50 MHz
```

Date: 2.MAR.2018 10:17:00

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.57	0.32	3.89	14.20
CH40	5200	3.13	0.32	3.45	14.20
CH48	5240	3.30	0.32	3.62	14.20

CH36

Date: 2.MAR.2018 10:56:13

CH40

```
                                          *RBW  1 MHz    Marker 1 [T1 ]
                                          *VBW  3 MHz             3.13 dBm
            Ref  30 dBm        *Att  40 dB  SWT  20 ms       5.203800000 GHz
            30 Offset  3 dB
         -20                                                              A

    1 RM*
    VIEW -10                                                              LVL

           0

         -10

         -20
            SWP   100 of  100                                             3DB
         -30

         -40

         -50

         -60

          -70
            Center 5.2 GHz            5 MHz/              Span 50 MHz
```

Date: 2.MAR.2018 10:57:11

CH48

```
                                          *RBW  1 MHz    Marker 1 [T1 ]
                                          *VBW  3 MHz             3.30 dBm
            Ref  30 dBm        *Att  40 dB  SWT  20 ms       5.243800000 GHz
            30 Offset  3 dB
         -20                                                              A

    1 RM*
    VIEW -10                                                              LVL

           0

         -10

         -20
            SWP   100 of  100                                             3DB
         -30

         -40

         -50

         -60

          -70
            Center 5.24 GHz           5 MHz/              Span 50 MHz
```

Date: 2.MAR.2018 10:58:09

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	10.20	14.20
CH40	5200	9.68	14.20
CH48	5240	9.21	14.20

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.10	1.07	1.17	14.20
CH46	5230	-2.42	1.07	-1.35	14.20

CH38

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   0.10 dBm
Ref 30 dBm   *Att 40 dB   SWT 20 ms   5.195600000 GHz

Date: 2.MAR.2018 14:09:52

CH46

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   -2.42 dBm
Ref 30 dBm   *Att 40 dB   SWT 20 ms   5.234800000 GHz

Date: 2.MAR.2018 14:10:46

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.00	1.07	2.07	14.20
CH46	5230	-1.97	1.07	-0.90	14.20

CH38

Date: 2.MAR.2018 13:48:50

CH46

Date: 2.MAR.2018 13:50:09

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.99	1.07	2.06	14.20
CH46	5230	-2.01	1.07	-0.94	14.20

CH38


```
                          *RBW 1 MHz    Marker 1 [T1 ]
                          *VBW 3 MHz              0.99 dBm
Ref  30 dBm    *Att  40 dB  SWT 20 ms    5.197800000 GHz
30  Offset  3 dB                                      A

                                                     LVL

                                                     3DB
     SWP   100 of  100

Center 5.19 GHz        10 MHz/         Span 100 MHz
```

Date: 2.MAR.2018 11:47:20

CH46


```
                          *RBW 1 MHz    Marker 1 [T1 ]
                          *VBW 3 MHz             -2.01 dBm
Ref  30 dBm    *Att  40 dB  SWT 20 ms    5.237800000 GHz
30  Offset  3 dB                                      A

                                                     LVL

                                                     3DB
     SWP   100 of  100

Center 5.23 GHz        10 MHz/         Span 100 MHz
```

Date: 2.MAR.2018 11:48:34

|		Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 4			
Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.64	1.07	1.71	14.20
CH46	5230	-2.17	1.07	-1.10	14.20

CH38


```
                                        *RBW 1 MHz    Marker 1 [T1 ]
                                        *VBW 3 MHz              0.64 dBm
         Ref  30 dBm       *Att  40 dB  SWT 20 ms     5.195000000 GHz
         30  Offset  3 dB                                              A
    -20

1 RM*
VIEW -10                                                              LVL

     0                              1

                                                                     3DB
         SWP   100 of  100
    -30

    -40

    -50

    -60

    -70
         Center 5.19 GHz        10 MHz/          Span 100 MHz
```

Date: 2.MAR.2018 11:26:44

CH46


```
                                        *RBW 1 MHz    Marker 1 [T1 ]
                                        *VBW 3 MHz             -2.17 dBm
         Ref  30 dBm       *Att  40 dB  SWT 20 ms     5.225000000 GHz
         30  Offset  3 dB                                              A
    -20

1 RM*
VIEW -10                                                              LVL

     0                         1

    -10
                                                                     3DB
         SWP   100 of  100
    -30

    -40

    -50

    -60

    -70
         Center 5.23 GHz        10 MHz/          Span 100 MHz
```

Date: 2.MAR.2018 11:28:47

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	6.56	14.20
CH46	5230	3.71	14.20

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-7.21	1.65	-5.56	14.20

CH42

Date: 2.MAR.2018 14:57:31

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-3.71	1.65	-2.06	14.20

CH42

Date: 2.MAR.2018 15:30:32

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.14	1.65	-2.49	14.20

CH42

Date: 2.MAR.2018 15:42:53

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.45	1.65	-2.80	14.20

CH42

Date: 2.MAR.2018 15:53:01

| Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	2.98	14.20

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-4.87	0.32	-4.55	27.20
CH157	5785	-5.56	0.32	-5.24	27.20
CH165	5825	-6.45	0.32	-6.13	27.20

TX CH149

Date: 1.MAR.2018 19:21:02

TX CH157


```
                                    *RBW 1 MHz      Marker 1 [T1 ]
                                    *VBW 3 MHz                -5.56 dBm
        Ref  30 dBm      *Att  40 dB   SWT 20 ms        5.789300000 GHz
```

Center 5.785 GHz   5 MHz/   Span 50 MHz

Date: 1.MAR.2018 19:22:05

TX CH165


```
                                    *RBW 1 MHz      Marker 1 [T1 ]
                                    *VBW 3 MHz                -6.45 dBm
        Ref  30 dBm      *Att  40 dB   SWT 20 ms        5.820700000 GHz
```

Center 5.825 GHz   5 MHz/   Span 50 MHz

Date: 1.MAR.2018 19:23:33

| Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-4.55	0.32	-4.23	27.20
CH157	5785	-4.93	0.32	-4.61	27.20
CH165	5825	-5.69	0.32	-5.37	27.20

TX CH149

Date: 2.MAR.2018 09:59:38

TX CH157


```
                                    *RBW 1 MHz      Marker 1 [T1 ]
                                    *VBW 3 MHz               -4.93 dBm
         Ref  30 dBm      *Att  40 dB    SWT 20 ms      5.787100000 GHz
```

```
   30
  -20                                                                    A
1 RM
VIEW
  -10
   -0                              1
  -10                        ▼
  -20
         SWF   100 of  100                                               3DB
  -30
  -40
  -50
  -60
  -70
         Center 5.785 GHz              5 MHz/            Span 50 MHz
```

Date: 2.MAR.2018 10:01:07

TX CH165


```
                                    *RBW 1 MHz      Marker 1 [T1 ]
                                    *VBW 3 MHz               -5.69 dBm
         Ref  30 dBm      *Att  40 dB    SWT 20 ms      5.827100000 GHz
```

```
   30
  -20                                                                    A
1 RM
VIEW
  -10
   -0                              1
  -10                        ▼
  -20
         SWF   100 of  100                                               3DB
  -30
  -40
  -50
  -60
  -70
         Center 5.825 GHz              5 MHz/            Span 50 MHz
```

Date: 2.MAR.2018 10:02:05

| Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-5.26	0.32	-4.94	27.20
CH157	5785	-5.25	0.32	-4.93	27.20
CH165	5825	-5.87	0.32	-5.55	27.20

TX CH149

Date: 2.MAR.2018 10:42:09

TX CH157

Date: 2.MAR.2018 10:43:08

TX CH165

Date: 2.MAR.2018 10:44:17

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-4.39	0.32	-4.07	27.20
CH157	5785	-4.96	0.32	-4.64	27.20
CH165	5825	-5.70	0.32	-5.38	27.20

TX CH149

Date: 2.MAR.2018 11:05:57

TX CH157

Date: 2.MAR.2018 11:06:56

TX CH165

Date: 2.MAR.2018 11:08:02

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

| Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.59	27.20
CH157	5785	1.17	27.20
CH165	5825	0.43	27.20

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.65	1.07	-1.58	27.20
CH159	5795	-6.30	1.07	-5.23	27.20

TX CH151

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   -2.65 dBm
Ref 30 dBm   *Att 40 dB   SWT 20 ms   5.761000000 GHz

Center 5.755 GHz   10 MHz/   Span 100 MHz

Date: 2.MAR.2018 14:31:15

TX CH159

*RBW 1 MHz   Marker 1 [T1]
*VBW 3 MHz   -6.30 dBm
Ref 30 dBm   *Att 40 dB   SWT 20 ms   5.801000000 GHz

Center 5.795 GHz   10 MHz/   Span 100 MHz

Date: 2.MAR.2018 14:33:09

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-2.82	1.07	-1.75	27.20
CH159	5795	-5.50	1.07	-4.43	27.20

TX CH151


```
                                   *RBW  1 MHz    Marker 1 [T1 ]
                                   *VBW  3 MHz              -2.82 dBm
        Ref   30 dBm      *Att  40 dB    SWT 20 ms      5.762800000 GHz
```

Date: 2.MAR.2018 13:58:31

TX CH159


```
                                   *RBW  1 MHz    Marker 1 [T1 ]
                                   *VBW  3 MHz              -5.50 dBm
        Ref   30 dBm      *Att  40 dB    SWT 20 ms      5.787200000 GHz
```

Date: 2.MAR.2018 13:59:46

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-3.53	1.07	-2.46	27.20
CH159	5795	-6.26	1.07	-5.19	27.20

TX CH151

Date: 2.MAR.2018 12:00:57

TX CH159

Date: 2.MAR.2018 13:44:16

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-3.13	1.07	-2.06	27.20
CH159	5795	-5.85	1.07	-4.78	27.20

TX CH151


```
                                        *RBW  1 MHz    Marker 1 [T1 ]
                                        *VBW  3 MHz             -3.13 dBm
        Ref  30 dBm        *Att  40 dB   SWT 20 ms       5.761000000 GHz
```

Date: 2.MAR.2018 11:43:05

TX CH159


```
                                        *RBW  1 MHz    Marker 1 [T1 ]
                                        *VBW  3 MHz             -5.85 dBm
        Ref  30 dBm        *Att  40 dB   SWT 20 ms       5.800200000 GHz
```

Date: 2.MAR.2018 11:45:06

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.07	27.20
CH159	5795	1.13	27.20

| Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-5.63	1.65	-3.98	27.20

TX CH155

Date: 2.MAR.2018 15:27:34

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

| Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-5.28	1.65	-3.63	27.20

TX CH155

Date: 2.MAR.2018 15:40:44

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-5.68	1.65	-4.03	27.20

TX CH155

Date: 2.MAR.2018 15:49:47

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-5.24	1.65	-3.59	27.20

TX CH155

Date: 2.MAR.2018 15:58:52

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	2.22	27.20

APPENDIX H - FREQUENCY STABILITY

Test Mode:	UNII-1

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9364
120	5179.9364
108	5179.9364
Max. Deviation (MHz)	0.0636
Max. Deviation (ppm)	12.2780

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(℃)	5180.0000
-5	5179.9364
5	5179.9364
15	5179.9364
25	5179.9364
35	5179.9364
45	5179.9364
50	5179.9364
Max. Deviation (MHz)	0.0636
Max. Deviation (ppm)	12.2780

Test Mode:	UNII-3

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9296
120	5744.9296
108	5744.9296
Max. Deviation (MHz)	0.0704
Max. Deviation (ppm)	12.2541

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(℃)	5745.0000
-5	5744.9296
5	5744.9296
15	5744.9296
25	5744.9296
35	5744.9296
45	5744.9296
50	5744.9296
Max. Deviation (MHz)	0.0704
Max. Deviation (ppm)	12.2541