





RF TEST REPORT

Applicant Alcatel-Lucent Shanghai Bell Co., Ltd.

FCC ID 2ADZRXS250WXAB

Product XGSPON ONU

Brand NOKIA

Model XS-250WX-A/XS-240W-A

Report No. R1801B0002-R2

Issue Date April 13, 2018

TA Technology (Shanghai) Co., Ltd. tested the above equipment in accordance with the requirements in FCC CFR47 Part 15E (2018). The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.

Performed by: Xianqing Li

Approved by: Kai Xu

TA Technology (Shanghai) Co., Ltd.

No.145, Jintang Rd, Tangzhen Industry Park, Pudong Shanghai, China TEL: +86-021-50791141/2/3 FAX: +86-021-50791141/2/3-8000



TABLE OF CONTENT

1. T	est Laboratory	4
1.1		
1.2	. Test facility	4
1.3	. Testing Location	5
2. (Seneral Description of Equipment under Test	6
3. A	Applied Standards	<u> </u>
	DFS Technical Requirements and Radar Test Waveforms	
4.1		
4.2	. DFS Detection Thresholds	11
4.3	. RADAR TEST WAVEFORMS	12
4.4	. Test set-ups	15
5. T	est Case Results	. 17
5.1	. U-NII Detection Bandwidth	17
5.2	. Channel Availability Check Time	24
5.3	. In-Service Monitoring for Channel Move Time, Channel Closing Transmission Time and	
Noi	n-Occupancy Period	30
5.4	. Statistical Performance Check	35
6. N	Nain Test Instruments	.75
ANNE	EX A: EUT Appearance and Test Setup	.76
	FUT Appearance	76



Summary of measurement results

Number	Summary of measurements of results	Clause in FCC rules	Verdict		
1	DFS Detection Threshold	DFS Detection Threshold 15.407/KDB 905462 5.2			
2	U-NII Detection Bandwidth	15.407/KDB 905462 7.8.1	pass		
3	Channel Availability Check Time	15.407/KDB 905462 7.8.2	pass		
4	In-Service Monitoring for Channel Move Time	15.407/KDB 905462 7.8.3	pass		
In-Service Monitoring for Channel Closing Transmission Time		15.407/KDB 905462 7.8.3	pass		
In-Service Monitoring for Non-Occupancy Period(NOP)		15.407/KDB 905462 7.8.3	pass		
7	Statistical Performance Check	15.407/KDB 905462 7.8.4	pass		
Date of Testing: March 20, 2018~ April 10, 2018.					



1. Test Laboratory

1.1. Notes of the test report

This report shall not be reproduced in full or partial, without the written approval of TA technology (shanghai) co., Ltd. The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein . Measurement Uncertainties were not taken into account and are published for informational purposes only. This report is written to support regulatory compliance of the applicable standards stated above.

1.2. Test facility

CNAS (accreditation number: L2264)

TA Technology (Shanghai) Co., Ltd. has obtained the accreditation of China National Accreditation Service for Conformity Assessment (CNAS).

FCC (Designation number: CN1179, Test Firm Registration Number: 446626)

TA Technology (Shanghai) Co., Ltd. has been listed on the US Federal Communications Commission list of test facilities recognized to perform electromagnetic emissions measurements.

IC (recognition number is 8510A)

TA Technology (Shanghai) Co., Ltd. has been listed by industry Canada to perform electromagnetic emission measurement.

VCCI (recognition number is C-4595, T-2154, R-4113, G-10766)

TA Technology (Shanghai) Co., Ltd. has been listed by industry Japan to perform electromagnetic emission measurement.

A2LA (Certificate Number: 3857.01)

TA Technology (Shanghai) Co., Ltd. has been listed by American Association for Laboratory Accreditation to perform electromagnetic emission measurement.



1.3. Testing Location

TA Technology (Shanghai) Co., Ltd. Company:

Address: No.145, Jintang Rd, Tangzhen Industry Park, Pudong

City: Shanghai

Post code: 201201

P. R. China Country:

Contact: Xu Kai

Telephone: +86-021-50791141/2/3

Fax: +86-021-50791141/2/3-8000

Website: http://www.ta-shanghai.com

E-mail: xukai@ta-shanghai.com





2. General Description of Equipment under Test

Client Information

Applicant Alcatel-Lucent Shanghai Bell CO. Ltd.		
Applicant address	388-389#,Ningqiao Road,Pudong Jinqiao, Shanghai, P.R. China	
Manufacturer	Alcatel-Lucent Shanghai Bell CO. Ltd.	
Manufacturer address	388-389#,Ningqiao Road,Pudong Jinqiao, Shanghai, P.R. China	

General information

EUT Description			
Model	XS-250WX-A/XS-240W-A		
IMEI	1		
Hardware Version	3FE 48307 AA /3FE 48631 AA		
Software Version	3FE47059		
Power Supply	AC adapter		
Antenna Type	Internal Antenna		
Test Mode(s)	U-NII-2A(5250MHz-5350MHz) U-NII-2C(5470MHz-5725MHz with 5600MHz -5650MHz)		
Modulation Type	802.11a(HT20) : OFDM 802.11n(HT20/HT40) : OFDM 802.11ac (HT20/HT40/HT80):OFDM		
Operating Mode			
Operating Frequency Range(s)	U-NII-2A: 5250MHz-5350MHz U-NII-2C: 5470MHz-5725MHz with 5600MHz -5650MHz		
EUT Accessory			
Adapter	Manufacturer: DELTA electronics, INC. Model: ADP-66CR BC		
Note: The information of the EUT is declared by the manufacturer.			



XS-250WX-A	XS-240W-A	
With 10GE port	Without 10GE port	

Note: Customer declaration, two models is the same except 10GE port. During the test, both of two models are evaluated, XS-250WX-A selected as the worst condition, but only the worst case is recorded in this report.

	Model	ONU Part number	Kit Part number
US ONU	XS-250WX-A	3FE 48307 AA	-
US Kit	XS-250WX-A	3FE 48307 AA	3FE 48439 AA
US ONU	XS-240W-A	3FE 48631 AA	-
US Kit	XS-240W-A	3FE 48631 AA	3FE 48626 AA



Wireless Technology and Frequency Range

Wireless	Technology	Bandwidth	Channel	Frequency	
		20 MHz	52	5260MHz	
			56	5280MHz	
			60	5300MHz	
	U-NII-2A		64	5320MHz	
		40 MHz	54	5270MHz	
		40 IVITZ	62	5310MHz	
		80 MHz	58	5290MHz	
			100	5500MHz	
			104	5520MHz	
			108	5540MHz	
			112	5560MHz	
			116	5580MHz	
	ii	20 MHz	120	5600MHz	
Wi-Fi			124	5620MHz	
VVI-F1			128	5640MHz	
			132	5660MHz	
			136	5680MHz	
	U-NII-2C		140	5700MHz	
			144	5720MHz	
			102	5510MHz	
			110	5550MHz	
		40 MHz	118	5590MHz	
		40 1011 12	126	5630MHz	
			134	5670MHz	
			142	5710MHz	
			106	5530MHz	
		80 MHz	122	5610MHz	
			138	5690MHz	
Does this device support TPC Function? ☐Yes ⊠No					
Does this device support TDWR Band? ⊠Yes □No					



3. Applied Standards

According to the specifications of the manufacturer, it must comply with the requirements of the following standards:

FCC CFR47 Part 15E (2018) Unlicensed National Information Infrastructure Devices

FCC KDB 905462 D02UNII DFS Compliance Procedures New Rules v02





4. DFS Technical Requirements and Radar Test Waveforms

4.1. DFS Overview

Table 1 Applicability of DFS Requirements Prior to Use of a Channel

	Operational Mode			
Requirement	Master	Client Without Radar	Client With Radar	
	Iviastei	Detection	Detection	
Non-Occupancy Period	Yes	Not required	Yes	
DFS Detection Threshold	Yes	Not required	Yes	
Channel Availability Check Time	Yes	Not required	Not required	
U-NII Detection Bandwidth	Yes	Not required	Yes	

Table 2 Applicability of DFS requirements during normal operation

	Operational Mode		
Requirement	Master Device or Client with	ClientWithout Radar	
	Radar Detection	Detection	
DFS Detection Threshold	Yes	Not required	
Channel Closing Transmission Time	Yes	Yes	
Channel Move Time	Yes	Yes	
U-NII Detection Bandwidth	Yes	Not required	
Additional requirements for	Master Device or Client with	Client Without Radar	
devices with multiple bandwidth	Radar Detection	Detection	
modes	Radai Detection	Detection	
U-NII Detection Bandwidth	All BW modes must be tested	Not required	
Statistical Performance Check	All BW modes must be tested	Not required	
Channel Cleaing Transmission Time	Test using widest BW mode	Test using the widest BW	
Channel Closing Transmission Time	available	mode available for the link	
Channel Move Time	Test using widest BW mode	Test using the widest BW	
Chame Wove Time	available	mode available for the link	
All other tests	Any single BW mode	Not required	

Note: Frequencies selected for statistical performance check should include several frequencies within the radar detection bandwidth and frequencies near the edge of the radar detection bandwidth. For 802.11 devices it is suggested to select frequencies in each of the bonded 20 MHz channels and the channel center frequency.

TA Technology (Shanghai) Co., Ltd. TA-MB-04-007R



4.2. DFS Detection Thresholds

Table 3 DFS Detection Thresholds for Master Devices and Client Devices with Radar Detection

Report No: R1801B0002-R2

Maximum Transmit Power	Value (See Notes 1, 2, and 3)	
EIRP ≥ 200 milliwatt	-64 dBm	
EIRP < 200 milliwatt and power spectral density	-62 dBm	
< 10 dBm/MHz	-02 dBIII	
EIRP < 200 milliwatt that do not meet the power	-64 dBm	
spectral density requirement	-04 ubiii	

Note 1: This is the level at the input of the receiver assuming a 0 dBi receive antenna.

Note 2: Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.

Note3: EIRP is based on the highest antenna gain. For MIMO devices refer to KDB Publication 662911 D01.

Table 4 DFS Response Requirement Values

Parameter	Value		
Non-occupancy period	Minimum 30 minutes		
Channel Availability Check Time	60 seconds		
Channel Move Time	10 seconds		
Chame wove time	See Note 1.		
	200 milliseconds + an aggregate of 60		
Channel Closing Transmission Time	milliseconds over remaining 10 second period.		
	See Notes 1 and 2.		
U-NII Detection Bandwidth	Minimum 100% of the U-NII 99% transmission		
O-IVII Detection Bandwidth	power bandwidth. See Note 3.		

Note 1: Channel Move Time and the Channel Closing Transmission Time should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.

Note 2: The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required to facilitate a Channel move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.

Note 3: During the U-NII Detection Bandwidth detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic





4.3. RADAR TEST WAVEFORMS

Table5Short Pulse Radar Test Waveforms

Radar Type	Pulse Width (µsec)	PRI (µsec)	Number of Pulses	Minimum Percentage of Successful Detection	Minimum Number of Trials
0	1	1428	18	See Note 1	See Note 1
1	1	Test A: 15 unique PRI values randomly selected from the list of 23 PRI values in Table 5a Test B: 15 unique PRI values randomly selected within the range of 518-3066 µsec, with a minimum increment of 1 µsec, excluding PRI values selected in Test A	Roundup	60%	30
2	1-5	150-230	23-29	60%	30
3	6-10	200-500	16-18	60%	30
4	11-20	200-500	12-16	60%	30
Aggregat	Aggregate (Radar Types 1-4)			80%	120

Note 1: Short Pulse Radar Type 0 should be used for the detection bandwidth test, channel move time, and channel closing time tests.



Table 5a Pulse Repetition Intervals Values for Test A

Pulse Repetition	Pulse Repetition Frequency	Pulse Repetition Interval
Frequency Number	(Pulses Per Second)	(Microseconds)
1	1930.5	518
2	1858.7	538
3	1792.1	558
4	1730.1	578
5	1672.2	598
6	1618.1	618
7	1567.4	638
8	1519.8	658
9	1474.9	678
10	1432.7	698
11	1392.8	718
12	1355	738
13	1319.3	758
14	1285.3	778
15	1253.1	798
16	1222.5	818
17	1193.3	838
18	1165.6	858
19	1139	878
20	1113.6	898
21	1089.3	918
22	1066.1	938
23	326.2	3066

The aggregate is the average of the percentage of successful detections of Short Pulse Radar Types 1-4. For example, the following table indicates how to compute the aggregate of percentage of successful detections.

Radar Type	Number of Trials	Number of Successful Detections	Minimum Percentage of Successful Detection					
1	35	29	82.9%					
2	30	18	60%					
3	30	27	90%					
4	4 50 44 88%							
Aggregate (82.9% + 60% + 90% + 88%)/4 = 80.2%								



Table6 Long Pulse Radar Test Waveform

Radar Type	Pulse Width (µsec)	Chirp Width (MHz)	PRI (µsec)	Number of Pulses per <i>Burst</i>	Number of <i>Bursts</i>	Minimum Percentage of Successful Detection	Minimum Number of Trials
5	50-100	5-20	1000-2000	1-3	8-20	80%	30

The parameters for this waveform are randomly chosen. Thirty unique waveforms are required for the Long Pulse Radar Type waveforms. If more than 30 waveforms are used for the Long Pulse Radar Type waveforms, then each additional waveform must also be unique and not repeated from the previous waveforms.

Table7 Frequency Hopping Radar Test Waveform

Radar Type	Pulse Width (µsec)	PRI (µsec)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (msec)	Minimum Percentage of Successful Detection	Minimum Number of Trials
6	1	333	9	0.333	300	70%	30

For the Frequency Hopping Radar Type, the same Burst parameters are used for each waveform. The hopping sequence is different for each waveform and a 100-length segment is selected from the hopping sequence defined by the following algorithm: The first frequency in a hopping sequence is selected randomly from the group of 475 integer frequencies from 5250 - 5724 MHz. Next, the frequency that was just chosen is removed from the group and a frequency is randomly selected from the remaining 474 frequencies in the group. This process continues until all 475 frequencies are chosen for the set. For selection of a random frequency, the frequencies remaining within the group are always treated as equally likely.



4.4. Test set-ups

Setup for Master with injection at the Master




Figure 2: Example Conducted Setup where UUT is a Master and Radar Test Waveforms are injected into the Master

Setup for Client with injection at the Master




Figure 3: Example Conducted Setup where UUT is a Client and Radar Test Waveforms are injected into the Master

Setup for Client with injection at the Client




Figure 4: Example Conducted Setup where UUT is a Client and Radar Test Waveforms are injected into the Client





5. Test Case Results

5.1. U-NII Detection Bandwidth

Ambient condition

Temperature	Relative humidity	Pressure
23°C ~25°C	45%~50%	101.5kPa

Methods of Measurement

- 1 Adjust the equipment to produce a single Burst of any one of the Short Pulse Radar Types 0 4 in Table 5 at the center frequency of the EUT Operating Channel at the specified DFS Detection Threshold level found in Table 3.
- 2 Set the EUT up as a standalone device (no associated Client or Master, as appropriate) and no traffic. Frame based systems will be set to a talk/listen ratio reflecting the worst case (maximum) that is user configurable during this test.
- **3** Generate a single radar Burst, and note the response of the UUT. Repeat for a minimum of 10 trials. The EUT must detect the Radar Waveform within the DFS band using the specified U-NII Detection Bandwidth criterion shown in Table 4. In cases where the channel bandwidth may exceed past the DFS band edge on specific channelsselect a channel that has the entire emission bandwidth within the DFS band. If this is not possible, test the detection BW to the DFS band edge.
- 4 Starting at the center frequency of the EUT operating Channel, increase the radar frequency in 5 MHz steps, repeating the above test sequence, until the detection rate falls below the U-NII Detection Bandwidth criterion specified in Table 4. Repeat this measurement in 1MHz steps at frequencies 5 MHz below where the detection rate begins to fall. Record the highest frequency (denote as FH) at which detection is greater than or equal to the U-NII Detection Bandwidth criterion. Recording the detection rate at frequencies above FH is not required to demonstrate compliance.
- 5 Starting at the center frequency of the EUT operating Channel, decrease the radar frequency in 5 MHz steps, repeating the above test sequence, until the detection rate falls below the U-NII Detection Bandwidth criterion specified in **Table 4**. Repeat this measurement in 1MHz steps at frequencies 5 MHz above where the detection rate begins to fall. Record the lowest frequency (denote as FL) at which detection is greater than or equal to the U-NII Detection Bandwidth criterion. Recording the detection rate at frequencies below FL is not required to demonstrate compliance.
- 6 The U-NII Detection Bandwidth is calculated as follows: U-NII Detection Bandwidth = FH FL
- 7 The U-NII Detection Bandwidth must meet the U-NII Detection Bandwidth criterion specified in Table 4. Otherwise, the EUT does not comply with DFS requirements. This is essential to ensure that the EUT is capable of detecting Radar Waveforms across the same frequency spectrum that contains the significant energy from the system. In the case that the U-NII Detection Bandwidth is greater than or equal to the 99 percent power bandwidth for the measured FH and FL, the test can be truncated and the U-NII Detection Bandwidth can be reported as the measured FH and FL.



Limits

Rule FCC KDB 905462 7.8.1

Minimum 100% of the U-NII 99% transmission power bandwidth. During the U-NII Detection Bandwidth detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.

Measurement Uncertainty

The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor k = 2, U=0.44 dB.





Test Results

Y=Detected; N=Non-detected

Bandwidth	Frequency				Centr	al Fre	equen	cy: 52	270 M	Hz		
Danawiatii	(MHz)	1	2	3	4	5	6	7	8	9	10	Rate
	5290 (FH)	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5289	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5288	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5287	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5286	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5285	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5280	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5275	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
40 MHz	5270	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5265	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5260	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5255	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5254	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5253	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5252	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5251	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5250 (FL)	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%



	Frequency				Centr	al Fre	equen	cy: 52	290 M	Hz		
Bandwidth	(MHz)	1	2	3	4	5	6	7	8	9	10	Rate
	5330	N	N	N	N	N	N	N	N	N	N	0
	5329(FH)	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5328	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5327	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5326	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5325	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5320	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5315	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5310	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5305	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5300	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5295	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
80 MHz	5290	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5285	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5280	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5275	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5270	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5265	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5260	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5255	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5254	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5253	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5252 (FL)	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5251	N	N	N	N	N	N	N	N	N	N	0
	5250	N	N	N	N	N	N	N	N	N	N	0



Bandwidth	Frequency				Centr	al Fre	equen	cy: 53	300 M	Hz		
Danawidin	(MHz)	1	2	3	4	5	6	7	8	9	10	Rate
	5290	Ν	N	Ν	Ν	Ν	Ν	N	N	Ν	Ν	0%
	5291 (FH)	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5292	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5293	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5294	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5295	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
20 MHz	5300	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5305	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5306	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5307	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5308	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5309 (FL)	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5310	N	N	N	N	N	N	N	N	N	N	0

Bandwidth	Frequency				Centr	al Fre	equen	cy: 55	00 M	Hz		
Danawiatii	(MHz)	1	2	3	4	5	6	7	8	9	10	Rate
	5490 (FH)	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5491	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5492	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5493	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5494	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5495	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
20 MHz	5500	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5505	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5506	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5507	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5508	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5509	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5510 (FL)	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%



Bandwidth	Frequency				Centr	al Fre	equen	cy: 55	50 M	Hz		
Danuwiutii	(MHz)	1	2	3	4	5	6	7	8	9	10	Rate
	5570 (FH)	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5569	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5568	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5567	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5566	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5565	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5560	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5555	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
40 MHz	5550	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5545	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5540	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5535	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5534	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5533	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5532	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5531	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5530 (FL)	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%

Dan dry ddfa	Frequency				Centr	al Fre	equen	cy: 56	610 M	Hz		
Bandwidth	(MHz)	1	2	3	4	5	6	7	8	9	10	Rate
	5650(FH)	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5649	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5648	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5647	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5646	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5645	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5640	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5635	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5630	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5625	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5620	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5615	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
80 MHz	5610	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5605	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5600	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5595	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5590	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5585	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5580	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5575	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5574	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5573	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5572	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5571	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%
	5570 (FL)	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100%



5.2. Channel Availability Check Time

Ambient condition

Temperature	Relative humidity	Pressure
23°C ~25°C	45%~50%	101.5kPa

Report No: R1801B0002-R2

Methods of Measurement

Initial Channel Availability Check Time

The U-NII devices will be powered on and be instructed to operate on the appropriate U-NII Channel that must incorporate DFS functions. At the same time the EUT is powered on, the spectrum analyzer will be set to zero span mode with a 3 MHz RBW and 3 MHz VBW on the Channel occupied by the radar with a 2.5 minute sweep time.

The EUT should not transmit any beacon or data transmissions until at least 1 minute after the completion of the power-on cycle.

Confirm that the EUT initiates transmission on the channel

Radar Burst at the Beginning of the Channel Availability Check Time

The steps below define the procedure to verify successful radar detection on the test Channel during a period equal to the Channel Availability Check Time and avoidance of operation on that Channel when a radar Burst with a level equal to the DFS Detection Threshold + 1 dB occurs at the beginning of the Channel Availability Check Time.

The Radar Waveform generator and EUT are connected using the applicable test setup described in the sections on configuration for Conducted Tests or Radiated Tests and the power of the EUT is switched off.

The EUT is powered on at T₀- T₁ denotes the instant when the EUT has completed its power-up sequence (T_{power up}). The Channel Availability Check Time commences on Chr at instant T₁ and will end no sooner than $T_1 + T_{ch_avail_check}$.

A single Burst of one of the Short Pulse Radar Types 0-4 will commence within a 6 second window starting at T1. An additional 1 dB is added to the radar test signal to ensure it is at or above the DFS Detection Threshold, accounting for equipment variations/errors.

Visual indication or measured results on the EUT of successful detection of the radar Burst will be recorded and reported. Observation of Chr for EUT emissions will continue for 2.5 minutes after the radar Burst has been generated.

Verify that during the 2.5 minute measurement window no EUT transmissions occurred on Chr. The Channel Availability Check results will be recorded.




Figure: Example of timing for radar testing at the beginning of the Channel Availability Check Time

Radar Burst at the End of the Channel Availability Check Time

The steps below define the procedure to verify successful radar detection on the test Channel during a period equal to the Channel Availability Check Time and avoidance of operation on that Channel when a radar Burst with a level equal to the DFS Detection Threshold + 1dB occurs at the end of the Channel Availability Check Time.

- 1. The Radar Waveform generator and EUT are connected using the applicable test setup described in the sections for Conducted Tests or Radiated Tests and the power of the EUT is switched off.
- 2. The EUT is powered on at T_0 T_1 denotes the instant when the EUT has completed its power-up sequence (T_{power_up}). The Channel Availability Check Time commences on Chr at instant T_1 and will end no sooner than T_1 + T_{ch} avail check.
- 3. A single Burst of one of the Short Pulse Radar Types 0-4 will commence within a 6 second window starting at T_1 + 54 seconds. An additional 1 dB is added to the radar test signal to ensure it is at or above the DFS Detection Threshold, accounting for equipment variations/errors.
- 4. Visual indication or measured results on the EUT of successful detection of the radar Burst will be recorded and reported. Observation of Chr for EUT emissions will continue for 2.5 minutes after the radar Burst has been generated.
- 5. Verify that during the 2.5 minute measurement window no EUT transmissions occurred on Chr. The Channel Availability Check results will be recorded.




Figure : Example of timing for radar testing towards the end of the Channel Availability Check Time



Limits

Initial Channel Availability Check Time	60s
---	-----


Measurement Uncertainty


The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor k = 1.96.




Test Results:


Initial Channel Availability Check Time







Radar Burst at the Beginning of the Channel Availability Check Time







| Center Freq 5.300000000 GHz | Center 5.3000000000 GHz | Center 5.30000000000 GHz | Center 5.30000000000 GHz | Center 5.30000000000 GHz | Center 5.3000000000 GHz | Center 5.30000000000 GHz | Center 5.3000000000 GHz | Center 5.30000000000 GHz | Center 5.30000000000 GHz | Center 5.3000000000 GHz | Center 5.30000000000 GHz | Center 5.3000000000 GHz | Center 5.30000000000 GHz | Center 5.3000000000 GHz | Center 5.30000000000 GHz | Center 5.300000000










Radar Burst at the End Central Frequency: 5500 MHz






| Start | Star









5.3. In-Service Monitoring for Channel Move Time, Channel Closing Transmission Time and Non-Occupancy Period

Ambient condition

Temperature	Relative humidity	Pressure
23°C ~25°C	45%~50%	101.5kPa

Methods of Measurement

These tests define how the following DFS parameters are verified during In-Service Monitoring;

- Channel Closing Transmission Time
- Channel Move Time
- Non-Occupancy Period

The steps below define the procedure to determine the above mentioned parameters when a radar Burst with a level equal to the DFS Detection Threshold + 1dB is generated on the Operating Channel of the U-NII device (In- Service Monitoring).

- 1. One frequency will be chosen from the Operating Channels of the EUT within the 5250-5350 MHz or 5470-5725 MHz bands. For 802.11 devices, the test frequency must contain control signals. This can be verified by disabling channel loading and monitoring the spectrum analyzer. If no control signals are detected, another frequency must be selected within the emission bandwidth where control signals are detected.
- 2. In case the EUT is a U-NII device operating as a Client Device (with or without DFS), a U-NII device operating as a Master Device will be used to allow the EUT (Client device) to Associate with the Master Device. In case the EUT is a Master Device, a U-NII device operating as a Client Device will be used and it is assumed that the Client will Associate with the EUT (Master). In both cases for conducted tests, the Radar Waveform generator will be connected to the Master Device. For radiated tests, the emissions of the Radar Waveform generator will be directed towards the Master Device. If the Master Device has antenna gain, the main beam of the antenna will be directed toward the radar emitter. Vertical polarization is used for testing.
- 3. Stream the channel loading test file from the Master Device to the Client Device on the test Channel for the entire period of the test.
- 4. At time T_0 the Radar Waveform generator sends a Burst of pulses for one of the Radar Type 0 in Table 5 at levels defined in Table 3, on the Operating Channel. An additional 1 dB is added to the radar test signal to ensure it is at or above the DFS Detection Threshold, accounting for equipment variations/errors.
- 5. Observe the transmissions of the EUT at the end of the radar Burst on the Operating Channel for duration greater than 10 seconds. Measure and record the transmissions from the EUT during the observation time (Channel Move Time). Measure and record the Channel Move Time and Channel Closing Transmission Time if radar detection occurs. Figure 17 illustrates Channel Closing

Transmission Time.

6. When operating as a Master Device, monitor the EUT for more than 30 minutes following instant T₂ to verify that the EUT does not resume any transmissions on this Channel. Perform this test once and record the measurement result.

7. In case the EUT is a U-NII device operating as a Client Device with In-Service Monitoring, perform steps 1 to 6.




Figure 17: Example of Channel Closing Transmission Time & Channel Closing Time

Limits

Channel Move Time	≤10s
Channel Closing Transmission Time	≤200ms + 60ms (over remaining 10s period)
Non-Occupancy Period	≥30min

Note 1: Channel Move Time and the Channel Closing Transmission Time should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.

Note 2: The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required to facilitateaChannel move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.


Measurement Uncertainty


The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor k = 1.96, U=2.69 dB.





Test Results:


In-Service Monitoring for Channel Move Time


















In-Service Monitoring for Channel Closing Transmission Time




In-Service Monitoring for Non-Occupancy Period







Central Frequency: 5300 MHz









TA Technology (Shanghai) Co., Ltd.



5.4. Statistical Performance Check

Ambient condition

Temperature	Relative humidity	Pressure
23°C ~25°C	45%~50%	101.5kPa

Report No: R1801B0002-R2

Methods of Measurement

The steps below define the procedure to determine the minimum percentage of successful detection requirements found in Tables 5-7 when a radar burst with a level equal to the DFS Detection Threshold + 1dB is generated on the Operating Channel of the U-NII device (In- Service Monitoring).

- 1. One frequency will be chosen from the Operating Channels of the UUT within the 5250-5350 MHz or 5470-5725 MHz bands.
- 2. In case the UUT is a U-NII device operating as a Client Device (with or without Radar Detection), a U-NII device operating as a Master Device will be used to allow the UUT (Client device) to Associate with the Master Device. In case the UUT is a Master Device, a U-NII device operating as a Client Device will be used and it is assumed that the Client will Associate with the UUT(Master). In both cases for conducted tests, the Radar Waveform generator will be connected to the Master Device. For radiated tests, the emissions of the Radar Waveform generator will be directed towards the Master Device. If the Master Device has antenna gain, the main beam of the antenna will be directed toward the radar emitter. Vertical polarization is used for testing.
- 3. Stream the channel loading test file from the Master Device to the Client Device on the test Channel for the entire period of the test.
- 4. At time T0 the Radar Waveform generator sends the individual waveform for each of the Radar Types 1- 6 in Tables 5-7, at levels defined in Table 3, on the Operating Channel. An additional 1 dB is added to the radar test signal to ensure it is at or above the DFS Detection Threshold, accounting for equipment variations/errors.
- 5. Observe the transmissions of the UUT at the end of the Burst on the Operating Channel for duration greater than 10 seconds for Radar Type 0 to ensure detection occurs.
- 6. Observe the transmissions of the UUT at the end of the Burst on the Operating Channel for duration greater than 22 seconds for Long Pulse Radar Type 5 to ensure detection occurs.
- 7. In case the UUT is a U-NII device operating as a Client Device with In-Service Monitoring, perform steps 1 to 6.





Limits

Radar Type	MinimumPercentage of Successful Detection	Minimum Number ofTrials
1	60%	30
2	60%	30
3	60%	30
4	60%	30
Aggregate (Radar Types 1-4)	80%	120
5	80%	30
6	70%	30

Report No: R1801B0002-R2

Measurement Uncertainty

The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor k = 1.96, U=2.69 dB.

Test Results:

Y=Detected; N=Non-detected

Operating Freq (MHz)	Radar Type	Test Result	Limit
	1	100%	60%
	2	100%	60%
	3	100%	60%
⊠5270	4	100%	60%
230270	Aggregate (Radar Types 1-4)	100%	80%
	5	100%	80%
	6	100%	70%
	1	100%	60%
	2	100%	60%
	3	100%	60%
⊠5290	4	100%	60%
	Aggregate (Radar Types 1-4)	100%	80%
	5	100%	80%
	6	100%	70%
	1	100%	60%
	2	100%	60%
	3	100%	60%
⊠5300	4	100%	60%
	Aggregate (Radar Types 1-4)	100%	80%
	5	100%	80%
	6	93%	70%
	1	100%	60%
	2	100%	60%
	3	100%	60%
⊠5500	4	100%	60%
~40000	Aggregate (Radar Types 1-4)	100%	80%
	5	100%	80%
	6	93%	70%
Messo	1	100%	60%
⊠5550	2	100%	60%



FCCRF Test Report Report No: R1801B0002-R2

- FUCKE TEST K	ероп	Repor	IL NO. R 160 1B0002-R2
	3	100%	60%
	4	100%	60%
	Aggregate (Radar Types 1-4)	100%	80%
	5	100%	80%
	6	85%	70%
	1	100%	60%
	2	100%	60%
	3	100%	60%
⊠5610	4	100%	60%
	Aggregate (Radar Types 1-4)	100%	80%
	5	100%	80%
	6	97%	70%



Trial Id	Radar Type	Pulse Width(µs)	PRI (µs)	Number of Pulses	Waveform Length (µs)	conclusion
0	1	1.0	938.0	57	53466.0	Y
1	1	1.0	698.0	76	53048.0	Y
2	1	1.0	618.0	86	53148.0	Y
3	1	1.0	538.0	99	53262.0	Y
4	1	1.0	878.0	61	53558.0	Υ
5	1	1.0	3066.0	18	55188.0	Υ
6	1	1.0	638.0	83	52954.0	Υ
7	1	1.0	918.0	58	53244.0	Y
8	1	1.0	838.0	63	52794.0	Y
9	1	1.0	858.0	62	53196.0	Y
10	1	1.0	798.0	67	53466.0	Y
11	1	1.0	718.0	74	53132.0	Υ
12	1	1.0	578.0	92	53176.0	Y
13	1	1.0	598.0	89	53222.0	Y
14	1	1.0	558.0	95	53010.0	Y
15	1	1.0	2536.0	21	53256.0	Y
16	1	1.0	966.0	55	53130.0	Y
17	1	1.0	827.0	64	52928.0	Y
18	1	1.0	2501.0	22	55022.0	Y
19	1	1.0	2595.0	21	54495.0	Y
20	1	1.0	1114.0	48	53472.0	Y
21	1	1.0	1302.0	41	53382.0	Y
22	1	1.0	3045.0	18	54810.0	Y
23	1	1.0	1624.0	33	53592.0	Y
24	1	1.0	2878.0	19	54682.0	Y
25	1	1.0	1027.0	52	53404.0	Y
26	1	1.0	2485.0	22	54670.0	Υ
27	1	1.0	1600.0	33	52800.0	Y
28	1	1.0	1172.0	46	53912.0	Y
29	1	1.0	1177.0	45	52965.0	Υ
Detection	rate: 100%		•	•		



Trial Id	Radar Type	Pulse Width(µs)	PRI (µs)	Number of Pulses	Waveform Length (µs)	conclusion
0	2	3.2	179.0	26	4654.0	Y
1	2	1.1	207.0	23	4761.0	Υ
2	2	2.1	230.0	24	5520.0	Υ
3	2	4.8	200.0	29	5800.0	Υ
4	2	3.9	214.0	28	5992.0	Υ
5	2	2.9	222.0	26	5772.0	Υ
6	2	3.2	204.0	26	5304.0	Y
7	2	2.5	192.0	25	4800.0	Y
8	2	3.1	164.0	26	4264.0	Y
9	2	1.2	156.0	23	3588.0	Y
10	2	3.9	210.0	27	5670.0	Y
11	2	4.6	201.0	29	5829.0	Y
12	2	3.2	162.0	26	4212.0	Y
13	2	2.2	197.0	25	4925.0	Y
14	2	4.5	163.0	29	4727.0	Y
15	2	3.0	203.0	26	5278.0	Y
16	2	5.0	168.0	29	4872.0	Y
17	2	2.4	217.0	25	5425.0	Y
18	2	2.9	191.0	26	4966.0	Y
19	2	2.3	166.0	25	4150.0	Y
20	2	3.7	150.0	27	4050.0	Y
21	2	2.2	176.0	25	4400.0	Y
22	2	4.9	195.0	29	5655	Υ
23	2	2.9	202.0	26	5252.0	Υ
24	2	2.5	178.0	25	4450.0	Υ
25	2	1.1	206.0	23	4738.0	Y
26	2	3.8	155.0	27	4185.0	Y
27	2	4.7	157.0	29	4553.0	Y
28	2	2.4	224.0	25	5600.0	Y
29	2	4.2	159.0	28	4452.0	Y
Detection	rate: 100%				_	



Trial Id	Radar Type	Pulse Width(µs)	PRI (µs)	Number of Pulses	Waveform Length (µs)	conclusion
0	3	8.2	355.0	17	6035.0	Υ
1	3	6.1	487.0	16	7792.0	Υ
2	3	7.1	344.0	16	5504.0	Υ
3	3	9.8	288.0	18	5184.0	Υ
4	3	8.9	230.0	18	4140.0	Y
5	3	7.9	432.0	17	7344.0	Y
6	3	8.2	207.0	17	3519.0	Y
7	3	7.5	443.0	17	7531.0	Y
8	3	8.1	439.0	17	7463.0	Y
9	3	6.2	223.0	16	3568.0	Y
10	3	8.9	208.0	18	3744.0	Υ
11	3	9.6	463.0	18	8334.0	Y
12	3	8.2	441.0	17	7497.0	Y
13	3	7.2	323.0	16	5168.0	Y
14	3	9.5	297.0	18	5346.0	Υ
15	3	8.0	412.0	17	7004.0	Υ
16	3	10.0	324.0	18	5832.0	Υ
17	3	7.4	271.0	17	4607.0	Υ
18	3	7.9	349.0	17	5933.0	Y
19	3	7.3	409.0	16	6544.0	Υ
20	3	8.7	373.0	18	6714.0	Υ
21	3	7.2	254.0	16	4064.0	Y
22	3	9.9	274.0	18	4932.0	Υ
23	3	7.9	278.0	17	4726.0	Υ
24	3	7.5	317.0	17	5389.0	Υ
25	3	6.1	260.0	16	4160.0	Y
26	3	8.8	211.0	18	3798.0	Y
27	3	9.7	272.0	18	4896.0	Υ
28	3	7.4	264.0	17	4488.0	Υ
29	3	9.2	284.0	18	5112.0	Υ
Detection	rate: 100%					



Trial Id	Radar Type	Pulse Width(μs)	PRI (µs)	Number of Pulses	Waveform Length (µs)	conclusion
0	4	16.0	355.0	14	4970.0	Y
1	4	11.3	487.0	12	5844.0	Y
2	4	13.5	344.0	13	4472.0	Y
3	4	19.4	288.0	16	4608.0	Y
4	4	17.5	230.0	15	3450.0	Y
5	4	15.3	432.0	14	6048.0	Y
6	4	15.9	207.0	14	2898.0	Y
7	4	14.3	443.0	13	5759.0	Y
8	4	15.8	439.0	14	6146.0	Y
9	4	11.5	223.0	12	2676.0	Y
10	4	17.4	208.0	15	3120.0	Y
11	4	19.0	463.0	16	7408.0	Y
12	4	16.0	441.0	14	6174.0	Y
13	4	13.8	323.0	13	4199.0	Y
14	4	18.9	297.0	16	4752.0	Y
15	4	15.5	412.0	14	5768.0	Y
16	4	19.9	324.0	16	5184.0	Υ
17	4	14.1	271.0	13	3523.0	Υ
18	4	15.2	349.0	14	4886.0	Y
19	4	13.8	409.0	13	5317.0	Y
20	4	17.1	373.0	15	5595.0	Y
21	4	13.8	254.0	13	3302.0	Y
22	4	19.8	274.0	16	4384.0	Y
23	4	15.3	278.0	14	3892.0	Y
24	4	14.5	317.0	13	4121.0	Υ
25	4	11.3	260.0	12	3120.0	Y
26	4	17.3	211.0	15	3165.0	Y
27	4	19.2	272.0	16	4352.0	Y
28	4	14.2	264.0	13	3432.0	Y
29	4	18.2	284.0	15	4260.0	Y
Detection	rate: 100%					



5270MHZ, Radar 5

Trial Id	Radar Type	Number of Pulses	Burst Period (s)	Waveform Length (μs)	conclusion
0	5	15	0.8000000	12.0	Y
1	5	8	1.5000000	12.0	Y
2	5	11	1.0909091	12.0	Y
3	5	20	0.6000000	12.0	Y
4	5	17	0.7058824	12.0	Υ
5	5	14	0.8571429	12.0	Υ
6	5	15	0.8000000	12.0	Υ
7	5	12	1.0000000	12.0	Υ
8	5	14	0.8571429	12.0	Υ
9	5	8	1.5000000	12.0	Υ
10	5	17	0.7058824	12.0	Υ
11	5	19	0.6315789	12.0	Υ
12	5	15	0.8000000	12.0	Υ
13	5	12	1.0000000	12.0	Υ
14	5	19	0.6315789	12.0	Y
15	5	14	0.8571429	12.0	Υ
16	5	20	0.6000000	12.0	Y
17	5	12	1.0000000	12.0	Υ
18	5	14	0.8571429	12.0	Υ
19	5	12	1.0000000	12.0	Υ
20	5	16	0.7500000	12.0	Υ
21	5	12	1.0000000	12.0	Υ
22	5	20	0.6000000	12.0	Υ
23	5	14	0.8571429	12.0	Y
24	5	13	0.9230769	12.0	Υ
25	5	8	1.5000000	12.0	Υ
26	5	17	0.7058824	12.0	Y
27	5	19	0.6315789	12.0	Y
28	5	12	1.0000000	12.0	Y
29	5	18	0.6666667	12.0	Υ
Detection	rate: 100%				



Trial Id	Radar Type	Pulse Width(µs)	PRI (µs)	Pulses Per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	conclusion
0	6	1.0	333.3	9	0.3333	300.00	33	Υ
1	6	1.0	333.3	9	0.3333	300.00	29	Y
2	6	1.0	333.3	9	0.3333	300.00	28	Y
3	6	1.0	333.3	9	0.3333	300.00	35	Y
4	6	1.0	333.3	9	0.3333	300.00	35	Y
5	6	1.0	333.3	9	0.3333	300.00	31	Y
6	6	1.0	333.3	9	0.3333	300.00	33	Y
7	6	1.0	333.3	9	0.3333	300.00	29	Y
8	6	1.0	333.3	9	0.3333	300.00	33	Y
9	6	1.0	333.3	9	0.3333	300.00	32	Y
10	6	1.0	333.3	9	0.3333	300.00	36	Y
11	6	1.0	333.3	9	0.3333	300.00	40	Y
12	6	1.0	333.3	9	0.3333	300.00	37	Y
13	6	1.0	333.3	9	0.3333	300.00	34	Y
14	6	1.0	333.3	9	0.3333	300.00	31	Y
15	6	1.0	333.3	9	0.3333	300.00	39	Υ
16	6	1.0	333.3	9	0.3333	300.00	35	Υ
17	6	1.0	333.3	9	0.3333	300.00	36	Υ
18	6	1.0	333.3	9	0.3333	300.00	29	Υ
19	6	1.0	333.3	9	0.3333	300.00	32	Υ
20	6	1.0	333.3	9	0.3333	300.00	35	Υ
21	6	1.0	333.3	9	0.3333	300.00	38	Υ
22	6	1.0	333.3	9	0.3333	300.00	40	Y
23	6	1.0	333.3	9	0.3333	300.00	37	Υ
24	6	1.0	333.3	9	0.3333	300.00	31	Y
25	6	1.0	333.3	9	0.3333	300.00	33	Υ
26	6	1.0	333.3	9	0.3333	300.00	29	Y
27	6	1.0	333.3	9	0.3333	300.00	35	Y
28	6	1.0	333.3	9	0.3333	300.00	32	Y
29	6	1.0	333.3	9	0.3333	300.00	37	Y
Detect	ion rate:1	100%						



5290MHZ, Radar 1

Trial Id	Radar Type	Pulse Width(μs)	PRI (µs)	Number of Pulses	Waveform Length (µs)	conclusion
0	1	1.0	938.0	57	53466.0	Υ
1	1	1.0	698.0	76	53048.0	Υ
2	1	1.0	618.0	86	53148.0	Υ
3	1	1.0	538.0	99	53262.0	Υ
4	1	1.0	878.0	61	53558.0	Y
5	1	1.0	3066.0	18	55188.0	Υ
6	1	1.0	638.0	83	52954.0	Υ
7	1	1.0	918.0	58	53244.0	Y
8	1	1.0	838.0	63	52794.0	Y
9	1	1.0	858.0	62	53196.0	Y
10	1	1.0	798.0	67	53466.0	Y
11	1	1.0	718.0	74	53132.0	Υ
12	1	1.0	578.0	92	53176.0	Υ
13	1	1.0	598.0	89	53222.0	Υ
14	1	1.0	558.0	95	53010.0	Y
15	1	1.0	2536.0	21	53256.0	Υ
16	1	1.0	966.0	55	53130.0	Y
17	1	1.0	827.0	64	52928.0	Y
18	1	1.0	2501.0	22	55022.0	Y
19	1	1.0	2595.0	21	54495.0	Υ
20	1	1.0	1114.0	48	53472.0	Υ
21	1	1.0	1302.0	41	53382.0	Υ
22	1	1.0	3045.0	18	54810.0	Υ
23	1	1.0	1624.0	33	53592.0	Υ
24	1	1.0	2878.0	19	54682.0	Υ
25	1	1.0	1027.0	52	53404.0	Y
26	1	1.0	2485.0	22	54670.0	Υ
27	1	1.0	1600.0	33	52800.0	Υ
28	1	1.0	1172.0	46	53912.0	Υ
29	1	1.0	1177.0	45	52965.0	Y
Detection	rate: 100%		•	·		_



Trial Id	Radar Type	Pulse Width(µs)	PRI (µs)	Number of Pulses	Waveform Length (µs)	conclusion
0	2	3.2	179.0	26	4654.0	Y
1	2	1.1	207.0	23	4761.0	Υ
2	2	2.1	230.0	24	5520.0	Υ
3	2	4.8	200.0	29	5800.0	Υ
4	2	3.9	214.0	28	5992.0	Υ
5	2	2.9	222.0	26	5772.0	Υ
6	2	3.2	204.0	26	5304.0	Υ
7	2	2.5	192.0	25	4800.0	Y
8	2	3.1	164.0	26	4264.0	Y
9	2	1.2	156.0	23	3588.0	Y
10	2	3.9	210.0	27	5670.0	Y
11	2	4.6	201.0	29	5829.0	Y
12	2	3.2	162.0	26	4212.0	Y
13	2	2.2	197.0	25	4925.0	Υ
14	2	4.5	163.0	29	4727.0	Υ
15	2	3.0	203.0	26	5278.0	Υ
16	2	5.0	168.0	29	4872.0	Υ
17	2	2.4	217.0	25	5425.0	Υ
18	2	2.9	191.0	26	4966.0	Υ
19	2	2.3	166.0	25	4150.0	Υ
20	2	3.7	150.0	27	4050.0	Υ
21	2	2.2	176.0	25	4400.0	Υ
22	2	4.9	195.0	29	5655	Υ
23	2	2.9	202.0	26	5252.0	Υ
24	2	2.5	178.0	25	4450.0	Υ
25	2	1.1	206.0	23	4738.0	Υ
26	2	3.8	155.0	27	4185.0	Υ
27	2	4.7	157.0	29	4553.0	Υ
28	2	2.4	224.0	25	5600.0	Υ
29	2	4.2	159.0	28	4452.0	Υ
Detection	rate: 100%				_	



Trial Id	Radar	Pulse	PRI (µs)	Number	Waveform	conclusion
IIIai iu	Туре	Width(µs)	1 (μδ)	of Pulses	Length (µs)	CONCIUSION
0	3	8.2	355.0	17	6035.0	Y
1	3	6.1	487.0	16	7792.0	Y
2	3	7.1	344.0	16	5504.0	Y
3	3	9.8	288.0	18	5184.0	Y
4	3	8.9	230.0	18	4140.0	Y
5	3	7.9	432.0	17	7344.0	Y
6	3	8.2	207.0	17	3519.0	Y
7	3	7.5	443.0	17	7531.0	Y
8	3	8.1	439.0	17	7463.0	Y
9	3	6.2	223.0	16	3568.0	Y
10	3	8.9	208.0	18	3744.0	Υ
11	3	9.6	463.0	18	8334.0	Υ
12	3	8.2	441.0	17	7497.0	Υ
13	3	7.2	323.0	16	5168.0	Y
14	3	9.5	297.0	18	5346.0	Υ
15	3	8.0	412.0	17	7004.0	Υ
16	3	10.0	324.0	18	5832.0	Y
17	3	7.4	271.0	17	4607.0	Υ
18	3	7.9	349.0	17	5933.0	Y
19	3	7.3	409.0	16	6544.0	Υ
20	3	8.7	373.0	18	6714.0	Υ
21	3	7.2	254.0	16	4064.0	Υ
22	3	9.9	274.0	18	4932.0	Y
23	3	7.9	278.0	17	4726.0	Υ
24	3	7.5	317.0	17	5389.0	Y
25	3	6.1	260.0	16	4160.0	Y
26	3	8.8	211.0	18	3798.0	Y
27	3	9.7	272.0	18	4896.0	Y
28	3	7.4	264.0	17	4488.0	Y
29	3	9.2	284.0	18	5112.0	Y
Detection	rate: 100%					



Trial Id	Radar Type	Pulse Width(µs)	PRI (µs)	Number of Pulses	Waveform Length (µs)	conclusion
0	4	16.0	355.0	14	4970.0	Y
1	4	11.3	487.0	12	5844.0	Y
2	4	13.5	344.0	13	4472.0	Y
3	4	19.4	288.0	16	4608.0	Y
4	4	17.5	230.0	15	3450.0	Y
5	4	15.3	432.0	14	6048.0	Y
6	4	15.9	207.0	14	2898.0	Y
7	4	14.3	443.0	13	5759.0	Y
8	4	15.8	439.0	14	6146.0	Y
9	4	11.5	223.0	12	2676.0	Y
10	4	17.4	208.0	15	3120.0	Y
11	4	19.0	463.0	16	7408.0	Y
12	4	16.0	441.0	14	6174.0	Y
13	4	13.8	323.0	13	4199.0	Y
14	4	18.9	297.0	16	4752.0	Y
15	4	15.5	412.0	14	5768.0	Y
16	4	19.9	324.0	16	5184.0	Y
17	4	14.1	271.0	13	3523.0	Y
18	4	15.2	349.0	14	4886.0	Y
19	4	13.8	409.0	13	5317.0	Y
20	4	17.1	373.0	15	5595.0	Y
21	4	13.8	254.0	13	3302.0	Υ
22	4	19.8	274.0	16	4384.0	Υ
23	4	15.3	278.0	14	3892.0	Υ
24	4	14.5	317.0	13	4121.0	Y
25	4	11.3	260.0	12	3120.0	Y
26	4	17.3	211.0	15	3165.0	Υ
27	4	19.2	272.0	16	4352.0	Y
28	4	14.2	264.0	13	3432.0	Υ
29	4	18.2	284.0	15	4260.0	Υ
Detection	rate: 100%					



Trial Id	Radar Type	Number of Pulses	Burst Period (s)	Waveform Length (µs)	conclusion
0	5	15	0.8000000	12.0	Y
1	5	8	1.5000000	12.0	Y
2	5	11	1.0909091	12.0	Y
3	5	20	0.6000000	12.0	Y
4	5	17	0.7058824	12.0	Y
5	5	14	0.8571429	12.0	Y
6	5	15	0.8000000	12.0	Y
7	5	12	1.0000000	12.0	Y
8	5	14	0.8571429	12.0	Y
9	5	8	1.5000000	12.0	Y
10	5	17	0.7058824	12.0	Y
11	5	19	0.6315789	12.0	Y
12	5	15	0.8000000	12.0	Y
13	5	12	1.0000000	12.0	Y
14	5	19	0.6315789	12.0	Y
15	5	14	0.8571429	12.0	Υ
16	5	20	0.6000000	12.0	Y
17	5	12	1.0000000	12.0	Y
18	5	14	0.8571429	12.0	Y
19	5	12	1.0000000	12.0	Y
20	5	16	0.7500000	12.0	Y
21	5	12	1.0000000	12.0	Y
22	5	20	0.6000000	12.0	Y
23	5	14	0.8571429	12.0	Y
24	5	13	0.9230769	12.0	Y
25	5	8	1.5000000	12.0	Y
26	5	17	0.7058824	12.0	Υ
27	5	19	0.6315789	12.0	Y
28	5	12	1.0000000	12.0	Y
29	5	18	0.6666667	12.0	Y
Detection	rate: 100%				



Trial Id	Radar Type	Pulse Width(µs)	PRI (µs)	Pulses Per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	conclusion
0	6	1.0	333.3	9	0.3333	300.00	33	Y
1	6	1.0	333.3	9	0.3333	300.00	29	Y
2	6	1.0	333.3	9	0.3333	300.00	28	Y
3	6	1.0	333.3	9	0.3333	300.00	35	Y
4	6	1.0	333.3	9	0.3333	300.00	35	Υ
5	6	1.0	333.3	9	0.3333	300.00	31	Υ
6	6	1.0	333.3	9	0.3333	300.00	33	Υ
7	6	1.0	333.3	9	0.3333	300.00	29	Υ
8	6	1.0	333.3	9	0.3333	300.00	33	Υ
9	6	1.0	333.3	9	0.3333	300.00	32	Υ
10	6	1.0	333.3	9	0.3333	300.00	36	Y
11	6	1.0	333.3	9	0.3333	300.00	40	Υ
12	6	1.0	333.3	9	0.3333	300.00	37	Υ
13	6	1.0	333.3	9	0.3333	300.00	34	Y
14	6	1.0	333.3	9	0.3333	300.00	31	Y
15	6	1.0	333.3	9	0.3333	300.00	39	Y
16	6	1.0	333.3	9	0.3333	300.00	35	Υ
17	6	1.0	333.3	9	0.3333	300.00	36	Υ
18	6	1.0	333.3	9	0.3333	300.00	29	Y
19	6	1.0	333.3	9	0.3333	300.00	32	Υ
20	6	1.0	333.3	9	0.3333	300.00	35	Υ
21	6	1.0	333.3	9	0.3333	300.00	38	Υ
22	6	1.0	333.3	9	0.3333	300.00	40	Y
23	6	1.0	333.3	9	0.3333	300.00	37	Y
24	6	1.0	333.3	9	0.3333	300.00	31	Y
25	6	1.0	333.3	9	0.3333	300.00	33	Υ
26	6	1.0	333.3	9	0.3333	300.00	29	Y
27	6	1.0	333.3	9	0.3333	300.00	35	Y
28	6	1.0	333.3	9	0.3333	300.00	32	Υ
29	6	1.0	333.3	9	0.3333	300.00	37	Y
Detect	ion rate:	100%						



5300MHZ, Radar 1

Trial Id	Radar Type	Pulse Width(µs)	PRI (µs)	Number of Pulses	Waveform Length (µs)	conclusion
0	1	1.0	938.0	57	53466.0	Υ
1	1	1.0	698.0	76	53048.0	Υ
2	1	1.0	618.0	86	53148.0	Y
3	1	1.0	538.0	99	53262.0	Υ
4	1	1.0	878.0	61	53558.0	Y
5	1	1.0	3066.0	18	55188.0	Y
6	1	1.0	638.0	83	52954.0	Y
7	1	1.0	918.0	58	53244.0	Y
8	1	1.0	838.0	63	52794.0	Y
9	1	1.0	858.0	62	53196.0	Y
10	1	1.0	798.0	67	53466.0	Y
11	1	1.0	718.0	74	53132.0	Y
12	1	1.0	578.0	92	53176.0	Y
13	1	1.0	598.0	89	53222.0	Y
14	1	1.0	558.0	95	53010.0	Y
15	1	1.0	2536.0	21	53256.0	Y
16	1	1.0	966.0	55	53130.0	Y
17	1	1.0	827.0	64	52928.0	Y
18	1	1.0	2501.0	22	55022.0	Y
19	1	1.0	2595.0	21	54495.0	Y
20	1	1.0	1114.0	48	53472.0	Y
21	1	1.0	1302.0	41	53382.0	Y
22	1	1.0	3045.0	18	54810.0	Y
23	1	1.0	1624.0	33	53592.0	Y
24	1	1.0	2878.0	19	54682.0	Y
25	1	1.0	1027.0	52	53404.0	Y
26	1	1.0	2485.0	22	54670.0	Y
27	1	1.0	1600.0	33	52800.0	Y
28	1	1.0	1172.0	46	53912.0	Y
29	1	1.0	1177.0	45	52965.0	Y
Detection	rate: 100%					



Trial Id	Radar Type	Pulse Width(µs)	PRI (µs)	Number of Pulses	Waveform Length (µs)	conclusion
0	2	3.2	179.0	26	4654.0	Υ
1	2	1.1	207.0	23	4761.0	Υ
2	2	2.1	230.0	24	5520.0	Y
3	2	4.8	200.0	29	5800.0	Υ
4	2	3.9	214.0	28	5992.0	Υ
5	2	2.9	222.0	26	5772.0	Y
6	2	3.2	204.0	26	5304.0	Υ
7	2	2.5	192.0	25	4800.0	Υ
8	2	3.1	164.0	26	4264.0	Y
9	2	1.2	156.0	23	3588.0	Y
10	2	3.9	210.0	27	5670.0	Y
11	2	4.6	201.0	29	5829.0	Y
12	2	3.2	162.0	26	4212.0	Y
13	2	2.2	197.0	25	4925.0	Y
14	2	4.5	163.0	29	4727.0	Υ
15	2	3.0	203.0	26	5278.0	Υ
16	2	5.0	168.0	29	4872.0	Υ
17	2	2.4	217.0	25	5425.0	Υ
18	2	2.9	191.0	26	4966.0	Υ
19	2	2.3	166.0	25	4150.0	Υ
20	2	3.7	150.0	27	4050.0	Υ
21	2	2.2	176.0	25	4400.0	Y
22	2	4.9	195.0	29	5655	Y
23	2	2.9	202.0	26	5252.0	Y
24	2	2.5	178.0	25	4450.0	Y
25	2	1.1	206.0	23	4738.0	Y
26	2	3.8	155.0	27	4185.0	Y
27	2	4.7	157.0	29	4553.0	Y
28	2	2.4	224.0	25	5600.0	Y
29	2	4.2	159.0	28	4452.0	Y
Detection	rate: 100%	_				_



5300MHZ, Radar 3

Trial Id	Radar Type	Pulse Width(µs)	PRI (µs)	Number of Pulses	Waveform Length (µs)	conclusion
0	3	8.2	355.0	17	6035.0	Y
1	3	6.1	487.0	16	7792.0	Y
2	3	7.1	344.0	16	5504.0	Y
3	3	9.8	288.0	18	5184.0	Y
4	3	8.9	230.0	18	4140.0	Υ
5	3	7.9	432.0	17	7344.0	Υ
6	3	8.2	207.0	17	3519.0	Υ
7	3	7.5	443.0	17	7531.0	Υ
8	3	8.1	439.0	17	7463.0	Y
9	3	6.2	223.0	16	3568.0	Y
10	3	8.9	208.0	18	3744.0	Y
11	3	9.6	463.0	18	8334.0	Υ
12	3	8.2	441.0	17	7497.0	Υ
13	3	7.2	323.0	16	5168.0	Υ
14	3	9.5	297.0	18	5346.0	Υ
15	3	8.0	412.0	17	7004.0	Υ
16	3	10.0	324.0	18	5832.0	Υ
17	3	7.4	271.0	17	4607.0	Y
18	3	7.9	349.0	17	5933.0	Y
19	3	7.3	409.0	16	6544.0	Y
20	3	8.7	373.0	18	6714.0	Y
21	3	7.2	254.0	16	4064.0	Y
22	3	9.9	274.0	18	4932.0	Y
23	3	7.9	278.0	17	4726.0	Y
24	3	7.5	317.0	17	5389.0	Y
25	3	6.1	260.0	16	4160.0	Υ
26	3	8.8	211.0	18	3798.0	Y
27	3	9.7	272.0	18	4896.0	Y
28	3	7.4	264.0	17	4488.0	Y
29	3	9.2	284.0	18	5112.0	Y
Detection	rate: 100%					



Trial Id	Radar Type	Pulse Width(µs)	PRI (µs)	Number of Pulses	Waveform Length (µs)	conclusion
0	4	16.0	355.0	14	4970.0	Y
1	4	11.3	487.0	12	5844.0	Y
2	4	13.5	344.0	13	4472.0	Y
3	4	19.4	288.0	16	4608.0	Y
4	4	17.5	230.0	15	3450.0	Y
5	4	15.3	432.0	14	6048.0	Y
6	4	15.9	207.0	14	2898.0	Y
7	4	14.3	443.0	13	5759.0	Y
8	4	15.8	439.0	14	6146.0	Y
9	4	11.5	223.0	12	2676.0	Y
10	4	17.4	208.0	15	3120.0	Y
11	4	19.0	463.0	16	7408.0	Y
12	4	16.0	441.0	14	6174.0	Y
13	4	13.8	323.0	13	4199.0	Y
14	4	18.9	297.0	16	4752.0	Y
15	4	15.5	412.0	14	5768.0	Y
16	4	19.9	324.0	16	5184.0	Y
17	4	14.1	271.0	13	3523.0	Y
18	4	15.2	349.0	14	4886.0	Y
19	4	13.8	409.0	13	5317.0	Y
20	4	17.1	373.0	15	5595.0	Y
21	4	13.8	254.0	13	3302.0	Y
22	4	19.8	274.0	16	4384.0	Y
23	4	15.3	278.0	14	3892.0	Y
24	4	14.5	317.0	13	4121.0	Y
25	4	11.3	260.0	12	3120.0	Y
26	4	17.3	211.0	15	3165.0	Y
27	4	19.2	272.0	16	4352.0	Y
28	4	14.2	264.0	13	3432.0	Y
29	4	18.2	284.0	15	4260.0	Y
Detection	rate: 100%					



Trial Id	Radar Type	Number of Pulses	Burst Period (s)	Waveform Length (µs)	conclusion
0	5	15	0.8000000	12.0	Y
1	5	8	1.5000000	12.0	Y
2	5	11	1.0909091	12.0	Y
3	5	20	0.6000000	12.0	Y
4	5	17	0.7058824	12.0	Y
5	5	14	0.8571429	12.0	Y
6	5	15	0.8000000	12.0	Y
7	5	12	1.0000000	12.0	Y
8	5	14	0.8571429	12.0	Υ
9	5	8	1.5000000	12.0	Υ
10	5	17	0.7058824	12.0	Υ
11	5	19	0.6315789	12.0	Υ
12	5	15	0.8000000	12.0	Y
13	5	12	1.0000000	12.0	Y
14	5	19	0.6315789	12.0	Y
15	5	14	0.8571429	12.0	Y
16	5	20	0.6000000	12.0	Y
17	5	12	1.0000000	12.0	Y
18	5	14	0.8571429	12.0	Y
19	5	12	1.0000000	12.0	Y
20	5	16	0.7500000	12.0	Y
21	5	12	1.0000000	12.0	Y
22	5	20	0.6000000	12.0	Υ
23	5	14	0.8571429	12.0	Y
24	5	13	0.9230769	12.0	Y
25	5	8	1.5000000	12.0	Y
26	5	17	0.7058824	12.0	Υ
27	5	19	0.6315789	12.0	Υ
28	5	12	1.0000000	12.0	Y
29	5	18	0.6666667	12.0	Υ
Detection	rate: 100%				



Trial Id	Radar Type	Pulse Width(µs)	PRI (µs)	Pulses Per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	conclusion
0	6	1.0	333.3	9	0.3333	300.00	33	Υ
1	6	1.0	333.3	9	0.3333	300.00	29	Y
2	6	1.0	333.3	9	0.3333	300.00	28	Y
3	6	1.0	333.3	9	0.3333	300.00	35	N
4	6	1.0	333.3	9	0.3333	300.00	35	Υ
5	6	1.0	333.3	9	0.3333	300.00	31	Υ
6	6	1.0	333.3	9	0.3333	300.00	33	Υ
7	6	1.0	333.3	9	0.3333	300.00	29	Υ
8	6	1.0	333.3	9	0.3333	300.00	33	Υ
9	6	1.0	333.3	9	0.3333	300.00	32	Υ
10	6	1.0	333.3	9	0.3333	300.00	36	Y
11	6	1.0	333.3	9	0.3333	300.00	40	Υ
12	6	1.0	333.3	9	0.3333	300.00	37	Υ
13	6	1.0	333.3	9	0.3333	300.00	34	Y
14	6	1.0	333.3	9	0.3333	300.00	31	Y
15	6	1.0	333.3	9	0.3333	300.00	39	Y
16	6	1.0	333.3	9	0.3333	300.00	35	Υ
17	6	1.0	333.3	9	0.3333	300.00	36	Υ
18	6	1.0	333.3	9	0.3333	300.00	29	Y
19	6	1.0	333.3	9	0.3333	300.00	32	Υ
20	6	1.0	333.3	9	0.3333	300.00	35	Υ
21	6	1.0	333.3	9	0.3333	300.00	38	N
22	6	1.0	333.3	9	0.3333	300.00	40	Y
23	6	1.0	333.3	9	0.3333	300.00	37	Y
24	6	1.0	333.3	9	0.3333	300.00	31	Y
25	6	1.0	333.3	9	0.3333	300.00	33	Y
26	6	1.0	333.3	9	0.3333	300.00	29	Y
27	6	1.0	333.3	9	0.3333	300.00	35	Y
28	6	1.0	333.3	9	0.3333	300.00	32	Υ
29	6	1.0	333.3	9	0.3333	300.00	37	Y
Detect	ion rate:	93%						



5500MHZ, Radar 1

Trial Id	Radar Type	Pulse Width(µs)	PRI (µs)	Number of Pulses	Waveform Length (µs)	conclusion
0	1	1.0	938.0	57	53466.0	Υ
1	1	1.0	698.0	76	53048.0	Y
2	1	1.0	618.0	86	53148.0	Υ
3	1	1.0	538.0	99	53262.0	Y
4	1	1.0	878.0	61	53558.0	Y
5	1	1.0	3066.0	18	55188.0	Y
6	1	1.0	638.0	83	52954.0	Y
7	1	1.0	918.0	58	53244.0	Y
8	1	1.0	838.0	63	52794.0	Υ
9	1	1.0	858.0	62	53196.0	Y
10	1	1.0	798.0	67	53466.0	Y
11	1	1.0	718.0	74	53132.0	Y
12	1	1.0	578.0	92	53176.0	Y
13	1	1.0	598.0	89	53222.0	Y
14	1	1.0	558.0	95	53010.0	Y
15	1	1.0	2536.0	21	53256.0	Y
16	1	1.0	966.0	55	53130.0	Y
17	1	1.0	827.0	64	52928.0	Y
18	1	1.0	2501.0	22	55022.0	Y
19	1	1.0	2595.0	21	54495.0	Y
20	1	1.0	1114.0	48	53472.0	Y
21	1	1.0	1302.0	41	53382.0	Y
22	1	1.0	3045.0	18	54810.0	Y
23	1	1.0	1624.0	33	53592.0	Y
24	1	1.0	2878.0	19	54682.0	Y
25	1	1.0	1027.0	52	53404.0	Y
26	1	1.0	2485.0	22	54670.0	Y
27	1	1.0	1600.0	33	52800.0	Y
28	1	1.0	1172.0	46	53912.0	Y
29	1	1.0	1177.0	45	52965.0	Y
Detection	rate: 100%					



Trial Id	Radar Type	Pulse Width(µs)	PRI (µs)	Number of Pulses	Waveform Length (µs)	conclusion
0	2	3.2	179.0	26	4654.0	Υ
1	2	1.1	207.0	23	4761.0	Y
2	2	2.1	230.0	24	5520.0	Y
3	2	4.8	200.0	29	5800.0	Y
4	2	3.9	214.0	28	5992.0	Y
5	2	2.9	222.0	26	5772.0	Y
6	2	3.2	204.0	26	5304.0	Y
7	2	2.5	192.0	25	4800.0	Y
8	2	3.1	164.0	26	4264.0	Y
9	2	1.2	156.0	23	3588.0	Y
10	2	3.9	210.0	27	5670.0	Y
11	2	4.6	201.0	29	5829.0	Y
12	2	3.2	162.0	26	4212.0	Y
13	2	2.2	197.0	25	4925.0	Y
14	2	4.5	163.0	29	4727.0	Y
15	2	3.0	203.0	26	5278.0	Y
16	2	5.0	168.0	29	4872.0	Y
17	2	2.4	217.0	25	5425.0	Y
18	2	2.9	191.0	26	4966.0	Y
19	2	2.3	166.0	25	4150.0	Y
20	2	3.7	150.0	27	4050.0	Y
21	2	2.2	176.0	25	4400.0	Y
22	2	4.9	195.0	29	5655	Y
23	2	2.9	202.0	26	5252.0	Y
24	2	2.5	178.0	25	4450.0	Υ
25	2	1.1	206.0	23	4738.0	Y
26	2	3.8	155.0	27	4185.0	Υ
27	2	4.7	157.0	29	4553.0	Y
28	2	2.4	224.0	25	5600.0	Υ
29	2	4.2	159.0	28	4452.0	Y
Detection	rate: 100%		•	·		



Trial Id	Radar Type	Pulse Width(µs)	PRI (µs)	Number of Pulses	Waveform Length (µs)	conclusion
0	3	8.2	355.0	17	6035.0	Υ
1	3	6.1	487.0	16	7792.0	Υ
2	3	7.1	344.0	16	5504.0	Υ
3	3	9.8	288.0	18	5184.0	Y
4	3	8.9	230.0	18	4140.0	Y
5	3	7.9	432.0	17	7344.0	Y
6	3	8.2	207.0	17	3519.0	Υ
7	3	7.5	443.0	17	7531.0	Υ
8	3	8.1	439.0	17	7463.0	Υ
9	3	6.2	223.0	16	3568.0	Υ
10	3	8.9	208.0	18	3744.0	Υ
11	3	9.6	463.0	18	8334.0	Υ
12	3	8.2	441.0	17	7497.0	Υ
13	3	7.2	323.0	16	5168.0	Υ
14	3	9.5	297.0	18	5346.0	Υ
15	3	8.0	412.0	17	7004.0	Υ
16	3	10.0	324.0	18	5832.0	Υ
17	3	7.4	271.0	17	4607.0	Υ
18	3	7.9	349.0	17	5933.0	Υ
19	3	7.3	409.0	16	6544.0	Υ
20	3	8.7	373.0	18	6714.0	Υ
21	3	7.2	254.0	16	4064.0	Υ
22	3	9.9	274.0	18	4932.0	Y
23	3	7.9	278.0	17	4726.0	Y
24	3	7.5	317.0	17	5389.0	Y
25	3	6.1	260.0	16	4160.0	Y
26	3	8.8	211.0	18	3798.0	Y
27	3	9.7	272.0	18	4896.0	Y
28	3	7.4	264.0	17	4488.0	Y
29	3	9.2	284.0	18	5112.0	Y
Detection	rate: 100%					



5500MHZ, Radar 4

Trial Id	Radar Type	Pulse Width(μs)	PRI (µs)	Number of Pulses	Waveform Length (μs)	conclusion
0	4	16.0	355.0	14	4970.0	Υ
1	4	11.3	487.0	12	5844.0	Y
2	4	13.5	344.0	13	4472.0	Υ
3	4	19.4	288.0	16	4608.0	Y
4	4	17.5	230.0	15	3450.0	Y
5	4	15.3	432.0	14	6048.0	Y
6	4	15.9	207.0	14	2898.0	Y
7	4	14.3	443.0	13	5759.0	Y
8	4	15.8	439.0	14	6146.0	Υ
9	4	11.5	223.0	12	2676.0	Υ
10	4	17.4	208.0	15	3120.0	Υ
11	4	19.0	463.0	16	7408.0	Y
12	4	16.0	441.0	14	6174.0	Y
13	4	13.8	323.0	13	4199.0	Y
14	4	18.9	297.0	16	4752.0	Y
15	4	15.5	412.0	14	5768.0	Υ
16	4	19.9	324.0	16	5184.0	Y
17	4	14.1	271.0	13	3523.0	Y
18	4	15.2	349.0	14	4886.0	Y
19	4	13.8	409.0	13	5317.0	Y
20	4	17.1	373.0	15	5595.0	Y
21	4	13.8	254.0	13	3302.0	Y
22	4	19.8	274.0	16	4384.0	Y
23	4	15.3	278.0	14	3892.0	Υ
24	4	14.5	317.0	13	4121.0	Y
25	4	11.3	260.0	12	3120.0	Y
26	4	17.3	211.0	15	3165.0	Y
27	4	19.2	272.0	16	4352.0	Y
28	4	14.2	264.0	13	3432.0	Υ
29	4	18.2	284.0	15	4260.0	Υ
Detection	rate: 100%				_	



Trial Id	Radar Type	Number of Pulses	Burst Period (s)	Waveform Length (µs)	conclusion
0	5	15	0.8000000	12.0	Y
1	5	8	1.5000000	12.0	Y
2	5	11	1.0909091	12.0	Y
3	5	20	0.6000000	12.0	Y
4	5	17	0.7058824	12.0	Y
5	5	14	0.8571429	12.0	Y
6	5	15	0.8000000	12.0	Y
7	5	12	1.0000000	12.0	Y
8	5	14	0.8571429	12.0	Y
9	5	8	1.5000000	12.0	Y
10	5	17	0.7058824	12.0	Y
11	5	19	0.6315789	12.0	Y
12	5	15	0.8000000	12.0	Y
13	5	12	1.0000000	12.0	Y
14	5	19	0.6315789	12.0	Y
15	5	14	0.8571429	12.0	Υ
16	5	20	0.6000000	12.0	Y
17	5	12	1.0000000	12.0	Y
18	5	14	0.8571429	12.0	Y
19	5	12	1.0000000	12.0	Y
20	5	16	0.7500000	12.0	Y
21	5	12	1.0000000	12.0	Y
22	5	20	0.6000000	12.0	Y
23	5	14	0.8571429	12.0	Y
24	5	13	0.9230769	12.0	Y
25	5	8	1.5000000	12.0	Y
26	5	17	0.7058824	12.0	Y
27	5	19	0.6315789	12.0	Y
28	5	12	1.0000000	12.0	Y
29	5	18	0.6666667	12.0	Y
Detection	rate: 100%				



5550WI	nz, Rada				11	11	V P - 21-1	
Trial	Radar	Pulse	PRI	Pulses	Hopping	Hopping	Visible	
ld	Туре	Width(µs)	(µs)	Per Hop	Rate	Sequence	Frequency	conclusion
				·	(kHz)	Length (ms)	Number	
0	6	1.0	333.3	9	0.3333	300.00	33	Y
1	6	1.0	333.3	9	0.3333	300.00	29	N
2	6	1.0	333.3	9	0.3333	300.00	28	Υ
3	6	1.0	333.3	9	0.3333	300.00	35	Υ
4	6	1.0	333.3	9	0.3333	300.00	35	Y
5	6	1.0	333.3	9	0.3333	300.00	31	Y
6	6	1.0	333.3	9	0.3333	300.00	33	Y
7	6	1.0	333.3	9	0.3333	300.00	29	Υ
8	6	1.0	333.3	9	0.3333	300.00	33	Υ
9	6	1.0	333.3	9	0.3333	300.00	32	Υ
10	6	1.0	333.3	9	0.3333	300.00	36	Υ
11	6	1.0	333.3	9	0.3333	300.00	40	Υ
12	6	1.0	333.3	9	0.3333	300.00	37	Υ
13	6	1.0	333.3	9	0.3333	300.00	34	Υ
14	6	1.0	333.3	9	0.3333	300.00	31	Υ
15	6	1.0	333.3	9	0.3333	300.00	39	Y
16	6	1.0	333.3	9	0.3333	300.00	35	N
17	6	1.0	333.3	9	0.3333	300.00	36	Y
18	6	1.0	333.3	9	0.3333	300.00	29	Υ
19	6	1.0	333.3	9	0.3333	300.00	32	Y
20	6	1.0	333.3	9	0.3333	300.00	35	Y
21	6	1.0	333.3	9	0.3333	300.00	38	Y
22	6	1.0	333.3	9	0.3333	300.00	40	Y
23	6	1.0	333.3	9	0.3333	300.00	37	Y
24	6	1.0	333.3	9	0.3333	300.00	31	Y
25	6	1.0	333.3	9	0.3333	300.00	33	Y
26	6	1.0	333.3	9	0.3333	300.00	29	Y
27	6	1.0	333.3	9	0.3333	300.00	35	Y
28	6	1.0	333.3	9	0.3333	300.00	32	Υ
29	6	1.0	333.3	9	0.3333	300.00	37	Y
Detect	ion rate:	93%						



Trial Id	Radar Type	Pulse Width(μs)	PRI (µs)	Number of Pulses	Waveform Length (µs)	conclusion
0	1	1.0	938.0	57	53466.0	Υ
1	1	1.0	698.0	76	53048.0	Υ
2	1	1.0	618.0	86	53148.0	Υ
3	1	1.0	538.0	99	53262.0	Υ
4	1	1.0	878.0	61	53558.0	Y
5	1	1.0	3066.0	18	55188.0	Y
6	1	1.0	638.0	83	52954.0	Y
7	1	1.0	918.0	58	53244.0	Y
8	1	1.0	838.0	63	52794.0	Y
9	1	1.0	858.0	62	53196.0	Y
10	1	1.0	798.0	67	53466.0	Y
11	1	1.0	718.0	74	53132.0	Υ
12	1	1.0	578.0	92	53176.0	Υ
13	1	1.0	598.0	89	53222.0	Υ
14	1	1.0	558.0	95	53010.0	Y
15	1	1.0	2536.0	21	53256.0	Υ
16	1	1.0	966.0	55	53130.0	Y
17	1	1.0	827.0	64	52928.0	Y
18	1	1.0	2501.0	22	55022.0	Y
19	1	1.0	2595.0	21	54495.0	Υ
20	1	1.0	1114.0	48	53472.0	Υ
21	1	1.0	1302.0	41	53382.0	Υ
22	1	1.0	3045.0	18	54810.0	Υ
23	1	1.0	1624.0	33	53592.0	Υ
24	1	1.0	2878.0	19	54682.0	Υ
25	1	1.0	1027.0	52	53404.0	Y
26	1	1.0	2485.0	22	54670.0	Y
27	1	1.0	1600.0	33	52800.0	Υ
28	1	1.0	1172.0	46	53912.0	Υ
29	1	1.0	1177.0	45	52965.0	Y
Detection	rate: 100%		•	·		_



Trial Id	Radar Type	Pulse Width(µs)	PRI (µs)	Number of Pulses	Waveform Length (µs)	conclusion
0	2	3.2	179.0	26	4654.0	Υ
1	2	1.1	207.0	23	4761.0	Υ
2	2	2.1	230.0	24	5520.0	Υ
3	2	4.8	200.0	29	5800.0	Y
4	2	3.9	214.0	28	5992.0	Y
5	2	2.9	222.0	26	5772.0	Y
6	2	3.2	204.0	26	5304.0	Y
7	2	2.5	192.0	25	4800.0	Y
8	2	3.1	164.0	26	4264.0	Y
9	2	1.2	156.0	23	3588.0	Y
10	2	3.9	210.0	27	5670.0	Y
11	2	4.6	201.0	29	5829.0	Y
12	2	3.2	162.0	26	4212.0	Y
13	2	2.2	197.0	25	4925.0	Y
14	2	4.5	163.0	29	4727.0	Y
15	2	3.0	203.0	26	5278.0	Y
16	2	5.0	168.0	29	4872.0	Y
17	2	2.4	217.0	25	5425.0	Y
18	2	2.9	191.0	26	4966.0	Y
19	2	2.3	166.0	25	4150.0	Y
20	2	3.7	150.0	27	4050.0	Y
21	2	2.2	176.0	25	4400.0	Y
22	2	4.9	195.0	29	5655	Y
23	2	2.9	202.0	26	5252.0	Y
24	2	2.5	178.0	25	4450.0	Υ
25	2	1.1	206.0	23	4738.0	Y
26	2	3.8	155.0	27	4185.0	Υ
27	2	4.7	157.0	29	4553.0	Y
28	2	2.4	224.0	25	5600.0	Y
29	2	4.2	159.0	28	4452.0	Y
Detection	rate: 100%					_



Trial Id	Radar Type	Pulse Width(µs)	PRI (µs)	Number of Pulses	Waveform Length (µs)	conclusion
0	3	8.2	355.0	17	6035.0	Y
1	3	6.1	487.0	16	7792.0	Y
2	3	7.1	344.0	16	5504.0	Y
3	3	9.8	288.0	18	5184.0	Υ
4	3	8.9	230.0	18	4140.0	Υ
5	3	7.9	432.0	17	7344.0	Y
6	3	8.2	207.0	17	3519.0	Y
7	3	7.5	443.0	17	7531.0	Y
8	3	8.1	439.0	17	7463.0	Y
9	3	6.2	223.0	16	3568.0	Υ
10	3	8.9	208.0	18	3744.0	Y
11	3	9.6	463.0	18	8334.0	Y
12	3	8.2	441.0	17	7497.0	Υ
13	3	7.2	323.0	16	5168.0	Υ
14	3	9.5	297.0	18	5346.0	Υ
15	3	8.0	412.0	17	7004.0	Υ
16	3	10.0	324.0	18	5832.0	Y
17	3	7.4	271.0	17	4607.0	Υ
18	3	7.9	349.0	17	5933.0	Y
19	3	7.3	409.0	16	6544.0	Υ
20	3	8.7	373.0	18	6714.0	Υ
21	3	7.2	254.0	16	4064.0	Υ
22	3	9.9	274.0	18	4932.0	Υ
23	3	7.9	278.0	17	4726.0	Υ
24	3	7.5	317.0	17	5389.0	Υ
25	3	6.1	260.0	16	4160.0	Υ
26	3	8.8	211.0	18	3798.0	Y
27	3	9.7	272.0	18	4896.0	Υ
28	3	7.4	264.0	17	4488.0	Y
29	3	9.2	284.0	18	5112.0	Y
Detection	rate: 100%					



Trial Id	Radar Type	Pulse Width(µs)	PRI (µs)	Number of Pulses	Waveform Length (µs)	conclusion
0	4	16.0	355.0	14	4970.0	Y
1	4	11.3	487.0	12	5844.0	Y
2	4	13.5	344.0	13	4472.0	Y
3	4	19.4	288.0	16	4608.0	Y
4	4	17.5	230.0	15	3450.0	Y
5	4	15.3	432.0	14	6048.0	Y
6	4	15.9	207.0	14	2898.0	Y
7	4	14.3	443.0	13	5759.0	Y
8	4	15.8	439.0	14	6146.0	Y
9	4	11.5	223.0	12	2676.0	Y
10	4	17.4	208.0	15	3120.0	Y
11	4	19.0	463.0	16	7408.0	Y
12	4	16.0	441.0	14	6174.0	Y
13	4	13.8	323.0	13	4199.0	Y
14	4	18.9	297.0	16	4752.0	Y
15	4	15.5	412.0	14	5768.0	Y
16	4	19.9	324.0	16	5184.0	Y
17	4	14.1	271.0	13	3523.0	Y
18	4	15.2	349.0	14	4886.0	Y
19	4	13.8	409.0	13	5317.0	Y
20	4	17.1	373.0	15	5595.0	Y
21	4	13.8	254.0	13	3302.0	Υ
22	4	19.8	274.0	16	4384.0	Υ
23	4	15.3	278.0	14	3892.0	Υ
24	4	14.5	317.0	13	4121.0	Y
25	4	11.3	260.0	12	3120.0	Υ
26	4	17.3	211.0	15	3165.0	Υ
27	4	19.2	272.0	16	4352.0	Υ
28	4	14.2	264.0	13	3432.0	Υ
29	4	18.2	284.0	15	4260.0	Υ
Detection	rate: 100%					



Trial Id	Radar Type	Number of Pulses	Burst Period (s)	Waveform Length (µs)	conclusion
			, ,		
0	5	15	0.8000000	12.0	Y
1	5	8	1.5000000	12.0	Y
2	5	11	1.0909091	12.0	Y
3	5	20	0.6000000	12.0	Y
4	5	17	0.7058824	12.0	Y
5	5	14	0.8571429	12.0	Y
6	5	15	0.8000000	12.0	Υ
7	5	12	1.0000000	12.0	Υ
8	5	14	0.8571429	12.0	Υ
9	5	8	1.5000000	12.0	Y
10	5	17	0.7058824	12.0	Y
11	5	19	0.6315789	12.0	Y
12	5	15	0.8000000	12.0	Y
13	5	12	1.0000000	12.0	Y
14	5	19	0.6315789	12.0	Y
15	5	14	0.8571429	12.0	Y
16	5	20	0.6000000	12.0	Y
17	5	12	1.0000000	12.0	Y
18	5	14	0.8571429	12.0	Y
19	5	12	1.0000000	12.0	Y
20	5	16	0.7500000	12.0	Y
21	5	12	1.0000000	12.0	Y
22	5	20	0.6000000	12.0	Υ
23	5	14	0.8571429	12.0	Y
24	5	13	0.9230769	12.0	Y
25	5	8	1.5000000	12.0	Y
26	5	17	0.7058824	12.0	Y
27	5	19	0.6315789	12.0	Y
28	5	12	1.0000000	12.0	Y
29	5	18	0.6666667	12.0	Υ
Detection	rate: 100%				



5550MHZ, Radar 6

Trial Id	Radar Type	Pulse Width(µs)	PRI (µs)	Pulses Per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	conclusion
0	6	1.0	333.3	9	0.3333	300.00	33	Υ
1	6	1.0	333.3	9	0.3333	300.00	29	Y
2	6	1.0	333.3	9	0.3333	300.00	28	Y
3	6	1.0	333.3	9	0.3333	300.00	35	Υ
4	6	1.0	333.3	9	0.3333	300.00	35	Υ
5	6	1.0	333.3	9	0.3333	300.00	31	N
6	6	1.0	333.3	9	0.3333	300.00	33	Υ
7	6	1.0	333.3	9	0.3333	300.00	29	Y
8	6	1.0	333.3	9	0.3333	300.00	33	Y
9	6	1.0	333.3	9	0.3333	300.00	32	Y
10	6	1.0	333.3	9	0.3333	300.00	36	Y
11	6	1.0	333.3	9	0.3333	300.00	40	Υ
12	6	1.0	333.3	9	0.3333	300.00	37	Υ
13	6	1.0	333.3	9	0.3333	300.00	34	N
14	6	1.0	333.3	9	0.3333	300.00	31	Y
15	6	1.0	333.3	9	0.3333	300.00	39	Y
16	6	1.0	333.3	9	0.3333	300.00	35	Y
17	6	1.0	333.3	9	0.3333	300.00	36	Y
18	6	1.0	333.3	9	0.3333	300.00	29	N
19	6	1.0	333.3	9	0.3333	300.00	32	Y
20	6	1.0	333.3	9	0.3333	300.00	35	Y
21	6	1.0	333.3	9	0.3333	300.00	38	Y
22	6	1.0	333.3	9	0.3333	300.00	40	Y
23	6	1.0	333.3	9	0.3333	300.00	37	N
24	6	1.0	333.3	9	0.3333	300.00	31	Y
25	6	1.0	333.3	9	0.3333	300.00	33	Y
26	6	1.0	333.3	9	0.3333	300.00	29	Y
27	6	1.0	333.3	9	0.3333	300.00	35	N
28	6	1.0	333.3	9	0.3333	300.00	32	Y
29	6	1.0	333.3	9	0.3333	300.00	37	Y
Detect	ion rate:	85%						



Trial Id	Radar Type	Pulse Width(µs)	PRI (µs)	Number of Pulses	Waveform Length (µs)	conclusion
0	1	1.0	938.0	57	53466.0	Y
1	1	1.0	698.0	76	53048.0	Y
2	1	1.0	618.0	86	53148.0	Υ
3	1	1.0	538.0	99	53262.0	Υ
4	1	1.0	878.0	61	53558.0	Y
5	1	1.0	3066.0	18	55188.0	Υ
6	1	1.0	638.0	83	52954.0	Y
7	1	1.0	918.0	58	53244.0	Y
8	1	1.0	838.0	63	52794.0	Y
9	1	1.0	858.0	62	53196.0	Y
10	1	1.0	798.0	67	53466.0	Y
11	1	1.0	718.0	74	53132.0	Y
12	1	1.0	578.0	92	53176.0	Y
13	1	1.0	598.0	89	53222.0	Y
14	1	1.0	558.0	95	53010.0	Y
15	1	1.0	2536.0	21	53256.0	Y
16	1	1.0	966.0	55	53130.0	Y
17	1	1.0	827.0	64	52928.0	Y
18	1	1.0	2501.0	22	55022.0	Y
19	1	1.0	2595.0	21	54495.0	Y
20	1	1.0	1114.0	48	53472.0	Y
21	1	1.0	1302.0	41	53382.0	Y
22	1	1.0	3045.0	18	54810.0	Y
23	1	1.0	1624.0	33	53592.0	Y
24	1	1.0	2878.0	19	54682.0	Y
25	1	1.0	1027.0	52	53404.0	Y
26	1	1.0	2485.0	22	54670.0	Υ
27	1	1.0	1600.0	33	52800.0	Y
28	1	1.0	1172.0	46	53912.0	Υ
29	1	1.0	1177.0	45	52965.0	Υ
Detection	rate: 100%					



Trial Id	Radar Type	Pulse Width(µs)	PRI (µs)	Number of Pulses	Waveform Length (µs)	conclusion
0	2	3.2	179.0	26	4654.0	Y
1	2	1.1	207.0	23	4761.0	Υ
2	2	2.1	230.0	24	5520.0	Y
3	2	4.8	200.0	29	5800.0	Y
4	2	3.9	214.0	28	5992.0	Υ
5	2	2.9	222.0	26	5772.0	Υ
6	2	3.2	204.0	26	5304.0	Υ
7	2	2.5	192.0	25	4800.0	Υ
8	2	3.1	164.0	26	4264.0	Υ
9	2	1.2	156.0	23	3588.0	Υ
10	2	3.9	210.0	27	5670.0	Υ
11	2	4.6	201.0	29	5829.0	Υ
12	2	3.2	162.0	26	4212.0	Υ
13	2	2.2	197.0	25	4925.0	Υ
14	2	4.5	163.0	29	4727.0	Υ
15	2	3.0	203.0	26	5278.0	Υ
16	2	5.0	168.0	29	4872.0	Υ
17	2	2.4	217.0	25	5425.0	Υ
18	2	2.9	191.0	26	4966.0	Υ
19	2	2.3	166.0	25	4150.0	Υ
20	2	3.7	150.0	27	4050.0	Υ
21	2	2.2	176.0	25	4400.0	Υ
22	2	4.9	195.0	29	5655	Υ
23	2	2.9	202.0	26	5252.0	Υ
24	2	2.5	178.0	25	4450.0	Υ
25	2	1.1	206.0	23	4738.0	Υ
26	2	3.8	155.0	27	4185.0	Υ
27	2	4.7	157.0	29	4553.0	Υ
28	2	2.4	224.0	25	5600.0	Υ
29	2	4.2	159.0	28	4452.0	Υ
Detection	rate: 100%					



Trial Id	Radar Type	Pulse Width(µs)	PRI (µs)	Number of Pulses	Waveform Length (µs)	conclusion
0	3	8.2	355.0	17	6035.0	Υ
1	3	6.1	487.0	16	7792.0	Y
2	3	7.1	344.0	16	5504.0	Υ
3	3	9.8	288.0	18	5184.0	Υ
4	3	8.9	230.0	18	4140.0	Y
5	3	7.9	432.0	17	7344.0	Y
6	3	8.2	207.0	17	3519.0	Υ
7	3	7.5	443.0	17	7531.0	Υ
8	3	8.1	439.0	17	7463.0	Y
9	3	6.2	223.0	16	3568.0	Y
10	3	8.9	208.0	18	3744.0	Y
11	3	9.6	463.0	18	8334.0	Y
12	3	8.2	441.0	17	7497.0	Y
13	3	7.2	323.0	16	5168.0	Υ
14	3	9.5	297.0	18	5346.0	Υ
15	3	8.0	412.0	17	7004.0	Υ
16	3	10.0	324.0	18	5832.0	Υ
17	3	7.4	271.0	17	4607.0	Υ
18	3	7.9	349.0	17	5933.0	Υ
19	3	7.3	409.0	16	6544.0	Υ
20	3	8.7	373.0	18	6714.0	Υ
21	3	7.2	254.0	16	4064.0	Υ
22	3	9.9	274.0	18	4932.0	Υ
23	3	7.9	278.0	17	4726.0	Υ
24	3	7.5	317.0	17	5389.0	Y
25	3	6.1	260.0	16	4160.0	Y
26	3	8.8	211.0	18	3798.0	Υ
27	3	9.7	272.0	18	4896.0	Y
28	3	7.4	264.0	17	4488.0	Y
29	3	9.2	284.0	18	5112.0	Υ
Detection	rate: 100%					



Trial Id	Radar Type	Pulse Width(µs)	PRI (µs)	Number of Pulses	Waveform Length (µs)	conclusion
0	4	16.0	355.0	14	4970.0	Y
1	4	11.3	487.0	12	5844.0	Y
2	4	13.5	344.0	13	4472.0	Y
3	4	19.4	288.0	16	4608.0	Y
4	4	17.5	230.0	15	3450.0	Y
5	4	15.3	432.0	14	6048.0	Y
6	4	15.9	207.0	14	2898.0	Y
7	4	14.3	443.0	13	5759.0	Y
8	4	15.8	439.0	14	6146.0	Y
9	4	11.5	223.0	12	2676.0	Y
10	4	17.4	208.0	15	3120.0	Y
11	4	19.0	463.0	16	7408.0	Y
12	4	16.0	441.0	14	6174.0	Y
13	4	13.8	323.0	13	4199.0	Y
14	4	18.9	297.0	16	4752.0	Y
15	4	15.5	412.0	14	5768.0	Y
16	4	19.9	324.0	16	5184.0	Y
17	4	14.1	271.0	13	3523.0	Y
18	4	15.2	349.0	14	4886.0	Y
19	4	13.8	409.0	13	5317.0	Y
20	4	17.1	373.0	15	5595.0	Y
21	4	13.8	254.0	13	3302.0	Υ
22	4	19.8	274.0	16	4384.0	Υ
23	4	15.3	278.0	14	3892.0	Υ
24	4	14.5	317.0	13	4121.0	Υ
25	4	11.3	260.0	12	3120.0	Υ
26	4	17.3	211.0	15	3165.0	Υ
27	4	19.2	272.0	16	4352.0	Y
28	4	14.2	264.0	13	3432.0	Υ
29	4	18.2	284.0	15	4260.0	Υ
Detection	rate: 100%					



Trial Id	Radar Type	Number of Pulses	Burst Period (s)	Waveform Length (μs)	conclusion		
0	5	15	0.8000000	12.0	Υ		
1	5	8	1.5000000	12.0	Y		
2	5	11	1.0909091	12.0	Υ		
3	5	20	0.6000000	12.0	Y		
4	5	17	0.7058824	12.0	Υ		
5	5	14	0.8571429	12.0	Y		
6	5	15	0.8000000	12.0	Y		
7	5	12	1.0000000	12.0	Y		
8	5	14	0.8571429	12.0	Y		
9	5	8	1.5000000	12.0	Y		
10	5	17	0.7058824	12.0	Y		
11	5	19	0.6315789	12.0	Y		
12	5	15	0.8000000	12.0	Y		
13	5	12	1.0000000	12.0	Y		
14	5	19	0.6315789	12.0	Y		
15	5	14	0.8571429	12.0	Y		
16	5	20	0.6000000	12.0	Y		
17	5	12	1.0000000	12.0	Y		
18	5	14	0.8571429	12.0	Y		
19	5	12	1.0000000	12.0	Y		
20	5	16	0.7500000	12.0	Y		
21	5	12	1.0000000	12.0	Y		
22	5	20	0.6000000	12.0	Y		
23	5	14	0.8571429	12.0	Y		
24	5	13	0.9230769	12.0	Y		
25	5	8	1.5000000	12.0	Y		
26	5	17	0.7058824	12.0	Y		
27	5	19	0.6315789	12.0	Y		
28	5	12	1.0000000	12.0	Y		
29	5	18	0.6666667	12.0	Y		
Detection rate: 100%							



Trial Id	Radar Type	Pulse Width(µs)	PRI (µs)	Pulses Per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	conclusion
0	6	1.0	333.3	9	0.3333	300.00	33	Υ
1	6	1.0	333.3	9	0.3333	300.00	29	Υ
2	6	1.0	333.3	9	0.3333	300.00	28	Υ
3	6	1.0	333.3	9	0.3333	300.00	35	Υ
4	6	1.0	333.3	9	0.3333	300.00	35	Υ
5	6	1.0	333.3	9	0.3333	300.00	31	Υ
6	6	1.0	333.3	9	0.3333	300.00	33	Y
7	6	1.0	333.3	9	0.3333	300.00	29	Υ
8	6	1.0	333.3	9	0.3333	300.00	33	Υ
9	6	1.0	333.3	9	0.3333	300.00	32	Υ
10	6	1.0	333.3	9	0.3333	300.00	36	Υ
11	6	1.0	333.3	9	0.3333	300.00	40	Υ
12	6	1.0	333.3	9	0.3333	300.00	37	N
13	6	1.0	333.3	9	0.3333	300.00	34	Υ
14	6	1.0	333.3	9	0.3333	300.00	31	Υ
15	6	1.0	333.3	9	0.3333	300.00	39	Υ
16	6	1.0	333.3	9	0.3333	300.00	35	Υ
17	6	1.0	333.3	9	0.3333	300.00	36	Υ
18	6	1.0	333.3	9	0.3333	300.00	29	Υ
19	6	1.0	333.3	9	0.3333	300.00	32	Υ
20	6	1.0	333.3	9	0.3333	300.00	35	Υ
21	6	1.0	333.3	9	0.3333	300.00	38	Υ
22	6	1.0	333.3	9	0.3333	300.00	40	Y
23	6	1.0	333.3	9	0.3333	300.00	37	Υ
24	6	1.0	333.3	9	0.3333	300.00	31	Υ
25	6	1.0	333.3	9	0.3333	300.00	33	Υ
26	6	1.0	333.3	9	0.3333	300.00	29	Υ
27	6	1.0	333.3	9	0.3333	300.00	35	Υ
28	6	1.0	333.3	9	0.3333	300.00	32	Υ
29	6	1.0	333.3	9	0.3333	300.00	37	Υ
Detect	Detection rate: 97%							





6. Main Test Instruments

Name	Manufacturer	Туре	Serial Number	Calibration Date	Expiration Date
Splitter	UCL Microwave	2 way	UCL-PD0512-2S	2015-08-21	2018-08-20
Spectrum Analyzer	Agilent	N9020A	MY52330084	2017-12-17	2018-12-16
Signal Generator	Agilent	N5182B	MY51350303	2017-05-14	2018-05-13
Software	Agilent	N7607B V3.0.0.0	1	/	/
WLAN AP	Cisco	Air-AP1262 N-A-K9	LDK102073 (FCC ID)	1	/
RF Cable	Agilent	SMA 15cm	0001	1	1
RF Cable	Agilent	SMA 15cm	0002	1	1
RF Cable	Agilent	SMA 15cm	0003	1	1
RF Cable	Agilent	SMA 15cm	0004	1	1

*****END OF REPORT *****





ANNEX A: EUT Appearance and Test Setup

A.1 EUT Appearance





a: EUT







b: Adapter
Picture 1 EUT and Accessory