



## TEST SETUP PHOTOGRAPHS & EUT PHOTOGRAPHS

### Test Setup Photographs


LEFT-CHECK TOUCH



LEFT-TILT 15°




RIGHT-CHECK TOUCH



RIGHT-TILT 15°



Body Back 10mm



Body Front 10mm






Edge 1(Top)



Edge 2(Right)



Edge 3(Bottom)









Edge 4(Left)



**DEPTH OF THE LIQUID IN THE PHANTOM—ZOOM IN**

Note : The position used in the measurement were according to IEEE 1528-2003

<p>850MHz head</p>  A photograph showing a ruler placed vertically inside a head phantom filled with yellow liquid. A red arrow points to the liquid surface, which is at approximately the 18 cm mark on the ruler.	<p>850MHz body</p>  A photograph showing a ruler placed vertically inside a body phantom filled with yellow liquid. A red arrow points to the liquid surface, which is at approximately the 18 cm mark on the ruler.
<p>1900MHz head</p>  A photograph showing a ruler placed vertically inside a head phantom filled with yellow liquid. A red arrow points to the liquid surface, which is at approximately the 18 cm mark on the ruler.	<p>1900MHz body</p>  A photograph showing a ruler placed vertically inside a body phantom filled with yellow liquid. A red arrow points to the liquid surface, which is at approximately the 18 cm mark on the ruler.
<p>2450MHz head</p>  A photograph showing a ruler placed vertically inside a head phantom filled with yellow liquid. A red arrow points to the liquid surface, which is at approximately the 18 cm mark on the ruler.	<p>2450MHz body</p>  A photograph showing a ruler placed vertically inside a body phantom filled with yellow liquid. A red arrow points to the liquid surface, which is at approximately the 18 cm mark on the ruler.