



TEST SETUP PHOTOGRAPHS & EUT PHOTOGRAPHS

Test Setup Photographs


LEFT- CHEEK TOUCH




LEFT-TILT 15°




RIGHT- CHEEK TOUCH




RIGHT-TILT 15°




Body Back 10mm




Body Front 10mm



Body back with earphone



Edge 1(Top)



Edge 2(Right)



Edge 3(Bottom)









Edge 4(Left)



DEPTH OF THE LIQUID IN THE PHANTOM—ZOOM IN

Note : The position used in the measurement were according to IEEE 1528-2003

<p>850MHz head</p>  A photograph showing a ruler placed vertically inside a white phantom container filled with a yellow liquid. A red arrow points to the liquid surface, which is at approximately the 15.5 cm mark on the ruler.	<p>850MHz body</p>  A photograph showing a ruler placed vertically inside a white phantom container filled with a yellow liquid. A red arrow points to the liquid surface, which is at approximately the 19.5 cm mark on the ruler.
<p>1900MHz head</p>  A photograph showing a ruler placed vertically inside a white phantom container filled with a clear liquid. A red arrow points to the liquid surface, which is at approximately the 15.5 cm mark on the ruler.	<p>1900MHz body</p>  A photograph showing a ruler placed vertically inside a white phantom container filled with a yellow liquid. A red arrow points to the liquid surface, which is at approximately the 19.5 cm mark on the ruler.
<p>2450MHz head</p>  A photograph showing a ruler placed vertically inside a white phantom container filled with a clear liquid. A red arrow points to the liquid surface, which is at approximately the 15.5 cm mark on the ruler.	<p>2450MHz body</p>  A photograph showing a ruler placed vertically inside a white phantom container filled with a clear liquid. A red arrow points to the liquid surface, which is at approximately the 19.5 cm mark on the ruler.