User Manual

Model:#424

Brand:ATAK

120 Lumen Bluetooth Lantern Lantern Specification

Blue Tooth part	LED part		
1. Tact switch S1 or S2 press 10 seconds, turn into trial mode. 2. On trial mode, blue tooth indication light bright; (φ3 blue LED), the loudspeaker sounding, and the function of headphone jack working. At same time, turn into 1 minute locking mode(at the locking time ,the S1 or S2 switch can't work), when the locking time over, press S1 or S2 will turn into trial mode again. Unless take off batteries 10 seconds, then put in batteries, can turn into Normal mode. 3. Blue tooth pairing specification: Open phone's setting toolbar and find the Bluetooth mark, open it, then searching equipment, when it appear E-SPK(Now it is Atakspk), touch the paring, if success, the loudspeaker will be sounding. When you listen music ,the loudspeaker begin working, if have call, the Bluetooth will cut off automatic; when the call off, will connect automatic, if don't want to use the blue tooth function, can cut off connect or cancel paring or close the blue tooth. The range of blue tooth working distance are 10 meters 4. Headphone jack function specification: When headphone insert jack, will cut off blue tooth automatic, pull out headphone, blue tooth restart working	1. Tact switch S1 or S2 press 10 seconds, turn into trial mode. 2. On trial mode, LED brightness will be 30%(36LM). Then turn into 1 minute locking mode(at the locking time, the S1 or S2 switch can't work), when the locking time over, press S1 or S2, will turn into trial mode again. Unless take off batteries 10 seconds, then take in batteries, can turn into normal mode.		
Normal switch(which near the φ3 blue mode indication).Function: ON/OFF;ON:	Normal mode switch,Function:100% brightness(120LM)30%brightne		

	blue tooth indication light bright(φ3 blue LED), the loudspeaker sounding, and the function of headphone jack working. OFF: blue tooth indication light off(φ3 blue LED) ,the loudspeaker and the function of headphone jack off. 2. blue tooth pairing specification:: same to trial mode's part 3; 3. Headphone jack function specification: same to trial mode's part 4		ss(36LM)70% strobeOff.	brightness	
-	part 4 4xC batteries,OVC3960 blue tooth(3.0version); 4Ω3W loudspeaker;3x0.5Watt high				
Remark	bright Nichia LED				

FCC Caution.

§ 15.19 Labelling requirements.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

§ 15.21 Changes or modification warning

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

§ 15.105 Information to the user.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between thee guipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help.

* RF warning for Portable device:

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.