### SPECIFICATION

Surface based conduction driver



Frequency Range 40hz - 20khz



Bluetooth



USB-C: Charging





Connect 2 Cisors for Wireless Stereo



Playtime: 6hrs



**Output: 10 Watts** 



Aux In: 3.5mm



Size: 7cm/2,7in



Use the Metal Mount for greater amplification

### INCISOR DIFFUSION TECHNOLOGY"

Optional accessory - Available separately, the Metal Mount adds an extra dimension by turning vertical surfaces, like windows or shower screens. into speakers – with the additional bonus of hearing sound on both sides.







## Compatible with









S a 😍

A

# Bluetooth<sup>®</sup>

Bluetooth Speaker TWIST-II



# Small. Mighty.

NO ORDINARY BLUETOOTH SPEAKER



### FCC

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules.

These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- —Increase the separation between the equipment and receiver.
- —Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- —Consult the dealer or an experienced radio/TV technician for help.

changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.



For support visit: www.damsonaudio.com/pages/support

For warranty inforamtions visit: www.damsonaudio.com/pages/warranty

#### CAUTION

Risk of explosion if the battery is replaced by an incorrect type. Always dispose of used batteries safely. Do not burn or throw in trash. Use authorised battery recycling where possible.

