


Annex B. LTE Peak to Average Ratio

1. LTE_Band4


1.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.12	13	Pass




1.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.02	13	Pass




1.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	3.95	13	Pass




1.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:LOW)



1.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:MID)




1.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:HIGH)




1.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.05	13	Pass




1.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number: 1, RB Position:LOW)




1.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.92	13	Pass




1.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.89	13	Pass




1.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number: 3, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.03	13	Pass




1.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number: 3, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.03	13	Pass




1.13. LTE Peak to Average Ratio(NTNV)(Subtest:13, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number: 3, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5	13	Pass




1.14. LTE Peak to Average Ratio(NTNV)(Subtest:14, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number: 6, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.88	13	Pass



1.15. LTE Peak to Average Ratio(NTNV)(Subtest:15, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.16. LTE Peak to Average Ratio(NTNV)(Subtest:16, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:MID)




1.17. LTE Peak to Average Ratio(NTNV)(Subtest:17, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	3.94	13	Pass




1.18. LTE Peak to Average Ratio(NTNV)(Subtest:18, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.13	13	Pass



1.19. LTE Peak to Average Ratio(NTNV)(Subtest:19, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.98	13	Pass



Average Power
21.57 dBm
47.81 % at 0dB


10.0 %	2.50 dB
1.0 %	4.12 dB
0.1 %	4.98 dB
0.01 %	5.46 dB
0.001 %	5.60 dB
0.0001 %	5.71 dB
Peak	5.71 dB
	27.28 dBm

Center Freq
 1.732500000 GHz


 CF Step
 5.000000 MHz
 Auto

 Freq Offset
 0 Hz


1.20. LTE Peak to Average Ratio(NTNV)(Subtest:20, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:HIGH)




1.21. LTE Peak to Average Ratio(NTNV)(Subtest:21, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)




1.22. LTE Peak to Average Ratio(NTNV)(Subtest:22, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number: 1, RB Position:LOW)



1.23. LTE Peak to Average Ratio(NTNV)(Subtest:23, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number: 1, RB Position:MID)




1.24. LTE Peak to Average Ratio(NTNV)(Subtest:24, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number: 1, RB Position:HIGH)




1.25. LTE Peak to Average Ratio(NTNV)(Subtest:25, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number: 8, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.74	13	Pass




1.26. LTE Peak to Average Ratio(NTNV)(Subtest:26, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number: 8, RB Position:MID)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.67	13	Pass



1.27. LTE Peak to Average Ratio(NTNV)(Subtest:27, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number: 8, RB Position:HIGH)




1.28. LTE Peak to Average Ratio(NTNV)(Subtest:28, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number: 15, RB Position:LOW)



1.29. LTE Peak to Average Ratio(NTNV)(Subtest:29, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.2	13	Pass



Average Power
22.54 dBm
50.88 % at 0dB

10.0 %	2.41 dB
1.0 %	3.79 dB
0.1 %	4.20 dB
0.01 %	4.40 dB
0.001 %	4.48 dB
0.0001 %	4.50 dB
Peak	4.50 dB
	27.04 dBm


Gaussian

100 %
 10 %
 1 %
 0.1 %
 0.01 %
 0.001 %
 0.0001 %


0 dB 20 dB
 Info BW 5.0000 MHz

Frequency
 Center Freq 1.732500000 GHz
 CF Step 5.000000 MHz
 Freq Offset 0 Hz


1.30. LTE Peak to Average Ratio(NTNV)(Subtest:30, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)



1.31. LTE Peak to Average Ratio(NTNV)(Subtest:31, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




1.32. LTE Peak to Average Ratio(NTNV)(Subtest:32, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)




1.33. LTE Peak to Average Ratio(NTNV)(Subtest:33, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.93	13	Pass




1.34. LTE Peak to Average Ratio(NTNV)(Subtest:34, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)




1.35. LTE Peak to Average Ratio(NTNV)(Subtest:35, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.39	13	Pass




1.36. LTE Peak to Average Ratio(NTNV)(Subtest:36, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.06	13	Pass




1.37. LTE Peak to Average Ratio(NTNV)(Subtest:37, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:MID)



1.38. LTE Peak to Average Ratio(NTNV)(Subtest:38, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:HIGH)




1.39. LTE Peak to Average Ratio(NTNV)(Subtest:39, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:LOW)




1.40. LTE Peak to Average Ratio(NTNV)(Subtest:40, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.79	13	Pass




1.41. LTE Peak to Average Ratio(NTNV)(Subtest:41, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:HIGH)




1.42. LTE Peak to Average Ratio(NTNV)(Subtest:42, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.96	13	Pass




1.43. LTE Peak to Average Ratio(NTNV)(Subtest:43, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.33	13	Pass



1.44. LTE Peak to Average Ratio(NTNV)(Subtest:44, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	3.93	13	Pass



Average Power
22.60 dBm
50.00 % at 0dB

10.0 %	2.35 dB
1.0 %	3.56 dB
0.1 %	3.93 dB
0.01 %	4.09 dB
0.001 %	4.19 dB
0.0001 %	4.23 dB
Peak	4.24 dB
	26.84 dBm

Gaussian

100 %
 10 %
 1 %
 0.1 %
 0.01 %
 0.001 %
 0.0001 %


0 dB 20 dB

Info BW 10.000 MHz

MSG STATUS


1.45. LTE Peak to Average Ratio(NTNV)(Subtest:45, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	3.59	13	Pass




1.46. LTE Peak to Average Ratio(NTNV)(Subtest:46, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.28	13	Pass




1.47. LTE Peak to Average Ratio(NTNV)(Subtest:47, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.08	13	Pass




1.48. LTE Peak to Average Ratio(NTNV)(Subtest:48, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.02	13	Pass




1.49. LTE Peak to Average Ratio(NTNV)(Subtest:49, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.41	13	Pass




1.50. LTE Peak to Average Ratio(NTNV)(Subtest:50, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.33	13	Pass




1.51. LTE Peak to Average Ratio(NTNV)(Subtest:51, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.91	13	Pass




1.52. LTE Peak to Average Ratio(NTNV)(Subtest:52, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.51	13	Pass




1.53. LTE Peak to Average Ratio(NTNV)(Subtest:53, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	6.09	13	Pass




1.54. LTE Peak to Average Ratio(NTNV)(Subtest:54, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:MID)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.81	13	Pass



1.55. LTE Peak to Average Ratio(NTNV)(Subtest:55, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:HIGH)




1.56. LTE Peak to Average Ratio(NTNV)(Subtest:56, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number: 50, RB Position:LOW)




1.57. LTE Peak to Average Ratio(NTNV)(Subtest:57, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.41	13	Pass




1.58. LTE Peak to Average Ratio(NTNV)(Subtest:58, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.01	13	Pass




1.59. LTE Peak to Average Ratio(NTNV)(Subtest:59, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	3.32	13	Pass




1.60. LTE Peak to Average Ratio(NTNV)(Subtest:60, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.21	13	Pass




1.61. LTE Peak to Average Ratio(NTNV)(Subtest:61, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.88	13	Pass




1.62. LTE Peak to Average Ratio(NTNV)(Subtest:62, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.74	13	Pass




1.63. LTE Peak to Average Ratio(NTNV)(Subtest:63, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.41	13	Pass



1.64. LTE Peak to Average Ratio(NTNV)(Subtest:64, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.28	13	Pass



Average Power
21.77 dBm
44.45 % at 0dB

10.0 %	2.80 dB
1.0 %	4.73 dB
0.1 %	5.28 dB
0.01 %	5.46 dB
0.001 %	5.51 dB
0.0001 %	5.53 dB
Peak	5.56 dB
	27.33 dBm


Frequency
Center Freq
 1.732500000 GHz

CF Step
 5.000000 MHz

Freq Offset
 0 Hz


1.65. LTE Peak to Average Ratio(NTNV)(Subtest:65, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.88	13	Pass




1.66. LTE Peak to Average Ratio(NTNV)(Subtest:66, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.22	13	Pass




1.67. LTE Peak to Average Ratio(NTNV)(Subtest:67, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.97	13	Pass




1.68. LTE Peak to Average Ratio(NTNV)(Subtest:68, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.69	13	Pass




1.69. LTE Peak to Average Ratio(NTNV)(Subtest:69, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.61	13	Pass




1.70. LTE Peak to Average Ratio(NTNV)(Subtest:70, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	6.02	13	Pass




1.71. LTE Peak to Average Ratio(NTNV)(Subtest:71, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.72. LTE Peak to Average Ratio(NTNV)(Subtest:72, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	3.91	13	Pass




1.73. LTE Peak to Average Ratio(NTNV)(Subtest:73, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	3.12	13	Pass




1.74. LTE Peak to Average Ratio(NTNV)(Subtest:74, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.18	13	Pass




1.75. LTE Peak to Average Ratio(NTNV)(Subtest:75, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.91	13	Pass




1.76. LTE Peak to Average Ratio(NTNV)(Subtest:76, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.7	13	Pass




1.77. LTE Peak to Average Ratio(NTNV)(Subtest:77, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.17	13	Pass




1.78. LTE Peak to Average Ratio(NTNV)(Subtest:78, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number: 1, RB Position:LOW)




1.79. LTE Peak to Average Ratio(NTNV)(Subtest:79, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.76	13	Pass




1.80. LTE Peak to Average Ratio(NTNV)(Subtest:80, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.04	13	Pass




1.81. LTE Peak to Average Ratio(NTNV)(Subtest:81, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.97	13	Pass




1.82. LTE Peak to Average Ratio(NTNV)(Subtest:82, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number: 50, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.71	13	Pass




1.83. LTE Peak to Average Ratio(NTNV)(Subtest:83, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number: 50, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.51	13	Pass



1.84. LTE Peak to Average Ratio(NTNV)(Subtest:84, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.88	13	Pass



END