


Annex B. LTE Peak to Average Ratio


1. LTE_Band2

1.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1850.7	0.1	8.41	13	Pass




1.2. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)



1.3. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:MID)




1.4. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)



1.5. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.46	13	Pass



The screenshot shows the Keysight Spectrum Analyzer interface with the following details:


- Center Freq:** 1.880000000 GHz
- Radio Std:** None
- Trig:** Free Run
- Counts:** 1.00 M/1.00 Mpt
- #IFGain:** Low
- #Atten:** 40 dB
- Average Power:** 22.48 dBm
- 51.98 % at 0dB**
- Peak:** 3.66 dB
- 26.14 dBm**
- Info BW:** 2.0000 MHz
- Gaussian Fit:** The plot shows a Gaussian distribution curve overlaid on the measured data.
- Y-axis:** Logarithmic scale from 0.0001 % to 100 %.
- X-axis:** Linear scale from 0 dB to 20 dB.
- Right Panel (Frequency Controls):**
 - Center Freq: 1.880000000 GHz
 - CF Step: 5.000000 MHz
 - Freq Offset: 0 Hz

1.6. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:MID)




1.7. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.49	13	Pass




1.8. LTE Peak to Average Ratio(NTVV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.56	13	Pass




1.9. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number: 1, RB Position:LOW)




1.10. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.26	13	Pass




1.11. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.25	13	Pass




1.12. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number: 3, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.37	13	Pass




1.13. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number: 3, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.35	13	Pass




1.14. LTE Peak to Average Ratio(NTNV)(Subtest:13, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number: 3, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.39	13	Pass




1.15. LTE Peak to Average Ratio(NTNV)(Subtest:14, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number: 6, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.43	13	Pass




1.16. LTE Peak to Average Ratio(NTNV)(Subtest:15, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.17. LTE Peak to Average Ratio(NTNV)(Subtest:16, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.2	13	Pass



1.18. LTE Peak to Average Ratio(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.27	13	Pass




Average Power
22.53 dBm
53.74 % at 0dB

10.0 %	2.19 dB
1.0 %	3.01 dB
0.1 %	3.27 dB
0.01 %	3.44 dB
0.001 %	3.53 dB
0.0001 %	3.57 dB
Peak	3.57 dB
	26.10 dBm


MSG STATUS

1.19. LTE Peak to Average Ratio(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.64	13	Pass



1.20. LTE Peak to Average Ratio(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:MID)




1.21. LTE Peak to Average Ratio(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:HIGH)




1.22. LTE Peak to Average Ratio(NTNV)(Subtest:21, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.02	13	Pass




1.23. LTE Peak to Average Ratio(NTNV)(Subtest:22, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.35	13	Pass




1.24. LTE Peak to Average Ratio(NTNV)(Subtest:23, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number: 1, RB Position:MID)



1.25. LTE Peak to Average Ratio(NTNV)(Subtest:24, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.23	13	Pass




Average Power
21.59 dBm
48.62 % at 0dB

10.0 %	2.70 dB
1.0 %	3.95 dB
0.1 %	4.23 dB
0.01 %	4.32 dB
0.001 %	4.37 dB
0.0001 %	4.42 dB
Peak	4.45 dB
	26.04 dBm

1.26. LTE Peak to Average Ratio(NTNV)(Subtest:25, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number: 8, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.35	13	Pass




Average Power
20.58 dBm
45.84 % at 0dB

10.0 %	2.87 dB
1.0 %	4.56 dB
0.1 %	5.35 dB
0.01 %	5.82 dB
0.001 %	6.14 dB
0.0001 %	6.20 dB
Peak	6.20 dB
	26.78 dBm


1.27. LTE Peak to Average Ratio(NTNV)(Subtest:26, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number: 8, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.21	13	Pass




1.28. LTE Peak to Average Ratio(NTNV)(Subtest:27, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number: 8, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.3	13	Pass




1.29. LTE Peak to Average Ratio(NTNV)(Subtest:28, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number: 15, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.86	13	Pass




1.30. LTE Peak to Average Ratio(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.49	13	Pass




1.31. LTE Peak to Average Ratio(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.27	13	Pass




1.32. LTE Peak to Average Ratio(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)



1.33. LTE Peak to Average Ratio(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.66	13	Pass



Average Power
21.56 dBm
49.50 % at 0dB

10.0 %	2.31 dB
1.0 %	3.92 dB
0.1 %	4.66 dB
0.01 %	4.97 dB
0.001 %	5.18 dB
0.0001 %	5.28 dB
Peak	5.28 dB
	26.84 dBm


Gaussian
 100 %
 10 %
 1 %
 0.1 %
 0.01 %
 0.001 %
 0.0001 %
 0 dB 20 dB
 Info BW 5.0000 MHz

Center Freq 1.880000000 GHz Radio Std: None
 Trig: Free Run Counts: 1.00 M/1.00 Mpt
 #IFGain:Low #Atten: 40 dB

Frequency
 Center Freq 1.880000000 GHz
 CF Step 5.000000 MHz Man
 Auto
 Freq Offset 0 Hz


1.34. LTE Peak to Average Ratio(NTNV)(Subtest:33, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.41	13	Pass




1.35. LTE Peak to Average Ratio(NTNV)(Subtest:34, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.6	13	Pass




1.36. LTE Peak to Average Ratio(NTNV)(Subtest:35, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.07	13	Pass




1.37. LTE Peak to Average Ratio(NTNV)(Subtest:36, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:LOW)




1.38. LTE Peak to Average Ratio(NTNV)(Subtest:37, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.13	13	Pass



1.39. LTE Peak to Average Ratio(NTNV)(Subtest:38, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:HIGH)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.16	13	Pass



10.0 %	2.67 dB
1.0 %	3.96 dB
0.1 %	4.16 dB
0.01 %	4.26 dB
0.001 %	4.31 dB
0.0001 %	4.34 dB
Peak	4.39 dB
	26.03 dBm


1.40. LTE Peak to Average Ratio(NTNV)(Subtest:39, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.46	13	Pass




1.41. LTE Peak to Average Ratio(NTNV)(Subtest:40, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:MID)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.23	13	Pass




1.42. LTE Peak to Average Ratio(NTNV)(Subtest:41, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:HIGH)



1.43. LTE Peak to Average Ratio(NTNV)(Subtest:42, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number: 25, RB Position:LOW)




1.44. LTE Peak to Average Ratio(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.45. LTE Peak to Average Ratio(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.18	13	Pass




1.46. LTE Peak to Average Ratio(NTNV)(Subtest:45, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




1.47. LTE Peak to Average Ratio(NTNV)(Subtest:46, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.71	13	Pass




1.48. LTE Peak to Average Ratio(NTNV)(Subtest:47, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.49	13	Pass




1.49. LTE Peak to Average Ratio(NTNV)(Subtest:48, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.59	13	Pass




1.50. LTE Peak to Average Ratio(NTNV)(Subtest:49, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5	13	Pass




1.51. LTE Peak to Average Ratio(NTNV)(Subtest:50, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.44	13	Pass



1.52. LTE Peak to Average Ratio(NTNV)(Subtest:51, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:MID)




1.53. LTE Peak to Average Ratio(NTNV)(Subtest:52, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:HIGH)




1.54. LTE Peak to Average Ratio(NTNV)(Subtest:53, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.5	13	Pass




1.55. LTE Peak to Average Ratio(NTNV)(Subtest:54, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.29	13	Pass




1.56. LTE Peak to Average Ratio(NTNV)(Subtest:55, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.39	13	Pass




1.57. LTE Peak to Average Ratio(NTNV)(Subtest:56, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.7	13	Pass




1.58. LTE Peak to Average Ratio(NTNV)(Subtest:57, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.68	13	Pass




1.59. LTE Peak to Average Ratio(NTNV)(Subtest:58, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)




1.60. LTE Peak to Average Ratio(NTNV)(Subtest:59, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.06	13	Pass




1.61. LTE Peak to Average Ratio(NTNV)(Subtest:60, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.68	13	Pass




1.62. LTE Peak to Average Ratio(NTNV)(Subtest:61, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.36	13	Pass




1.63. LTE Peak to Average Ratio(NTNV)(Subtest:62, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.5	13	Pass




1.64. LTE Peak to Average Ratio(NTNV)(Subtest:63, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.19	13	Pass




1.65. LTE Peak to Average Ratio(NTNV)(Subtest:64, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.56	13	Pass




1.66. LTE Peak to Average Ratio(NTNV)(Subtest:65, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.09	13	Pass




1.67. LTE Peak to Average Ratio(NTNV)(Subtest:66, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.98	13	Pass




1.68. LTE Peak to Average Ratio(NTNV)(Subtest:67, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.47	13	Pass




1.69. LTE Peak to Average Ratio(NTNV)(Subtest:68, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.21	13	Pass




1.70. LTE Peak to Average Ratio(NTNV)(Subtest:69, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.32	13	Pass




1.71. LTE Peak to Average Ratio(NTNV)(Subtest:70, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.81	13	Pass




1.72. LTE Peak to Average Ratio(NTNV)(Subtest:71, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.84	13	Pass




1.73. LTE Peak to Average Ratio(NTNV)(Subtest:72, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.2	13	Pass




1.74. LTE Peak to Average Ratio(NTNV)(Subtest:73, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.2	13	Pass




1.75. LTE Peak to Average Ratio(NTNV)(Subtest:74, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.76	13	Pass




1.76. LTE Peak to Average Ratio(NTNV)(Subtest:75, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.49	13	Pass




1.77. LTE Peak to Average Ratio(NTNV)(Subtest:76, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.55	13	Pass




1.78. LTE Peak to Average Ratio(NTNV)(Subtest:77, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.99	13	Pass




1.79. LTE Peak to Average Ratio(NTNV)(Subtest:78, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.62	13	Pass




1.80. LTE Peak to Average Ratio(NTNV)(Subtest:79, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.04	13	Pass




1.81. LTE Peak to Average Ratio(NTNV)(Subtest:80, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.94	13	Pass




1.82. LTE Peak to Average Ratio(NTNV)(Subtest:81, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.52	13	Pass




1.83. LTE Peak to Average Ratio(NTNV)(Subtest:82, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number: 50, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.29	13	Pass




1.84. LTE Peak to Average Ratio(NTNV)(Subtest:83, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number: 50, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.34	13	Pass



1.85. LTE Peak to Average Ratio(NTNV)(Subtest:84, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.72	13	Pass



END