


Annex B. LTE Peak to Average Ratio

1. LTE_Band2

1.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1850.7	0.1	2.81	13	Pass




1.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1850.7	0.1	2.88	13	Pass



1.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1850.7	0.1	3.02	13	Pass




1.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1850.7	0.1	3.04	13	Pass




1.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1850.7	0.1	2.94	13	Pass




1.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1850.7	0.1	2.98	13	Pass



1.7. LTE Peak to Average Ratio(NTVV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1850.7	0.1	4.1	13	Pass



1.8. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1850.7	0.1	3.26	13	Pass




1.9. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1850.7	0.1	3.14	13	Pass




1.10. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1850.7	0.1	3.33	13	Pass




1.11. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number: 3, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1850.7	0.1	3.81	13	Pass




1.12. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number: 3, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1850.7	0.1	3.76	13	Pass




1.13. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number: 3, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1850.7	0.1	3.86	13	Pass




1.14. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number: 6, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1850.7	0.1	4.96	13	Pass




1.15. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.8	13	Pass




1.16. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.71	13	Pass




1.17. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.68	13	Pass




1.18. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.84	13	Pass




1.19. LTE Peak to Average Ratio(NTNV)(Subtest:13, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.74	13	Pass




1.20. LTE Peak to Average Ratio(NTNV)(Subtest:14, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.77	13	Pass



1.21. LTE Peak to Average Ratio(NTNV)(Subtest:15, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.7	13	Pass




1.22. LTE Peak to Average Ratio(NTNV)(Subtest:16, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.6	13	Pass




1.23. LTE Peak to Average Ratio(NTNV)(Subtest:17, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.46	13	Pass




1.24. LTE Peak to Average Ratio(NTNV)(Subtest:18, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.4	13	Pass




1.25. LTE Peak to Average Ratio(NTNV)(Subtest:19, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number: 3, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.75	13	Pass




1.26. LTE Peak to Average Ratio(NTNV)(Subtest:20, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number: 3, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.64	13	Pass




1.27. LTE Peak to Average Ratio(NTNV)(Subtest:21, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number: 3, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.23	13	Pass




1.28. LTE Peak to Average Ratio(NTNV)(Subtest:22, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number: 6, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.63	13	Pass




1.29. LTE Peak to Average Ratio(NTNV)(Subtest:23, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1909.3	0.1	2.66	13	Pass




1.30. LTE Peak to Average Ratio(NTNV)(Subtest:24, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1909.3	0.1	2.01	13	Pass




1.31. LTE Peak to Average Ratio(NTNV)(Subtest:25, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1909.3	0.1	2.38	13	Pass




1.32. LTE Peak to Average Ratio(NTNV)(Subtest:26, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1909.3	0.1	2.58	13	Pass




1.33. LTE Peak to Average Ratio(NTNV)(Subtest:27, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1909.3	0.1	2.55	13	Pass




1.34. LTE Peak to Average Ratio(NTNV)(Subtest:28, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1909.3	0.1	2.44	13	Pass




1.35. LTE Peak to Average Ratio(NTNV)(Subtest:29, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1909.3	0.1	3.69	13	Pass




1.36. LTE Peak to Average Ratio(NTNV)(Subtest:30, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1909.3	0.1	3.61	13	Pass




1.37. LTE Peak to Average Ratio(NTNV)(Subtest:31, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1909.3	0.1	3.6	13	Pass




1.38. LTE Peak to Average Ratio(NTNV)(Subtest:32, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1909.3	0.1	3.23	13	Pass




1.39. LTE Peak to Average Ratio(NTNV)(Subtest:33, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number: 3, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1909.3	0.1	4.08	13	Pass




1.40. LTE Peak to Average Ratio(NTNV)(Subtest:34, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number: 3, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1909.3	0.1	3.94	13	Pass




1.41. LTE Peak to Average Ratio(NTNV)(Subtest:35, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number: 3, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1909.3	0.1	4.06	13	Pass




1.42. LTE Peak to Average Ratio(NTNV)(Subtest:36, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number: 6, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1909.3	0.1	4.91	13	Pass




1.43. LTE Peak to Average Ratio(NTNV)(Subtest:37, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1851.5	0.1	2.97	13	Pass




1.44. LTE Peak to Average Ratio(NTNV)(Subtest:38, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1851.5	0.1	3.05	13	Pass




1.45. LTE Peak to Average Ratio(NTNV)(Subtest:39, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1851.5	0.1	3.07	13	Pass




1.46. LTE Peak to Average Ratio(NTNV)(Subtest:40, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1851.5	0.1	3.93	13	Pass




1.47. LTE Peak to Average Ratio(NTNV)(Subtest:41, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1851.5	0.1	3.88	13	Pass




1.48. LTE Peak to Average Ratio(NTNV)(Subtest:42, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1851.5	0.1	4.02	13	Pass




1.49. LTE Peak to Average Ratio(NTNV)(Subtest:43, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1851.5	0.1	4.51	13	Pass




1.50. LTE Peak to Average Ratio(NTNV)(Subtest:44, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1851.5	0.1	3.71	13	Pass




1.51. LTE Peak to Average Ratio(NTNV)(Subtest:45, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1851.5	0.1	3.78	13	Pass




1.52. LTE Peak to Average Ratio(NTNV)(Subtest:46, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1851.5	0.1	3.66	13	Pass




1.53. LTE Peak to Average Ratio(NTNV)(Subtest:47, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number: 8, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1851.5	0.1	5.06	13	Pass




1.54. LTE Peak to Average Ratio(NTNV)(Subtest:48, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number: 8, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1851.5	0.1	5.03	13	Pass




1.55. LTE Peak to Average Ratio(NTNV)(Subtest:49, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number: 8, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1851.5	0.1	5.14	13	Pass




1.56. LTE Peak to Average Ratio(NTNV)(Subtest:50, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number: 15, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1851.5	0.1	5.49	13	Pass




1.57. LTE Peak to Average Ratio(NTNV)(Subtest:51, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.86	13	Pass




1.58. LTE Peak to Average Ratio(NTNV)(Subtest:52, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.66	13	Pass




1.59. LTE Peak to Average Ratio(NTNV)(Subtest:53, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.57	13	Pass




1.60. LTE Peak to Average Ratio(NTNV)(Subtest:54, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.58	13	Pass




1.61. LTE Peak to Average Ratio(NTNV)(Subtest:55, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.44	13	Pass




1.62. LTE Peak to Average Ratio(NTNV)(Subtest:56, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.53	13	Pass




1.63. LTE Peak to Average Ratio(NTNV)(Subtest:57, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.86	13	Pass




1.64. LTE Peak to Average Ratio(NTNV)(Subtest:58, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.8	13	Pass




1.65. LTE Peak to Average Ratio(NTNV)(Subtest:59, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.59	13	Pass




1.66. LTE Peak to Average Ratio(NTNV)(Subtest:60, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.5	13	Pass




1.67. LTE Peak to Average Ratio(NTNV)(Subtest:61, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number: 8, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.46	13	Pass




1.68. LTE Peak to Average Ratio(NTNV)(Subtest:62, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number: 8, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.3	13	Pass




1.69. LTE Peak to Average Ratio(NTNV)(Subtest:63, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number: 8, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.44	13	Pass




1.70. LTE Peak to Average Ratio(NTNV)(Subtest:64, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number: 15, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.75	13	Pass




1.71. LTE Peak to Average Ratio(NTNV)(Subtest:65, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1908.5	0.1	3.24	13	Pass




1.72. LTE Peak to Average Ratio(NTNV)(Subtest:66, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1908.5	0.1	2.63	13	Pass




1.73. LTE Peak to Average Ratio(NTNV)(Subtest:67, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1908.5	0.1	2.38	13	Pass




1.74. LTE Peak to Average Ratio(NTNV)(Subtest:68, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1908.5	0.1	4.05	13	Pass




1.75. LTE Peak to Average Ratio(NTNV)(Subtest:69, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1908.5	0.1	3.79	13	Pass




1.76. LTE Peak to Average Ratio(NTNV)(Subtest:70, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1908.5	0.1	3.82	13	Pass




1.77. LTE Peak to Average Ratio(NTNV)(Subtest:71, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1908.5	0.1	4.46	13	Pass




1.78. LTE Peak to Average Ratio(NTNV)(Subtest:72, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1908.5	0.1	4.14	13	Pass




1.79. LTE Peak to Average Ratio(NTNV)(Subtest:73, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1908.5	0.1	3.72	13	Pass




1.80. LTE Peak to Average Ratio(NTNV)(Subtest:74, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1908.5	0.1	3.44	13	Pass




1.81. LTE Peak to Average Ratio(NTNV)(Subtest:75, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number: 8, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1908.5	0.1	5.07	13	Pass




1.82. LTE Peak to Average Ratio(NTNV)(Subtest:76, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number: 8, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1908.5	0.1	4.91	13	Pass




1.83. LTE Peak to Average Ratio(NTNV)(Subtest:77, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number: 8, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1908.5	0.1	4.73	13	Pass




1.84. LTE Peak to Average Ratio(NTNV)(Subtest:78, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number: 15, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1908.5	0.1	5.36	13	Pass




1.85. LTE Peak to Average Ratio(NTNV)(Subtest:79, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	3.18	13	Pass




1.86. LTE Peak to Average Ratio(NTNV)(Subtest:80, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	3.35	13	Pass




1.87. LTE Peak to Average Ratio(NTNV)(Subtest:81, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	3.45	13	Pass




1.88. LTE Peak to Average Ratio(NTNV)(Subtest:82, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	3.95	13	Pass




1.89. LTE Peak to Average Ratio(NTNV)(Subtest:83, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	3.92	13	Pass




1.90. LTE Peak to Average Ratio(NTNV)(Subtest:84, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	4.12	13	Pass




1.91. LTE Peak to Average Ratio(NTNV)(Subtest:85, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	4.55	13	Pass




1.92. LTE Peak to Average Ratio(NTNV)(Subtest:86, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	3.98	13	Pass




1.93. LTE Peak to Average Ratio(NTNV)(Subtest:87, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	3.99	13	Pass




1.94. LTE Peak to Average Ratio(NTNV)(Subtest:88, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	4.18	13	Pass




1.95. LTE Peak to Average Ratio(NTNV)(Subtest:89, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	5.03	13	Pass




1.96. LTE Peak to Average Ratio(NTNV)(Subtest:90, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	5.05	13	Pass




1.97. LTE Peak to Average Ratio(NTNV)(Subtest:91, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	5.18	13	Pass




1.98. LTE Peak to Average Ratio(NTNV)(Subtest:92, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1852.5	0.1	5.33	13	Pass




1.99. LTE Peak to Average Ratio(NTNV)(Subtest:93, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.83	13	Pass




1.100. LTE Peak to Average Ratio(NTNV)(Subtest:94, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.66	13	Pass




1.101. LTE Peak to Average Ratio(NTNV)(Subtest:95, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.75	13	Pass




1.102. LTE Peak to Average Ratio(NTNV)(Subtest:96, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.5	13	Pass




1.103. LTE Peak to Average Ratio(NTNV)(Subtest:97, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.37	13	Pass




1.104. LTE Peak to Average Ratio(NTNV)(Subtest:98, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.41	13	Pass




1.105. LTE Peak to Average Ratio(NTNV)(Subtest:99, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.85	13	Pass




1.106. LTE Peak to Average Ratio(NTNV)(Subtest:100, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.54	13	Pass




1.107. LTE Peak to Average Ratio(NTNV)(Subtest:101, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.33	13	Pass




1.108. LTE Peak to Average Ratio(NTNV)(Subtest:102, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.76	13	Pass




1.109. LTE Peak to Average Ratio(NTNV)(Subtest:103, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.51	13	Pass




1.110. LTE Peak to Average Ratio(NTNV)(Subtest:104, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.39	13	Pass




1.111. LTE Peak to Average Ratio(NTNV)(Subtest:105, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.43	13	Pass




1.112. LTE Peak to Average Ratio(NTNV)(Subtest:106, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.71	13	Pass




1.113. LTE Peak to Average Ratio(NTNV)(Subtest:107, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	3.59	13	Pass




1.114. LTE Peak to Average Ratio(NTNV)(Subtest:108, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	3.24	13	Pass




1.115. LTE Peak to Average Ratio(NTNV)(Subtest:109, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	2.55	13	Pass




1.116. LTE Peak to Average Ratio(NTNV)(Subtest:110, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	4.26	13	Pass




1.117. LTE Peak to Average Ratio(NTNV)(Subtest:111, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	3.97	13	Pass




1.118. LTE Peak to Average Ratio(NTNV)(Subtest:112, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	3.83	13	Pass




1.119. LTE Peak to Average Ratio(NTNV)(Subtest:113, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	4.56	13	Pass




1.120. LTE Peak to Average Ratio(NTNV)(Subtest:114, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	4.53	13	Pass




1.121. LTE Peak to Average Ratio(NTNV)(Subtest:115, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	4.09	13	Pass




1.122. LTE Peak to Average Ratio(NTNV)(Subtest:116, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	3.46	13	Pass




1.123. LTE Peak to Average Ratio(NTNV)(Subtest:117, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	5.23	13	Pass




1.124. LTE Peak to Average Ratio(NTNV)(Subtest:118, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	5.04	13	Pass




1.125. LTE Peak to Average Ratio(NTNV)(Subtest:119, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	4.86	13	Pass




1.126. LTE Peak to Average Ratio(NTNV)(Subtest:120, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1907.5	0.1	5.47	13	Pass




1.127. LTE Peak to Average Ratio(NTNV)(Subtest:121, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1855	0.1	2.95	13	Pass



1.128. LTE Peak to Average Ratio(NTNV)(Subtest:122, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1855	0.1	3.19	13	Pass




1.129. LTE Peak to Average Ratio(NTNV)(Subtest:123, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1855	0.1	3.88	13	Pass



1.130. LTE Peak to Average Ratio(NTNV)(Subtest:124, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1855	0.1	4.02	13	Pass



1.131. LTE Peak to Average Ratio(NTNV)(Subtest:125, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1855	0.1	4.16	13	Pass

