


No.	Mk	(. F	req.	Reading Level	Correct Factor	Measure- ment	Limit	Margin			
		ı	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment	
1	*	2412	.800	54.99	32.71	87.70	54.00	33.70	AVG	NO LIMIT	
2		2390	.000	15.11	32.68	47.79	54.00	-6.21	AVG		
3		2390	.000	32.11	32.68	64.79	74.00	-9.21	peak		
4	X	2412	.100	64.07	32.71	96.78	74.00	22.78	peak	NO LIMIT	

Report No.: BTL-FICP-1- 1504C213 Page 101 of 178



Orthogonal Axis:	X
Test Mode :	TX G MODE 2412MHz




No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over			
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment	
1	*	4824.790	30.79	5.87	36.66	54.00	-17.34	AVG		
2		4824.810	40.23	5.87	46.10	74.00	-27.90	peak		

Report No.: BTL-FICP-1- 1504C213 Page 102 of 178



Orthogonal Axis: X
Test Mode: TX G MODE 2412MHz

### Horizontal




No.	Mi	c. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2412.800	56.57	32.71	89.28	54.00	35.28	AVG	NO LIMIT
2		2390.000	15.34	32.68	48.02	54.00	-5.98	AVG	
3		2390.000	30.28	32.68	62.96	74.00	-11.04	peak	
4	X	2413.000	64.98	32.71	97.69	74.00	23.69	peak	NO LIMIT

Report No.: BTL-FICP-1- 1504C213 Page 103 of 178



Orthogonal Axis:	X
Test Mode :	TX G MODE 2412MHz

### Horizontal




No.	Mk	. Freq.		Correct Factor	Measure- ment	Limit	Over			
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment	
1	*	4824.010	28.33	5.87	34.20	54.00	-19.80	AVG		
2		4824.690	40.55	5.87	46.42	74.00	-27.58	peak		

Report No.: BTL-FICP-1- 1504C213 Page 104 of 178








No.	Mk	c. Freq.	1000 0000	Correct Factor	Measure- ment	Limit	Margin			
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment	
1	*	2437.800	55.76	32.74	88.50	54.00	34.50	AVG	NO LIMIT	
2	X	2437.100	64.36	32.74	97.10	74.00	23.10	peak	NO LIMIT	

Report No.: BTL-FICP-1- 1504C213 Page 105 of 178



Orthogonal Axis: X
Test Mode: TX G MODE 2437MHz

### Vertical




No.	Mk	. Freq.		Correct Factor	Measure- ment	Limit	Over			
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment	
1	*	4874.690	28.50	6.01	34.51	54.00	-19.49	AVG		
2		4874.460	38.72	6.01	44.73	74.00	-29.27	peak		

Report No.: BTL-FICP-1- 1504C213 Page 106 of 178



Orthogonal Axis: X
Test Mode: TX G MODE 2437MHz




No.	Mi	c. Freq.	100 000	Correct Factor	Measure- ment		Margin			
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment	
1	*	2436.200	68.42	32.74	101.16	54.00	47.16	AVG	NO LIMIT	
2	X	2436.500	77.49	32.74	110.23	74.00	36.23	peak	NO LIMIT	

Report No.: BTL-FICP-1- 1504C213 Page 107 of 178



Orthogonal Axis: X
Test Mode: TX G MODE 2437MHz

### Horizontal



No.	Mk	. Freq.		Correct Factor	Measure- ment	Limit	Over			
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment	
1	*	4874.020	28.77	6.01	34.78	54.00	-19.22	AVG		
2		4874.250	40.38	6.01	46.39	74.00	-27.61	peak		

Report No.: BTL-FICP-1- 1504C213 Page 108 of 178



Orthogonal Axis: X
Test Mode: TX G MODE 2462MHz

# Vertical 110.0 dBuV/m 2 3 3 4 10.0 2412.000 2422.000 2432.000 2442.000 2452.000 2462.000 2472.000 2482.000 2492.000 2512.000 MHz

No.	Mk		Reading Level	Correct Factor	Measure- ment	Limit	Margin			
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment	
1		2483.500	29.74	32.81	62.55	74.00	-11.45	peak		
2	X	2461.800	62.58	32.78	95.36	74.00	21.36	peak	NO LIMIT	
3	*	2461.200	52.40	32.78	85.18	54.00	31.18	AVG	NO LIMIT	
4		2483.500	15.29	32.81	48.10	54.00	-5.90	AVG		

Report No.: BTL-FICP-1- 1504C213 Page 109 of 178



21400.000

26500.000MHz

Orthogonal Axis: X
Test Mode: TX G MODE 2462MHz

### Vertical 100.0 dBuV/m 50 2 X 1 X

No.	Mk	. Freq.		Correct Factor	Measure- ment	Limit	Over			
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment	
1	*	4924.110	29.77	6.14	35.91	54.00	-18.09	AVG		
2		4923.860	41.38	6.14	47.52	74.00	-26.48	peak		

1000.000 3550.000 6100.000 8650.000 11200.000 13750.000 16300.000 18850.000


0.0

Report No.: BTL-FICP-1- 1504C213 Page 110 of 178



Orthogonal Axis: X
Test Mode: TX G MODE 2462MHz

### Horizontal




No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2462.700	56.91	32.78	89.69	54.00	35.69	AVG	NO LIMIT
2		2483.500	18.64	32.81	51.45	54.00	-2.55	AVG	
3		2483.500	36.93	32.81	69.74	74.00	-4.26	peak	
4	X	2461.200	66.90	32.78	99.68	74.00	25.68	peak	NO LIMIT

Report No.: BTL-FICP-1- 1504C213 Page 111 of 178



Orthogonal Axis: X
Test Mode: TX G MODE 2462MHz

### Horizontal



No.	Mk	. Freq.			Measure- ment	Limit	Over			
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment	
1	*	4924.060	28.35	6.14	34.49	54.00	-19.51	AVG		
2		4924.110	38.60	6.14	44.74	74.00	-29.26	peak		

Report No.: BTL-FICP-1- 1504C213 Page 112 of 178



Orthogonal Axis: X Test Mode: TX N-20M MODE 2412MHz

### Vertical 110.0 dBuV/m ž 10.0 2462.000 MHz 2442.000

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	- 3	2390.000	27.84	32.68	60.52	74.00	-13.48	peak	
2	X	2413.000	62.18	32.71	94.89	74.00	20.89	peak	NO LIMIT
3	*	2412.800	53.48	32.71	86.19	54.00	32.19	AVG	NO LIMIT
4	- 8	2390.000	13.22	32.68	45.90	54.00	-8.10	AVG	

2412.000 2422.000 2432.000


2362.000 2372.000 2382.000 2392.000 2402.000

Report No.: BTL-FICP-1- 1504C213 Page 113 of 178



Orthogonal Axis: X
Test Mode: TX N-20M MODE 2412MHz

### Vertical



No.	Mk	. Freq.		Correct Factor	Measure- ment	Limit	Over			
	,	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment	
1	*	4824.380	30.46	5.87	36.33	54.00	-17.67	AVG		
2		4823.580	42.76	5.87	48.63	74.00	-25.37	peak		

Report No.: BTL-FICP-1- 1504C213 Page 114 of 178



2462.000 MHz

2442.000

Orthogonal Axis: X
Test Mode: TX N-20M MODE 2412MHz

### Horizontal 110.0 dBuV/m A A 10.0

No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin			
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment	
1		2390.000	38.84	32.68	71.52	74.00	-2.48	peak		
2	X	2413.400	73.31	32.71	106.02	74.00	32.02	peak	NO LIMIT	
3	3	2390.000	19.91	32.68	52.59	54.00	-1.41	AVG		
4	*	2412.800	64.67	32.71	97.38	54.00	43.38	AVG	NO LIMIT	

2412.000 2422.000 2432.000


2362.000 2372.000 2382.000 2392.000 2402.000

Report No.: BTL-FICP-1- 1504C213 Page 115 of 178



Orthogonal Axis: X
Test Mode: TX N-20M MODE 2412MHz


### Horizontal




No.	Mk	. Freq.		Correct Factor	Measure- ment	Limit	Over			
	,	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment	
1	*	4824.560	29.15	5.87	35.02	54.00	-18.98	AVG		
2		4824.380	40.79	5.87	46.66	74.00	-27.34	peak		

Report No.: BTL-FICP-1- 1504C213 Page 116 of 178







No.	Mi	k. F	req.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
		-	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2438	.100	56.70	32.74	89.44	54.00	35.44	AVG	NO LIMIT
2	X	2438	.400	67.53	32.74	100.27	74.00	26.27	peak	NO LIMIT

Report No.: BTL-FICP-1- 1504C213 Page 117 of 178



Orthogonal Axis: X
Test Mode: TX N-20M MODE 2437MHz

### Vertical



No.	Mk	. Freq.		Correct Factor	Measure- ment	Limit	Over			
	,	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment	
1	*	4874.250	28.54	6.01	34.55	54.00	-19.45	AVG		
2		4874.030	39.81	6.01	45.82	74.00	-28.18	peak		

Report No.: BTL-FICP-1- 1504C213 Page 118 of 178



Orthogonal Axis: X
Test Mode: TX N-20M MODE 2437MHz

# Horizontal 110.0 dBuV/m 70 287.000 2397.000 2407.000 2417.000 2427.000 2437.000 2447.000 2457.000 2467.000 2487.000 MHz


No.	Mi	c. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin			
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment	
1	*	2435.900	68.90	32.74	101.64	54.00	47.64	AVG	NO LIMIT	_
2	X	2436.400	74.00	32.74	106.74	74.00	32.74	peak	NO LIMIT	_

Report No.: BTL-FICP-1- 1504C213 Page 119 of 178



Orthogonal Axis: X
Test Mode: TX N-20M MODE 2437MHz

### Horizontal



No.	Mk	. Freq.			Measure- ment	Limit	Over			
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment	
1	*	4874.040	28.69	6.01	34.70	54.00	-19.30	AVG		
2		4874.250	39.46	6.01	45.47	74.00	-28.53	peak		

Report No.: BTL-FICP-1- 1504C213 Page 120 of 178



Orthogonal Axis: X
Test Mode: TX N-20M MODE 2462MHz

### Vertical 110.0 dBuV/m 2 2 3 4 2 3 4 5 60

10.0

2412.000 2422.000 2432.000 2442.000 2452.000

No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		2483.500	24.11	32.81	56.92	74.00	-17.08	peak	
2	*	2461.100	50.87	32.78	83.65	54.00	29.65	AVG	NO LIMIT
3	X	2462.900	63.78	32.78	96.56	74.00	22.56	peak	NO LIMIT
4	- 1	2483.500	13.13	32.81	45.94	54.00	-8.06	AVG	

2462.000 2472.000 2482.000

2492.000

2512.000 MHz

Report No.: BTL-FICP-1- 1504C213 Page 121 of 178



Orthogonal Axis:	X
Test Mode :	TX N-20M MODE 2462MHz

# Vertical 100.0 dBuV/m 50 2 X 1 X 1000.000 3550.000 6100.000 8650.000 11200.000 13750.000 16300.000 18850.000 21400.000 26500.000MHz


No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over			
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment	
1	*	4923.860	29.53	6.14	35.67	54.00	-18.33	AVG		
2		4924.200	41.44	6.14	47.58	74.00	-26.42	peak		

Report No.: BTL-FICP-1- 1504C213 Page 122 of 178



Orthogonal Axis: X
Test Mode: TX N-20M MODE 2462MHz

### Horizontal




No.	Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin			
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment	
1		2483.500	28.50	32.81	61.31	74.00	-12.69	peak		
2	X	2460.600	64.22	32.78	97.00	74.00	23.00	peak	NO LIMIT	
3	*	2462.800	56.05	32.78	88.83	54.00	34.83	AVG	NO LIMIT	
4	- 8	2483.500	14.80	32.81	47.61	54.00	-6.39	AVG		

Report No.: BTL-FICP-1- 1504C213 Page 123 of 178



Orthogonal Axis: X
Test Mode: TX N-20M MODE 2462MHz

### Horizontal



No.	Mk	. Freq.		Correct Factor	Measure- ment	Limit	Over			
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment	
1	*	4924.200	28.70	6.14	34.84	54.00	-19.16	AVG		
2		4923.920	39.65	6.14	45.79	74.00	-28.21	peak		

Report No.: BTL-FICP-1- 1504C213 Page 124 of 178



ATTACHMENT E - BANDWIDTH	

Report No.: BTL-FICP-1- 1504C213 Page 125 of 178




### For Chip antenna

Test Mode: TX B Mode\_CH01/06/11

Frequency	6dB Bandwidth	99% Occupied BW		Test Result
(MHz)	(MHz)	(MHz)	(kHz)	
2412	8.50	13.12	500	Complies
2437	8.50	12.88	500	Complies
2462	8.02	12.28	500	Complies


### **TX CH01**




Date: 28.APR.2015 19:21:01

Report No.: BTL-FICP-1- 1504C213 Page 126 of 178





Date: 28.APR.2015 19:22:40




Date: 28.APR.2015 19:24:21



### Test Mode: TX G Mode\_CH01/06/11

Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412	15.44	16.40	500	Complies
2437	15.08	16.40	500	Complies
2462	15.50	16.40	500	Complies


### **TX CH01**




Date: 28.APR.2015 19:25:42

Report No.: BTL-FICP-1- 1504C213 Page 128 of 178





Date: 28.APR.2015 19:26:52




Date: 28.APR.2015 19:27:54



### Test Mode: TX N-20MHz Mode\_CH01/06/11

Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412	16.34	17.56	500	Complies
2437	16.38	17.56	500	Complies
2462	16.35	17.56	500	Complies


### **TX CH01**




Date: 28.APR.2015 19:32:36

Report No.: BTL-FICP-1- 1504C213 Page 130 of 178





Date: 28.APR.2015 19:33:49



Date: 28.APR.2015 19:34:59




### For Dipole antenna

Test Mode: TX B Mode\_CH01/06/11

Frequency	6dB Bandwidth	99% Occupied BW	Min. Limit	Test Result
(MHz)	(MHz)	(MHz)	(kHz)	1 est ixesuit
2412	8.06	13.00	500	Complies
2437	9.00	13.24	500	Complies
2462	9.12	13.32	500	Complies


### **TX CH01**




Date: 28.APR.2015 19:39:07

Report No.: BTL-FICP-1- 1504C213 Page 132 of 178





Date: 28.APR.2015 19:40:22




Date: 28.APR.2015 19:41:30



### Test Mode: TX G Mode\_CH01/06/11

Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412	15.08	16.40	500	Complies
2437	15.13	16.36	500	Complies
2462	15.67	16.36	500	Complies


### **TX CH01**




Date: 28.APR.2015 19:42:37

Report No.: BTL-FICP-1- 1504C213 Page 134 of 178





Date: 28.APR.2015 19:43:44




Date: 28.APR.2015 19:44:39



### Test Mode: TX N-20MHz Mode\_CH01/06/11

Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412	16.38	17.56	500	Complies
2437	16.08	17.60	500	Complies
2462	16.28	17.56	500	Complies


### **TX CH01**




Date: 28.APR.2015 19:46:55

Report No.: BTL-FICP-1- 1504C213 Page 136 of 178





Date: 28.APR.2015 19:48:03



Date: 28.APR.2015 19:48:59



ATTACHMENT F – MAXIMUM PEAK CONDUCTED OUTPUT POWER	

Report No.: BTL-FICP-1- 1504C213 Page 138 of 178



# For Chip antenna

### Test Mode :TX B Mode\_CH01/06/11

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	19.74	0.09	30.00	1.00	Complies
2437	19.15	0.08	30.00	1.00	Complies
2462	19.65	0.09	30.00	1.00	Complies

### Test Mode :TX G Mode\_CH01/06/11

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	22.63	0.18	30.00	1.00	Complies
2437	22.60	0.18	30.00	1.00	Complies
2462	22.38	0.17	30.00	1.00	Complies

### Test Mode :TX N20 Mode\_CH01/06/11

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	22.86	0.19	30.00	1.00	Complies
2437	22.67	0.18	30.00	1.00	Complies
2462	22.76	0.19	30.00	1.00	Complies

Report No.: BTL-FICP-1- 1504C213 Page 139 of 178



# For Dipole antenna

### Test Mode :TX B Mode\_CH01/06/11

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	19.43	0.09	30.00	1.00	Complies
2437	19.18	0.08	30.00	1.00	Complies
2462	19.91	0.10	30.00	1.00	Complies

### Test Mode :TX G Mode\_CH01/06/11

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	22.02	0.16	30.00	1.00	Complies
2437	22.38	0.17	30.00	1.00	Complies
2462	22.74	0.19	30.00	1.00	Complies

# Test Mode :TX N20 Mode\_CH01/06/11

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	22.37	0.17	30.00	1.00	Complies
2437	22.33	0.17	30.00	1.00	Complies
2462	22.08	0.16	30.00	1.00	Complies

Report No.: BTL-FICP-1- 1504C213 Page 140 of 178



ATTACHMENT G - ANTENNA CONDUCTED SPURIOUS EMISSION


Report No.: BTL-FICP-1- 1504C213 Page 141 of 178




# For Chip antenna Test Mode : TX B Mode\_ANT 1

Report No.: BTL-FICP-1- 1504C213 Page 142 of 178






Date: 28.APR.2015 19:21:23



Date: 28.APR.2015 19:24:43









Date: 28.APR.2015 19:21:15


### TX B mode CH06 (10 Harmonic of the frequency)



Date: 28.APR.2015 19:22:54







Date: 28.APR.2015 19:24:35


Report No.: BTL-FICP-1- 1504C213 Page 145 of 178



est Mode :	TX G Mode_ANT 1	

Report No.: BTL-FICP-1- 1504C213 Page 146 of 178








### TX G mode CH11 \*RBW 100 kHz Marker 4 [T1 ] -32.19 dBm 2.483500000 GHz \*VBW 300 kHz \*Att 30 dB SWT 10 ms Ref 20 dBm 20 Offset 1 dB Marker 1 [T1 ] 5.20 dBm 459400000 GHz Marker 2 [T1 | -32 19 dBm 1 PK VIEW 483500000 GHZ LVL Marker 3 [T1 -49 19 dBm .500000000 GH2 3DB market to the tent of tent of tent of the tent of the tent of the tent of tent of tent of tent of tent Stop 2.548 GHz

Date: 28.APR.2015 19:28:16









Date: 28.APR.2015 19:25:56


## TX G mode CH06 (10 Harmonic of the frequency)



Date: 28.APR.2015 19:27:06







Date: 28.APR.2015 19:28:08


Report No.: BTL-FICP-1- 1504C213 Page 149 of 178



Test Mode:	TX N-20M Mode_ANT 1

Report No.: BTL-FICP-1- 1504C213 Page 150 of 178





10 MHz/

TX HT20 mode CH11

Stop 2.423 GHz

Stop 2.548 GHz

Date: 28.APR.2015 19:32:57


Start 2.323 GHz

### 

Date: 28.APR.2015 19:35:20








Date: 28.APR.2015 19:32:50


### TX HT20 mode CH06 (10 Harmonic of the frequency)



Date: 28.APR.2015 19:34:03







Date: 28.APR.2015 19:35:13


Report No.: BTL-FICP-1- 1504C213 Page 153 of 178



# For Dipole antenna Test Mode: TX B Mode\_ANT 1

Report No.: BTL-FICP-1- 1504C213 Page 154 of 178









Date: 28.APR.2015 19:41:52

### TX B mode CH11 \*RBW 100 kHz Marker 4 [T1 ] -40.38 dBm 2.483500000 GHz \*VBW 300 kHz SWT 10 ms Ref 20 dBm \*Att 30 dB 20 Offset 8 89 dBm 2 [T1 1 PK VIEW -40.38 dBm 483500000 GHZ Marker 3 [T1 3DB Stop 2.548 GHz

Report No.: BTL-FICP-1- 1504C213









Date: 28.APR.2015 19:39:21


### TX B mode CH06 (10 Harmonic of the frequency)



Date: 28.APR.2015 19:40:36







Date: 28.APR.2015 19:41:44


Report No.: BTL-FICP-1- 1504C213 Page 157 of 178





est Mode :	TX G Mode_ANT 1	

Report No.: BTL-FICP-1- 1504C213 Page 158 of 178










Date: 28.APR.2015 19:45:01









Date: 28.APR.2015 19:42:51


## TX G mode CH06 (10 Harmonic of the frequency)



Date: 28.APR.2015 19:43:59







Date: 28.APR.2015 19:44:53


Report No.: BTL-FICP-1- 1504C213 Page 161 of 178



est Mode :	TX N-20M Mode_ANT 1

Report No.: BTL-FICP-1- 1504C213 Page 162 of 178





10 MHz/


Stop 2.423 GHz

-23.84 dBm

Date: 28.APR.2015 19:47:17

Start 2.323 GHz


# \*Ref 20 dBm \*Att 30 dB \*SWT 10 ms 2.48350000



Date: 28.APR.2015 19:49:20








Date: 28.APR.2015 19:47:09


### TX HT20 mode CH06 (10 Harmonic of the frequency)



Date: 28.APR.2015 19:48:17







Date: 28.APR.2015 19:49:12

Report No.: BTL-FICP-1- 1504C213 Page 165 of 178



ATTACHMENT H - POWER SPECTRAL DENSITY						

Report No.: BTL-FICP-1- 1504C213 Page 166 of 178




# For Chip antenna

### Test Mode :TX B Mode\_CH01/06/11\_ANT 1

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-4.62	0.35	8.00	Complies
2437	-5.90	0.26	8.00	Complies
2462	-5.95	0.25	8.00	Complies


### **TX CH01**




Date: 28.APR.2015 19:21:32

Report No.: BTL-FICP-1- 1504C213 Page 167 of 178





Date: 28.APR.2015 19:23:03




Date: 28.APR.2015 19:24:52



### Test Mode :TX G Mode\_CH01/06/11\_ANT 1

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-8.41	0.14	8.00	Complies
2437	-7.96	0.16	8.00	Complies
2462	-7.87	0.16	8.00	Complies


### **TX CH01**



Date: 28.APR.2015 19:26:13

Report No.: BTL-FICP-1- 1504C213 Page 169 of 178





Date: 28.APR.2015 19:27:15

# 


Date: 28.APR.2015 19:28:25



### Test Mode: TX N-20M Mode\_CH01/06/11\_ANT 1

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-5.99	0.25	8.00	Complies
2437	-7.84	0.16	8.00	Complies
2462	-6.76	0.21	8.00	Complies


### TX CH01




Date: 28.APR.2015 19:33:07

Report No.: BTL-FICP-1- 1504C213 Page 171 of 178





Date: 28.APR.2015 19:34:12



Date: 28.APR.2015 19:35:30




# For Dipole antenna

### Test Mode :TX B Mode\_CH01/06/11\_ANT 1

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-5.61	0.27	8.00	Complies
2437	-3.70	0.43	8.00	Complies
2462	-5.32	0.29	8.00	Complies


### **TX CH01**




Date: 28.APR.2015 19:39:38

Report No.: BTL-FICP-1- 1504C213 Page 173 of 178





Date: 28.APR.2015 19:40:45




Date: 28.APR.2015 19:42:01



### Test Mode :TX G Mode\_CH01/06/11\_ANT 1

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-10.76	0.08	8.00	Complies
2437	-11.46	0.07	8.00	Complies
2462	-11.14	0.08	8.00	Complies


### **TX CH01**



Date: 28.APR.2015 19:43:08

Report No.: BTL-FICP-1- 1504C213 Page 175 of 178





Date: 28.APR.2015 19:44:08

# 


Date: 28.APR.2015 19:45:10



Test Mode: TX N-20M Mode\_CH01/06/11\_ANT 1

Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-7.97	0.16	8.00	Complies
2437	-9.48	0.11	8.00	Complies
2462	-8.41	0.14	8.00	Complies


### TX CH01




Date: 28.APR.2015 19:47:26

Report No.: BTL-FICP-1- 1504C213 Page 177 of 178





Date: 28.APR.2015 19:48:26



Date: 28.APR.2015 19:49:29