


Report Number: W6M21611-16408-P-2224

FCC ID: 2AENAYPZN02



Site: Chamber

Condition: FCC_part 22 Bandedge

Test Mode: WCDMA BandV CH4132

Note:

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.0000	-73.09	peak	35.56	-37.53	-13.00	150	100	-24.53	


Polarization:

Vertical



Report Number: W6M21611-16408-P-2224

FCC ID: 2AENAYPZN02



Site: Chamber


Condition: FCC_part 22 Bandedge Polarization: Horizontal

Test Mode: WCDMA BandV CH4233

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	849.0000	-76.23	peak	36.49	-39.74	-13.00	150	210	-26.74	

Report Number: W6M21611-16408-P-2224

FCC ID: 2AENAYPZN02



Site: Chamber

Condition: FCC_part 22 Bandedge Polarization: Vertical

Test Mode: WCDMA BandV CH4233

Note:

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	849.0000	-77.07	peak	36.33	-40.74	-13.00	150	210	-27.74	

Test equipment: ETSTW-RE 004, ETSTW-RE 030, ETSTW-RE 062, ETSTW-RE 142, ETSTW-RE 147, ETSTW-GSM 002



Report Number: W6M21611-16408-P-2224

FCC ID: 2AENAYPZN02


8. Frequency Stability

8.1 Test procedure

The equipment under test was supplied with rated power supply and the RF output was connected to a frequency counter via feed through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable, exited the chamber through an opening made for that purpose.

After the temperature stabilized the frequency output was recorded from the counter.

- An external variable power supply was used to supply nominal voltage and 85% to 115% of nominal voltage to the EUT under room temperature. Record the frequencies measured from the counter.
- End point voltage: For hand carried, battery powered equipment, reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer. Then record the frequencies measured from the counter.





Report Number: W6M21611-16408-P-2224

FCC ID: 2AENAYPZN02 **8.2 Test Results**

8.2.1 Frequency Stability vs. Temperature

Band 850 MHz & Band 1900 MHz

CH128 Temp Frequency Frequency Limit CH512 Temp Frequency CH512 Temp CH	u 050 WIIIZ		1 1 7 0 0 WII I						1	ı
CHIR	CH128	Tamn				CH512	Tamn	1 -	Frequency	Limit
3.7VDC 10 26.000 0.034 20 19.000 0.023 20 19.000 0.0023 20 19.000 0.0023 20 19.000 0.0023 20 20 19.000 0.0023 20 20 19.000 0.0023 20 20 20 20 20 20 20	C11120	Temp			(ppm)	C11312	Temp	\ /		(ppm)
3.7VDC 10 34.000 0.041 0 -51.000 -0.062 20 -19.000 -0.023 30 31.000 0.038 40 -42.000 -0.051 50 -39.000 -0.042 3.3VDC 25 28.000 0.034 3.33VDC 25 -35.000 -0.042 3.3VDC 25 -20.000 -0.031 -10 33.000 0.039 0 -43.000 -0.051 30 -21.000 -0.051 30 -21.000 -0.051 30 -21.000 -0.051 30 -21.000 -0.051 30 -21.000 -0.051 30 -21.000 -0.051 30 -21.000 -0.051 30 -21.000 -0.051 30 -21.000 -0.051 30 -21.000 -0.025 40 37.000 0.044 50 -29.000 -0.035 4.07VDC 25 29.000 -0.035 4.07VDC 25 29.000 -0.035 4.07VDC 25 29.000 -0.024 3.33VDC 25 -20.000 -0.024 3.33VDC 25 -20.000 -0.024 -20 33.30VDC 25 -20.000 -0.024 -20 -20.000 -0.025 -20.000 -0.024 -20 -20.000 -0.025 -20.000 -0.024 -20.000 -0.025 -20.000 -0.025 -20.000 -0.024 -20.000 -0.025 -20.000 -0.024 -20.000 -0.025 -20.000 -0.024 -20.000 -0.025 -20.000 -0.025 -20.000 -0.024 -20.000 -0.025 -20.000 -0.025 -20.000 -0.025 -20.000 -0.025 -20.000 -0.025 -20.000 -0.025 -20.000 -0.025 -20.000 -0.025 -20.000 -0.025 -20.000 -0.025 -20.000 -0.025 -20.000 -0.025 -20.000 -0.025 -20.000 -0.025 -20.000 -0.025 -20.000 -0.025 -20.000 -0.025 -20.000 -0.025 -20.000 -0.025 -20.000 -20.025		-30	-26.000	-0.032	Į		-30	37.000	0.020	
3.7VDC		-20	-28.000	-0.034			-20	43.000	0.023	
3.7VDC		-10	34.000	0.041			-10	45.000	0.024	
CH188 Temp Frequency Frequency CH661 Temp CH661 Temp Frequency CH661 Temp CH661 Temp Frequency CH661 Temp Frequency CH661 Temp Frequency CH661 Temp CH661 Temp CH661 Temp Frequency CH661 Temp CH661		0	-51.000	-0.062			0	52.000	0.028	
30 31.000 0.038 40 -42.000 -0.051 50 -39.000 -0.047 4.07VDC 25 28.000 0.034 3.33VDC 25 -35.000 -0.042 4.07VDC 25 -33.000 -0.018 3.33VDC 25 -35.000 -0.032 4.07VDC 25 -33.000 -0.018 3.33VDC 25 -33.000 -0.018 3.33VDC 25 -28.000 -0.015	3.7VDC	10	26.000	0.032		3.7VDC	10	31.000	0.017	
A0		20	-19.000	-0.023	±2.5		20	41.000	0.022	±2.5
S0		30	31.000	0.038			30	53.000	0.029	
A.07VDC 25 28.000 0.034 3.33VDC 25 -33.000 -0.018 3.33VDC 25 -35.000 -0.042 3.33VDC 25 -28.000 -0.015		40	-42.000	-0.051			40	-56.000	-0.030	
3.33VDC 25 -35.000 -0.042		50	-39.000	-0.047			50	-24.000	-0.013	
CH188 Temp Frequency Grift(Hz) drift(ppm) CH661 Temp Frequency Grift(Hz) drift(ppm) (ppm) CH661 Temp Frequency Grift(Hz) drift(ppm) (ppm) (ppm) -30 -27.000 -0.032 -20 26.000 0.031 -10 33.000 0.039 0 -43.000 -0.051 30 -21.000 -0.025 40 37.000 0.044 50 -29.000 -0.035 3.3VDC 25 -20.000 -0.024 3.33VDC 25 -20.000 -0.024 3.33VDC 25 -20.000 -0.024 3.33VDC 25 -20.000 -0.024 3.33VDC 25 -37.000 -0.021 -30 19.000 0.022 -20 -26.000 -0.031 -10 17.000 0.020 -20 -20 -26.000 -0.031 -10 17.000 0.020 -20 -20 -26.000 -0.034 40 -34.000 -0.040 50 -29.000 -0.034 40 -34.000 -0.040 50 -52.000 -0.061 4.07VDC 25 -19.000 -0.013 +2.5 -20 37.000 0.012 -20 37.000 0.019 -10 -51.000 -0.027 -20 37.000 0.019 -10 -51.000 -0.027 -20 37.000 0.019 -10 -51.000 -0.027 -20 37.000 0.019 -10 -51.000 -0.027 -20 37.000 0.019 -10 -51.000 -0.027 -20 37.000 0.011 -20	4.07VDC	25	28.000	0.034		4.07VDC	25	-33.000	-0.018	
CH188 Tellip drift(Hz) drift(ppm) (ppm) CH001 Tellip drift(Hz) drift(ppm) (ppm) -30	3.33VDC	25	-35.000	-0.042		3.33VDC	25	-28.000	-0.015	
CH188 Tellip drift(Hz) drift(ppm) (ppm) CH001 Tellip drift(Hz) drift(ppm) (ppm) -30	CH100	Томи	Frequency	Frequency	Limit	CH((1	Томи	Frequency	Frequency	Limit
3.7VDC 10 26.000 0.031	СП100	remp				Споот	remp	drift(Hz)	drift(ppm)	(ppm)
3.7VDC 10 33.000 0.039 0 -43.000 -0.051 10 25.000 0.030 20 16.000 0.019 30 -21.000 -0.025 40 37.000 0.044 50 -29.000 -0.035 4.07VDC 25 29.000 -0.024 3.33VDC 25 -20.000 -0.024 3.33VDC 25 -20.000 -0.024 3.33VDC 25 -20.000 -0.024 3.33VDC 25 -37.000 -0.020 3.33VDC 25 -37.000 -0.021 -30 19.000 0.022 -20 -26.000 -0.031 -10 17.000 0.020 0 -34.000 -0.040 3.7VDC 10 -25.000 -0.040 3.7VDC 3.7VDC 10 59.000 0.014 40.000 -0.027 0 43.000 0.023 3.7VDC 10 59.000 0.014 40.000 -0.027 40.000 -0.027 40.000 -0.027 40.000 -0.027 40.000 -0.027 40.000 -0.014 40.000 -0.014 40.000 -0.014 40.000 -0.014 40.000 -0.014 40.000 -0.014 40.000 -0.014 40.000 -0.010 40.000 -0.010 40.000 -0.010 40.000 -0.010 40.000 -0.010 40.000 -0.010 40.000 -0.010 40.000 -0.010 40.000 -0.010 40.000 -0.010 40.000 -0.010 40.000 -0.010 40.00000 -0.010 40.00000 -0.010 40.000000 -0.010 40.00000 -0.010 40.000000 -0.010 40.0000000000000000000000000000		-30	-27.000	-0.032			-30	-26.000	-0.014	
3.7VDC 0		-20	26.000	0.031			-20	38.000	0.020	
3.7VDC		-10	33.000	0.039			-10	40.000	0.021	
20		0	-43.000	-0.051			0	-51.000	-0.027	
30	3.7VDC	10	25.000	0.030		3.7VDC	10	16.000	0.009	
40 37.000 0.044 50 -29.000 -0.035 4.07VDC 25 29.000 0.035 3.33VDC 25 -20.000 -0.024		20	16.000	0.019	±2.5		20	23.000	0.012	±2.5
S0 -29.000 -0.035		30	-21.000	-0.025			30	27.000	0.014	
A.07VDC 25 29.000 0.035 3.33VDC 25 -37.000 -0.020 3.33VDC 25 40.000 0.021		40	37.000	0.044			40	-24.000	-0.013	
3.33VDC 25		50	-29.000	-0.035			50	29.000	0.015	
CH251 Temp Frequency drift(Hz) drift(ppm) (ppm) CH810 Temp Frequency Grift(Hz) drift(ppm) (ppm) -30	4.07VDC	25	29.000	0.035		4.07VDC	25	-37.000	-0.020	
CH231 Tellip drift(Hz) drift(ppm) (ppm) CH310 Tellip drift(Hz) drift(ppm) (ppm) -30	3.33VDC	25	-20.000	-0.024		3.33VDC	25	40.000	0.021	
CH231 Tellip drift(Hz) drift(ppm) (ppm) CH310 Tellip drift(Hz) drift(ppm) (ppm) -30	CHOST	Т	Frequency	Frequency	Limit	CHOLO	Т	Frequency	Frequency	Limit
3.7VDC 10 -26.000 -0.031 -10 17.000 0.020 0 -34.000 -0.040 20 17.000 0.029 20 17.000 -0.034 40 -34.000 -0.040 50 -52.000 -0.061 4.07VDC 25 29.000 0.034 4.07VDC 25 29.000 0.034 4.07VDC 25 -19.000 -0.010 -0.010 -0.010 -0.010 -0.010 -0	CH231	remp				CH810	remp	drift(Hz)	drift(ppm)	(ppm)
3.7VDC 10 -25.000 -0.029 ±2.5 3.7VDC 10 -25.000 -0.029 ±2.5 3.7VDC 10 -25.000 -0.034 ±2.5 40 -34.000 -0.040 50 -52.000 -0.061 4.07VDC 25 29.000 0.034 4.07VDC 25 29.000 0.034 4.07VDC 25 -19.000 -0.010		-30	19.000	0.022			-30	-41.000	-0.021	
3.7VDC		-20	-26.000	-0.031			-20	37.000	0.019	
3.7VDC		-10	17.000	0.020			-10	-51.000	-0.027	
20 17.000 0.020 30 -29.000 -0.034 40 -34.000 -0.040 50 -52.000 -0.061 4.07VDC 25 29.000 0.034 ±2.5 20 26.000 0.014 40 24.000 0.013 50 -26.000 -0.014 4.07VDC 25 -19.000 -0.010		0	-34.000	-0.040			0	43.000	0.023	
30 -29.000 -0.034 40 -34.000 -0.040 50 -52.000 -0.061 4.07VDC 25 29.000 0.034 30 23.000 0.012 40 24.000 0.013 50 -26.000 -0.014 4.07VDC 25 -19.000 -0.010	3.7VDC	10	-25.000	-0.029		3.7VDC	10	59.000	0.031	
30 -29.000 -0.034 40 -34.000 -0.040 50 -52.000 -0.061 4.07VDC 25 29.000 0.034 30 23.000 0.012 40 24.000 0.013 50 -26.000 -0.014 4.07VDC 25 -19.000 -0.010		20	17.000	0.020	±2.5		20	26.000	0.014	±2.5
50 -52.000 -0.061 50 -26.000 -0.014	-	30	-29.000	-0.034			30	23.000		
50 -52.000 -0.061 50 -26.000 -0.014										
4.07VDC 25 29.000 0.034 4.07VDC 25 -19.000 -0.010		50						-26.000	-0.014	
	4.07VDC					4.07VDC				



Report Number: W6M21611-16408-P-2224

FCC ID: 2AENAYPZN02

Band II & Band V

30 56.000 0.030 40 31.000 0.017 50 -28.000 -0.015 4.07VDC 25 -15.000 -0.008 3.33VDC 25 29.000 0.016 3.33VDC 25 29.000 0.016 CH9400 Temp Grift(Hz) Grift(ppm) (ppm) CH4183 Temp Grift(Hz) Grift(ppm) (ppm) CH4183 Temp Frequency Grift(Hz) Grift(ppm) (ppm) CH4183 Temp Grift(Hz) Grift(ppm) (ppm) Grift(ppm) (ppm) Grift(Hz) Grift(Hz) Grift(ppm) (ppm) Grift(Hz) Grift(ppm) (ppm) Grift(Hz) Grift(id II & Band	1 V										
3.7VDC 36.000 0.026 -20 -52.000 -0.028 -10 25.000 0.013 0 36.000 0.019 30 56.000 -0.029 30 56.000 -0.015 30 31.000 -0.015 3.33VDC 25 29.000 -0.027 -20 -43.000 -0.022 -20 -23.000 -0.024 -10 41.000 0.050 0 53.000 -0.042 50 29.000 0.035 40 -35.000 -0.042 50 29.000 0.035 -28.000 -0.015 -30.000 -0.042 -30.000 -0.041 -35.000 -0.041 -35.000 -0.041 -35.000 -0.041 -35.000 -0.041 -35.000 -0.041 -30.000 -0.027 -20 -43.000 -0.027 -20 -43.000 -0.023 -10 41.000 0.022 -20 -22.000 -0.026 -20 27.000 0.032 -10 36.000 -0.015 -10 41.000 0.022 -10 36.000 -0.015 -20 -30.000 -0.035 -20 -32.000 -0.038 +2.5 -34.000 -0.018 -30.33VDC 25 -34.000 -0.018 -30.33VDC 25 -34.000 -0.018 -33.33VDC 25 -34.000 -0.035 -33.30VDC 25 -33.000 -0.039 -3.33VDC 25 -29.000 -0.035 -20.005	СН0262	Tamp	Frequency	Frequency	Limit	СН4132	Tamn					
3.7VDC 10 -52.000 -0.028 -10 25.000 0.013 0 36.000 0.019 3.7VDC 10 -41.000 -0.022 20 -53.000 -0.029 30 56.000 0.030 40 31.000 0.015 50 -28.000 -0.015 4.07VDC 25 -15.000 -0.008 3.3VDC 25 29.000 0.016 CH9400 Temp Frequency drift(Hz) drift(ppm) (ppm) -30 -50.000 -0.027 -20 -43.000 -0.023 -10 41.000 0.022 0 -28.000 -0.015 3.7VDC 10 36.000 0.019 20 51.000 0.022 50 33.000 0.018 4.07VDC 25 -34.000 -0.023 -10 38.000 0.045 0 52.000 0.035 40 27.000 0.032 50 13.000 0.016 4.07VDC 25 -33.000 -0.038 ±2.5 33.3VDC 25 -34.000 -0.023 50 13.000 0.016 4.07VDC 25 -33.000 -0.038 3.3VDC 25 -33.000 -0.039 3.33VDC 25 -33.000 -0.039 3.33VDC 25 -29.000 -0.035 4.07VDC 25 -29.000 -0.035 4.07VDC 25 -29.000 -0.035 4.07VDC 25 -33.000 -0.039 3.33VDC 25 -29.000 -0.035 4.07VDC 25 -29.000 -0.035 4.07VDC	C119202	Temp	drift(Hz)	drift(ppm)	(ppm)	C114132	remp	drift(Hz)	drift(ppm)	(ppm)		
3.7VDC 10 25.000 0.013 0 36.000 0.019 20 -53.000 -0.022 20 -53.000 -0.029 30 56.000 0.017 50 -28.000 -0.015 4.07VDC 25 -15.000 -0.008 3.3VDC 25 29.000 0.016 25 -20 -43.000 -0.023 -10 41.000 0.022 40 42.000 0.022 50 33.000 0.018 4.07VDC 25 -34.000 -0.015 4.07VDC 25 -32.000 -0.026 -20 27.000 0.032 -10 41.000 0.022 50 33.000 0.018 4.07VDC 25 -33.000 -0.035 4.07VDC 25 -34.000 -0.026 -20 27.000 0.032 -10 41.000 0.022 50 33.000 0.018 4.07VDC 25 -33.000 -0.035 4.07VDC 25 -32.000 -0.026 -20 27.000 0.032 -10 36.000 0.019 20 51.000 0.022 50 33.000 0.018 4.07VDC 25 -33.000 -0.035 4.07VDC 25 -33.000 -0.035 4.07VDC 25 -33.000 -0.035 4.07VDC 25 -33.000 -0.035 -0		-30	48.000	0.026			-30	29.000	0.035			
3.7VDC 0 36.000 0.019		-20	-52.000	-0.028			-20	-23.000	-0.028			
3.7VDC		-10	25.000	0.013			-10	41.000	0.050			
20		0	36.000	0.019			0	53.000	0.064			
30 56.000 0.030 40 31.000 0.017 50 -28.000 -0.015 4.07VDC 25 -15.000 -0.008 3.33VDC 25 29.000 0.016 3.33VDC 25 29.000 0.016 3.33VDC 25 45.000 0.054 4.07VDC 25 -34.000 -0.041 3.33VDC 25 45.000 0.054 4.07VDC 25 -34.000 -0.041 3.33VDC 25 45.000 0.054 4.07VDC 25 -34.000 -0.027 -20 -43.000 -0.023 -10 41.000 0.022 0 -28.000 -0.015 3.7VDC 10 36.000 0.019 20 51.000 0.027 40 42.000 0.022 50 33.000 0.018 4.07VDC 25 -34.000 -0.018 3.33VDC 25 -37.000 -0.020 3.33VDC 25 -33.000 -0.039 3.33VDC 25 -29.000 -0.035 4.07VDC 25 -33.000 -0.039 3.33VDC 25 -29.000 -0.035 Frequency Frequency Limit CH4233 Tamp Frequency Limit CH4234 Tamp Frequency Limit	3.7VDC	10	-41.000	-0.022		3.7VDC	10	-28.000	-0.034			
40 31.000 0.017 50 -28.000 -0.015 4.07VDC 25 -15.000 -0.008 3.33VDC 25 29.000 0.016 3.33VDC 25 29.000 0.016 3.33VDC 25 45.000 0.054 CH9400 Temp Frequency Frequency drift(Hz) drift(ppm) (ppm)		20	-53.000	-0.029	±2.5		20	26.000	0.031	±2.5		
S0		30	56.000	0.030			30	41.000	0.050			
A.07VDC 25		40	31.000	0.017			40	-35.000	-0.042			
3.33VDC 25 29.000 0.016 3.33VDC 25 45.000 0.054 CH9400 Temp Frequency Frequency Limit drift(Hz) drift(ppm) (ppm) -30 -50.000 -0.027 -20 -43.000 -0.023 -10 41.000 0.022 0 -28.000 -0.015 3.7VDC 10 36.000 0.019 20 51.000 0.027 40 42.000 0.022 50 33.000 0.018 4.07VDC 25 -34.000 -0.018 3.33VDC 25 45.000 0.054 Temp Frequency Frequency Frequency Limit CH4183 -30 -22.000 -0.026 -20 27.000 0.032 -10 38.000 0.045 0 52.000 0.062 3.7VDC 10 10.000 0.012 20 -32.000 -0.038 40 27.000 0.032 50 13.000 0.016 4.07VDC 25 -34.000 -0.018 3.33VDC 25 -37.000 -0.020 Temp Frequency Frequency Limit CH4233 Temp Frequency Frequency Limit CH4234 Temp Frequency Fr		50	-28.000	-0.015			50	29.000	0.035			
CH9400 Temp Frequency drift(Hz) Frequency drift(ppm) (ppm) CH4183 Temp Frequency drift(Hz) drift(ppm) (ppm) Limit drift(Hz) CH4183 Temp Frequency drift(Hz) drift(ppm) (ppm) Limit drift(Hz) CH4183 Temp Frequency drift(Hz) drift(ppm) (ppm) Limit drift(Hz) CH4183 Temp Frequency drift(Hz) Frequency drift(ppm) (ppm) CH4183 Temp Frequency drift(Hz) Limit drift(ppm) (ppm) CH4183 Temp Frequency Frequency Limit Graph CH4223 Temp Frequency Frequency Limit Graph CH4223 Temp Frequency Frequency Limit Graph CH4223 Temp Frequency Frequency Limit Graph Limit Graph CH4223 Temp Frequency Frequency Limit Graph	4.07VDC	25	-15.000	-0.008		4.07VDC	25	-34.000	-0.041			
CH9400 Tellip drift(Hz) drift(ppm) (ppm) CH4183 Tellip drift(Hz) drift(ppm) (ppm) -30	3.33VDC	25	29.000	0.016		3.33VDC	25					
3.7VDC	CH0400	Tomp	Frequency	Frequency	Limit	СП4192	Tomn	Frequency	Frequency	Limit		
3.7VDC 10 36.000 0.019 0.027 0 20 51.000 0.022 0 27.000 0.032 0 0.045 0 52.000 0.062 0 0.027 0 0.027 0 0.027 0 0.027 0 0.027 0 0.027 0 0.027 0 0.027 0 0.027 0 0.027 0 0.027 0 0.027 0 0.027 0 0.027 0 0.027 0 0.027 0 0.035 0 0.0	СП9400	Temp	drift(Hz)	drift(ppm)	(ppm)	СП4163	remp	drift(Hz)	drift(ppm)	(ppm)		
3.7VDC 10 41.000 0.022 0 -28.000 -0.015 0 52.000 0.062 0 52.000		-30	-50.000	-0.027			-30	-22.000	-0.026			
3.7VDC		-20	-43.000	-0.023			-20	27.000	0.032			
3.7VDC		-10	41.000	0.022			-10	38.000	0.045			
20 51.000 0.027 ±2.5 20 -32.000 -0.038 ±2 30 29.000 0.035 40 42.000 0.018 50 33.000 0.018 4.07VDC 25 -34.000 -0.020 3.33VDC 25 -37.000 -0.020 3.33VDC 25 -29.000 -0.035 Frequency Frequency Limit CH4233 Tamp Frequency Frequency Limit CH4233 Tamp Limit CH4233 Tamp Frequency Limit CH4233 Limit Limit CH4233 Limit Limit CH4233 Limit L		0	-28.000	-0.015			0	52.000	0.062			
30 -50.000 -0.027 30 29.000 0.035 40 42.000 0.022 50 33.000 0.018 4.07VDC 25 -34.000 -0.018 3.33VDC 25 -37.000 -0.020 3.33VDC 25 -29.000 -0.035 Frequency Frequency Limit CH4233 Tomp Frequency CH4233 Tomp	3.7VDC	10	36.000	0.019		3.7VDC	10	10.000	0.012			
40 42.000 0.022 50 33.000 0.018 4.07VDC 25 -34.000 -0.018 3.33VDC 25 -37.000 -0.020 3.33VDC 25 -29.000 -0.035 Frequency Frequency Limit CH0538 Tamp Frequency Frequency Limit		20	51.000	0.027	±2.5		20	-32.000	-0.038	±2.5		
50 33.000 0.018 50 13.000 0.016		30	-50.000	-0.027			30	29.000	0.035			
4.07VDC 25 -34.000 -0.018 4.07VDC 25 -33.000 -0.039 3.33VDC 25 -37.000 -0.020 3.33VDC 25 -29.000 -0.035 CH0538 Temp Frequency Frequency Limit CH4233 Temp Frequency Frequency Limit		40	42.000	0.022			40	27.000	0.032			
3.33VDC 25 -37.000 -0.020 3.33VDC 25 -29.000 -0.035 CH0538 Tomp Frequency Frequency Limit CH4233 Tomp Frequency Frequency Limit		50	33.000	0.018			50	13.000	0.016			
CH0538 Tomp Frequency Frequency Limit CH4232 Tomp Frequency Frequency Lin	4.07VDC	25	-34.000	-0.018		4.07VDC	25	-33.000	-0.039			
	3.33VDC	25	-37.000	-0.020		3.33VDC	25	-29.000	-0.035			
$ CH9330 $ $ Tellip _{1::\Delta(II)} _{1::\Delta(II)} _{1::\Delta(III)} _{1::\Delta(III)} _{1::\Delta(III)} _{1::\Delta(III)} _{1::\Delta(III)} _{1::\Delta(III)} _{1::\Delta(IIII)} _{1::\Delta(IIII)} _{1::\Delta(IIII)} _{1::\Delta(IIII)} _{1::\Delta(IIIII)} _{1::\Delta(IIIII)} _{1::\Delta(IIIII)} _{1::\Delta(IIIIIIIII)} _{1::\Delta(IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII$	СН0529	Tomp	Frequency	Frequency	Limit	CH4222	Tomn	Frequency	Frequency	Limit		
C119338 Temp drift(Hz) drift(ppm) (ppm) C114233 Temp drift(Hz) drift(ppm) (ppm)	СПЭЭЭ	Temp	drift(Hz)	drift(ppm)	(ppm)	СП4233	remp	drift(Hz)	drift(ppm)	(ppm)		
-30 45.000 0.024 -30 49.000 0.058		-30	45.000	0.024			-30	49.000	0.058			
-20 31.000 0.016 -20 34.000 0.040		-20	31.000	0.016			-20	34.000	0.040			
-10 29.000 0.015 -10 -38.000 -0.045		-10	29.000	0.015			-10	-38.000	-0.045			
0 -34.000 -0.018 0 29.000 0.034		0	-34.000	-0.018			0	29.000	0.034			
3.7VDC 10 31.000 0.016 3.7VDC 10 23.000 0.027	3.7VDC	10	31.000	0.016		3.7VDC	10	23.000	0.027			
20 -53.000 -0.028 ±2.5 20 -16.000 -0.019 ±2	3.7 V DC	20	-53.000	-0.028	±2.5		20	-16.000	-0.019	±2.5		
30 15.000 0.008 30 28.000 0.033		30	15.000	0.008			30	28.000	0.033			
40 26.000 0.014 40 46.000 0.054		40	26.000	0.014			-	-	1		40	46.000
50 -34.000 -0.018 50 -50.000 -0.059		50	-34.000	-0.018			50	-50.000	-0.059			
4.07VDC 25 53.000 0.028 4.07VDC 25 31.000 0.037	4.07VDC	25	53.000	0.028		4.07VDC	25	31.000	0.037			
3.33VDC 25 -27.000 -0.014 3.33VDC 25 -36.000 -0.043	3.33VDC	25	-27.000	-0.014		3.33VDC	25	-36.000	-0.043			

Test equipment: ETSTW-CE 009, ETSTW-RE 055, ETSTW-GSM 002



Report Number: W6M21611-16408-P-2224

FCC ID: 2AENAYPZN02

9 Maximum Permissible Exposure

9.1 Applicable Standard

Systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy levels in excess limit for maximum permissible exposure. In accordance with 47 CFR FCC Part 2 Subpart J, section 2.1091 this device has been defined as a mobile device whereby a distance of - - m normally can be maintained between the user and the device.

9.2 MPE Calculation Method

(A) Limits for Occupational/Controlled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm ²)	Averaging Time $ E ^2$, $ H ^2$ or S (minutes)
0.3-3.0	614	1.63	(100)*	6
3.0-30	1842/f	4.89/f	$(900/f^2)*$	6
30-300	61.4	0.163	1.0	6
300-1500			f/300	6
1500-100,000			5	6

(B) Limits for General Population/Uncontrolled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm ²)	Averaging Time $ E ^2$, $ H ^2$ or S (minutes)
0.3-1.34	614	1.63	(100)*	30
1.34-30	824/f	2.19/f	$(180/f^2)*$	30
30-300	27.5	0.073	0.2	30
300-1500			f/1500	30
1500-100,000			1.0	30

f = frequency in MHz

E (V/m) •
$$\frac{\sqrt{30 \times P \times G}}{d}$$
 Power Density: Pd (W/m²) • $\frac{E^2}{377}$

E = Electric field (V/m) P = output power (W) G = EUT Antenna numeric gain (numeric)

d = Separation distance between radiator and human body (m)

The formula can be changed to

^{*}Plane-wave equivalent power density



Report Number: W6M21611-16408-P-2224

FCC ID: 2AENAYPZN02

$$Pd \cdot \frac{30 \times P \times G}{377 \times d^2}$$

	May out	aut narran	wer Antenna Power Density(S)		Limit of Dower Donaity (C)	
Frequency	Max out	out power	Antenna	• • • • • • • • • • • • • • • • • • • •	Limit of Power Density (S)	Test Result
Trequency	(dBm)	/ (W)	Gain	(mW/cm ²)	(mW/cm ²)	Test Result
GSM 850						
PCS 1900						
Band II	[
Band V						

From the peak EUT RF output power, the minimum mobile separation distance, d= - - m, as well as the gain of the used antenna, the RF power density can be obtained.

Explanation: Please refer to SAR test report.

Report Number: W6M21611-16408-P-2224

FCC ID: 2AENAYPZN02

Appendix

Measurement diagrams

- 1. RF Power Output
- 2. Filed Strength of Spurious Emission

Report Number: W6M21611-16408-P-2224

FCC ID: 2AENAYPZN02


Appendix

Measurement diagrams

RF Power Output



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 POWER Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

	Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
ſ	*	824.2571	-4.22	peak	35.64	31.42	38.45	150	140	-7.03	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 POWER Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

N	Иk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	824.2591	-7.73	peak	35.57	27.84	38.45	150	100	-10.61	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 POWER Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

	Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
Ī	*	836.2591	-6.20	peak	36.05	29.85	38.45	150	60	-8.60	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 POWER Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

N	lk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	836.2591	-8.41	peak	35.94	27.53	38.45	150	170	-10.92	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 POWER Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

I	Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
Ī	*	848.8511	-9.08	peak	36.48	27.40	38.45	150	40	-11.05	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 POWER Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

I	Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
Ī	*	848.8651	-9.39	peak	36.33	26.94	38.45	150	30	-11.51	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 POWER Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.235	-17.91	peak	44.16	26.25	33.00	150	200	-6.75	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 POWER Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

N	lk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	1850.175	-27.78	peak	45.39	17.61	33.00	150	40	-15.39	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 POWER Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

I	Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	1880.055	-19.88	peak	44.17	24.29	33.00	150	170	-8.71	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 POWER Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

N	۱k.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	1880.015	-30.43	peak	45.49	15.06	33.00	150	200	-17.94	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 POWER Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1909.845	-18.55	peak	44.40	25.85	33.00	150	200	-7.15	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 POWER Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1909.865	-30.49	peak	45.86	15.37	33.00	150	100	-17.63	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 POWER Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.1168	-4.10	peak	35.63	31.53	38.45	150	140	-6.92	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 POWER Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

ı	Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
F	*	824.1310	-7.68	peak	35.56	27.88	38.45	150	50	-10.57	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 POWER Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	836.1248	-6.22	peak	36.05	29.83	38.45	150	40	-8.62	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 POWER Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

N	lk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	836.2471	-8.49	peak	35.94	27.45	38.45	150	110	-11.00	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 POWER Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

N	Λk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	848.7228	-8.89	peak	36.48	27.59	38.45	150	30	-10.86	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 POWER Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

N	Λk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	848.8591	-9.30	peak	36.32	27.02	38.45	150	40	-11.43	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 POWER Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

N	/lk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
Г	*	1850.205	-17.91	peak	44.16	26.25	33.00	150	250	-6.75	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 POWER Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

N	۱k.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	1850.165	-27.83	peak	45.39	17.56	33.00	150	80	-15.44	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 POWER Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

N	Λk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	1879.895	-19.86	peak	44.17	24.31	33.00	150	170	-8.69	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 POWER Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.995	-30.52	peak	45.49	14.97	33.00	150	240	-18.03	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 POWER Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

N	lk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	1909.865	-18.54	peak	44.40	25.86	33.00	150	140	-7.14	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 POWER Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

ı	Иk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	1909.845	-30.67	peak	45.86	15.19	33.00	150	10	-17.81	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 POWER Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1853.612	-23.97	peak	44.16	20.19	33.00	150	140	-12.81	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 POWER Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

Mk	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1853.633	-33.99	peak	45.40	11.41	33.00	150	210	-21.59	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 POWER Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

N	Λk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	1881.192	-27.29	peak	44.17	16.88	33.00	150	100	-16.12	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 POWER Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1881.233	-38.25	peak	45.49	7.24	33.00	150	40	-25.76	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 POWER Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

Mk	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1908.792	-26.27	peak	44.37	18.10	33.00	150	140	-14.90	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 POWER Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

N	۱k.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	1908.833	-38.28	peak	45.83	7.55	33.00	150	170	-25.45	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 POWER Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

ľ	/lk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	826.9511	-26.94	peak	35.73	8.79	38.45	150	140	-29.66	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 POWER Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

N	lk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	826.3500	-22.02	peak	35.63	13.61	38.45	150	140	-24.84	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 POWER Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4183

ľ	Иk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	835.6080	-24.71	peak	36.03	11.32	38.45	150	100	-27.13	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 POWER Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4183

ı	Иk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
F	*	837.2112	-22.50	peak	35.97	13.47	38.45	150	140	-24.98	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 POWER Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4233

I	Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	847.1711	-26.28	peak	36.42	10.14	38.45	150	150	-28.31	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 POWER Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4233

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	847.1511	-23.92	peak	36.27	12.35	38.45	150	170	-26.10	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 POWER Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1853.612	-23.91	peak	44.16	20.25	33.00	150	200	-12.75	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 POWER Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

N	lk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	1853.612	-34.27	peak	45.40	11.13	33.00	150	300	-21.87	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 POWER Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1881.233	-26.81	peak	44.17	17.36	33.00	150	170	-15.64	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 POWER Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

N	/lk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	1878.828	-38.56	peak	45.49	6.93	33.00	150	20	-26.07	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 POWER Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

N	lk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	1908.873	-26.09	peak	44.37	18.28	33.00	150	240	-14.72	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 POWER Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

N	/lk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	1908.792	-37.87	peak	45.82	7.95	33.00	150	240	-25.05	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 POWER Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

	Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
ſ	*	825.3880	-27.00	peak	35.68	8.68	38.45	150	100	-29.77	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 POWER Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

М	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
,	827.1315	-22.16	peak	35.66	13.50	38.45	150	170	-24.95	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 POWER Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4183

N	Λk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	835.0870	-24.22	peak	36.01	11.79	38.45	150	240	-26.66	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 POWER Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4183

I	Иk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	837.1912	-21.63	peak	35.97	14.34	38.45	150	170	-24.11	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 POWER Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4233

N	/lk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	845.5880	-26.18	peak	36.37	10.19	38.45	150	100	-28.26	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 POWER Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.

M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4233

ı	Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	*	847.3114	-23.78	peak	36.28	12.50	38.45	150	170	-25.95	

Report Number: W6M21611-16408-P-2224

FCC ID: 2AENAYPZN02


Appendix

Measurement diagrams

Filed Strength of Spurious Emission



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-99.19	peak	23.64	-75.55	-13.00	150	140	-62.55	
	153.3267	-103.63	peak	22.99	-80.64	-13.00	150	140	-67.64	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	76.6734	-94.87	peak	23.88	-70.99	-13.00	150	170	-57.99	
	97.7957	-99.52	peak	24.20	-75.32	-13.00	150	250	-62.32	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	511.0221	-75.76	peak	-6.51	-82.27	-13.00	150	240	-69.27	
*	664.9300	-77.24	peak	-0.85	-78.09	-13.00	150	100	-65.09	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	541.4830	-76.47	peak	-4.13	-80.60	-13.00	150	140	-67.60	
*	897.3948	-71.47	peak	0.37	-71.10	-13.00	150	240	-58.10	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2280.561	-58.23	peak	5.05	-53.18	-13.00	150	40	-40.18	
*	2707.415	-61.77	peak	11.20	-50.57	-13.00	150	200	-37.57	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1997.996	-63.04	peak	6.13	-56.91	-13.00	150	240	-43.91	
*	2749.499	-62.75	peak	12.08	-50.67	-13.00	150	200	-37.67	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	77.3548	-101.81	peak	23.88	-77.93	-13.00	150	140	-64.93	
*	97.7957	-97.87	peak	23.64	-74.23	-13.00	150	100	-61.23	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	53.5071	-103.48	peak	23.67	-79.81	-13.00	150	170	-66.81	
*	171.3828	-103.83	peak	24.63	-79.20	-13.00	150	240	-66.20	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	514.2285	-75.31	peak	-6.45	-81.76	-13.00	150	140	-68.76	
*	671.3427	-76.53	peak	-0.84	-77.37	-13.00	150	100	-64.37	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	538.2766	-76.59	peak	-4.17	-80.76	-13.00	150	170	-67.76	
*	862.1243	-76.44	peak	0.34	-76.10	-13.00	150	240	-63.10	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2406.814	-62.66	peak	9.01	-53.65	-13.00	150	240	-40.65	
*	2671.343	-62.51	peak	10.40	-52.11	-13.00	150	200	-39.11	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2214.429	-61.59	peak	6.16	-55.43	-13.00	150	200	-42.43	
*	2773.547	-63.46	peak	12.08	-51.38	-13.00	150	300	-38.38	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH128

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-98.53	peak	23.64	-74.89	-13.00	150	140	-61.89	
	194.2084	-102.09	peak	23.64	-78.45	-13.00	150	250	-65.45	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-98.91	peak	24.20	-74.71	-13.00	150	140	-61.71	
	106.3127	-104.05	peak	23.79	-80.26	-13.00	150	100	-67.26	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	342.6855	-75.15	peak	-7.59	-82.74	-13.00	150	40	-69.74	
*	640.8818	-75.02	peak	-1.40	-76.42	-13.00	150	240	-63.42	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	626.4530	-76.21	peak	-3.00	-79.21	-13.00	150	240	-66.21	
*	878.1563	-74.91	peak	0.35	-74.56	-13.00	150	240	-61.56	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1144.289	-59.65	peak	2.00	-57.65	-13.00	150	240	-44.65	
*	2701.403	-63.32	peak	11.44	-51.88	-13.00	150	280	-38.88	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2785.571	-61.82	peak	12.07	-49.75	-13.00	150	20	-36.75	
	3422.846	-62.77	peak	11.08	-51.69	-13.00	150	190	-38.69	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-99.36	peak	23.64	-75.72	-13.00	150	240	-62.72	
	173.7676	-103.31	peak	23.96	-79.35	-13.00	150	170	-66.35	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-99.64	peak	24.20	-75.44	-13.00	150	170	-62.44	
	171.3828	-103.94	peak	24.63	-79.31	-13.00	150	200	-66.31	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	353.9080	-74.98	peak	-7.46	-82.44	-13.00	150	240	-69.44	
*	688.9780	-76.53	peak	-0.81	-77.34	-13.00	150	100	-64.34	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	616.8337	-76.92	peak	-3.23	-80.15	-13.00	150	100	-67.15	
*	895.7916	-76.68	peak	0.37	-76.31	-13.00	150	200	-63.31	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1937.876	-57.84	peak	4.26	-53.58	-13.00	150	170	-40.58	
*	2707.415	-61.53	peak	11.20	-50.33	-13.00	150	240	-37.33	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2154.309	-61.33	peak	5.93	-55.40	-13.00	150	200	-42.40	
*	2809.619	-62.54	peak	11.79	-50.75	-13.00	150	300	-37.75	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH188

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-98.43	peak	23.64	-74.79	-13.00	150	70	-61.79	
	153.6674	-102.51	peak	23.01	-79.50	-13.00	150	200	-66.50	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-100.24	peak	24.20	-76.04	-13.00	150	170	-63.04	
	133.5672	-103.32	peak	22.56	-80.76	-13.00	150	100	-67.76	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	352.3047	-76.48	peak	-7.43	-83.91	-13.00	150	100	-70.91	
*	668.1363	-77.37	peak	-0.85	-78.22	-13.00	150	240	-65.22	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	567.1343	-76.83	peak	-3.88	-80.71	-13.00	150	170	-67.71	
*	833.2666	-76.39	peak	-0.22	-76.61	-13.00	150	240	-63.61	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2406.814	-61.46	peak	9.01	-52.45	-13.00	150	240	-39.45	
*	2695.391	-62.80	peak	11.32	-51.48	-13.00	150	280	-38.48	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2016.032	-61.40	peak	6.11	-55.29	-13.00	150	200	-42.29	
*	2731.463	-63.12	peak	12.08	-51.04	-13.00	150	300	-38.04	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-98.27	peak	23.64	-74.63	-13.00	150	170	-61.63	
	157.7555	-102.07	peak	23.24	-78.83	-13.00	150	240	-65.83	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	76.3327	-95.41	peak	23.88	-71.53	-13.00	150	140	-58.53	
	97.7957	-100.00	peak	24.20	-75.80	-13.00	150	100	-62.80	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	551.1023	-75.56	peak	-5.71	-81.27	-13.00	150	240	-68.27	
*	639.2786	-76.19	peak	-1.49	-77.68	-13.00	150	100	-64.68	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	663.3267	-76.11	peak	-2.11	-78.22	-13.00	150	140	-65.22	
*	897.3948	-76.38	peak	0.37	-76.01	-13.00	150	150	-63.01	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2226.453	-61.20	peak	6.37	-54.83	-13.00	150	240	-41.83	
*	2995.992	-61.94	peak	9.89	-52.05	-13.00	150	200	-39.05	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2202.405	-60.79	peak	6.08	-54.71	-13.00	150	240	-41.71	
*	2791.583	-61.80	peak	12.07	-49.73	-13.00	150	200	-36.73	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM850 CH251

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_30-1000MHz Polarization: Horizontal

Test Mode: GSM 850 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	115.5310	27.46	peak	-6.58	20.88	43.50	100	85	-22.62	
	366.2925	33.04	peak	-4.28	28.76	46.00	100	100	-17.24	
*	385.7314	33.27	peak	-3.94	29.33	46.00	100	190	-16.67	
	399.3387	32.98	peak	-3.69	29.29	46.00	100	305	-16.71	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_30-1000MHz Polarization: Vertical

Test Mode: GSM 850 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	31.9440	30.80	peak	-7.31	23.49	40.00	100	305	-16.51	
	111.6433	29.65	peak	-6.85	22.80	43.50	100	75	-20.70	
	399.3387	32.60	peak	-3.69	28.91	46.00	100	220	-17.09	
	418.7776	30.98	peak	-3.34	27.64	46.00	100	150	-18.36	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

Test Mode: GSM 850 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2010.020	43.82	peak	-5.52	38.30	74.00	100	165	-35.70	
*	7424.850	40.97	peak	4.94	45.91	74.00	100	270	-28.09	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

Test Mode: GSM 850 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3160.321	42.83	peak	-2.79	40.04	74.00	100	225	-33.96	
*	7102.204	41.66	peak	4.40	46.06	74.00	100	235	-27.94	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

Test Mode: GSM 850 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

Test Mode: GSM 850 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-97.59	peak	23.64	-73.95	-13.00	150	140	-60.95	
	159.1183	-103.46	peak	23.32	-80.14	-13.00	150	100	-67.14	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.9921	-95.42	peak	23.89	-71.53	-13.00	150	140	-58.53	
	160.4810	-102.92	peak	24.40	-78.52	-13.00	150	100	-65.52	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	688.9780	-76.03	peak	-0.81	-76.84	-13.00	150	240	-63.84	
*	874.9500	-71.23	peak	0.66	-70.57	-13.00	150	100	-57.57	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	650.5010	-77.20	peak	-2.43	-79.63	-13.00	150	240	-66.63	
*	894.1884	-76.58	peak	0.37	-76.21	-13.00	150	100	-63.21	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3248.497	-60.69	peak	8.03	-52.66	-13.00	150	240	-39.66	
*	3705.411	-54.64	peak	10.02	-44.62	-13.00	150	200	-31.62	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2797.595	-61.60	peak	12.07	-49.53	-13.00	150	240	-36.53	
	3705.411	-60.14	peak	10.32	-49.82	-13.00	150	140	-36.82	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-98.20	peak	23.64	-74.56	-13.00	150	170	-61.56	
	158.7776	-102.42	peak	23.30	-79.12	-13.00	150	240	-66.12	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.3107	-95.60	peak	23.90	-71.70	-13.00	150	170	-58.70	
	142.7656	-103.69	peak	22.74	-80.95	-13.00	150	20	-67.95	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	688.9780	-76.03	peak	-0.81	-76.84	-13.00	150	200	-63.84	
*	894.1884	-65.14	peak	1.27	-63.87	-13.00	150	300	-50.87	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	565.5311	-76.39	peak	-3.89	-80.28	-13.00	150	170	-67.28	
*	844.4890	-75.90	peak	0.15	-75.75	-13.00	150	240	-62.75	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1835.671	-50.44	peak	3.09	-47.35	-13.00	150	240	-34.35	
*	3705.411	-56.84	peak	10.02	-46.82	-13.00	150	100	-33.82	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2496.994	-62.50	peak	10.08	-52.42	-13.00	150	200	-39.42	
*	3705.411	-59.84	peak	10.32	-49.52	-13.00	150	100	-36.52	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH512

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-97.43	peak	23.64	-73.79	-13.00	150	170	-60.79	
	167.9760	-103.16	peak	23.71	-79.45	-13.00	150	200	-66.45	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.3107	-95.54	peak	23.90	-71.64	-13.00	150	170	-58.64	
	172.4048	-103.51	peak	24.66	-78.85	-13.00	150	240	-65.85	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	676.1523	-76.48	peak	-0.83	-77.31	-13.00	150	140	-64.31	
*	874.9500	-72.04	peak	0.66	-71.38	-13.00	150	100	-58.38	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	620.0401	-76.23	peak	-3.15	-79.38	-13.00	150	240	-66.38	
*	777.1543	-75.21	peak	-1.38	-76.59	-13.00	150	200	-63.59	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3248.497	-63.00	peak	8.03	-54.97	-13.00	150	200	-41.97	
*	3765.531	-56.48	peak	9.91	-46.57	-13.00	150	200	-33.57	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2490.982	-62.68	peak	9.92	-52.76	-13.00	150	240	-39.76	
*	3765.531	-59.98	peak	10.75	-49.23	-13.00	150	100	-36.23	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-97.64	peak	23.64	-74.00	-13.00	150	140	-61.00	
	175.8116	-103.90	peak	24.04	-79.86	-13.00	150	250	-66.86	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	77.0141	-95.37	peak	23.87	-71.50	-13.00	150	170	-58.50	
	151.6233	-103.72	peak	23.59	-80.13	-13.00	150	240	-67.13	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	666.5331	-75.06	peak	-0.85	-75.91	-13.00	150	240	-62.91	
*	873.3467	-71.82	peak	0.61	-71.21	-13.00	150	100	-58.21	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	522.2445	-76.29	peak	-4.39	-80.68	-13.00	150	240	-67.68	
*	773.9480	-74.76	peak	-1.39	-76.15	-13.00	150	200	-63.15	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3482.966	-62.19	peak	10.02	-52.17	-13.00	150	240	-39.17	
*	3765.531	-53.88	peak	9.91	-43.97	-13.00	150	100	-30.97	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2118.236	-60.56	peak	5.82	-54.74	-13.00	150	100	-41.74	
*	3765.531	-53.88	peak	10.75	-43.13	-13.00	150	240	-30.13	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH661

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-97.68	peak	23.64	-74.04	-13.00	150	240	-61.04	
	152.9860	-102.76	peak	22.97	-79.79	-13.00	150	180	-66.79	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	77.3548	-95.50	peak	23.87	-71.63	-13.00	150	170	-58.63	
	149.2385	-103.06	peak	23.36	-79.70	-13.00	150	240	-66.70	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	688.9780	-75.51	peak	-0.81	-76.32	-13.00	150	240	-63.32	
*	886.1724	-65.01	peak	1.01	-64.00	-13.00	150	100	-51.00	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	512.6253	-75.76	peak	-4.53	-80.29	-13.00	150	140	-67.29	
*	772.3447	-73.85	peak	-1.40	-75.25	-13.00	150	100	-62.25	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3507.014	-62.23	peak	10.00	-52.23	-13.00	150	240	-39.23	
*	3819.639	-54.13	peak	9.95	-44.18	-13.00	150	200	-31.18	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2154.309	-59.76	peak	5.93	-53.83	-13.00	150	240	-40.83	
*	3404.810	-62.32	peak	11.25	-51.07	-13.00	150	100	-38.07	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-98.71	peak	23.64	-75.07	-13.00	150	200	-62.07	
	132.5451	-103.24	peak	22.27	-80.97	-13.00	150	140	-67.97	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	76.3327	-94.92	peak	23.88	-71.04	-13.00	150	170	-58.04	
	161.8437	-103.45	peak	24.43	-79.02	-13.00	150	240	-66.02	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	746.6934	-69.55	peak	-2.58	-72.13	-13.00	150	240	-59.13	
*	874.9500	-71.21	peak	0.66	-70.55	-13.00	150	100	-57.55	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	538.2766	-75.25	peak	-4.17	-79.42	-13.00	150	240	-66.42	
*	773.9480	-74.85	peak	-1.39	-76.24	-13.00	150	100	-63.24	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3392.786	-62.20	peak	9.93	-52.27	-13.00	150	200	-39.27	
*	3819.639	-55.34	peak	9.95	-45.39	-13.00	150	300	-32.39	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2436.874	-59.54	peak	8.51	-51.03	-13.00	150	240	-38.03	
*	2749.499	-62.41	peak	12.08	-50.33	-13.00	150	100	-37.33	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: GSM1900 CH810

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_30-1000MHz Polarization: Horizontal

Test Mode: PCS 1900 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	362.4048	31.89	peak	-4.35	27.54	46.00	100	100	-18.46	
	377.9558	33.23	peak	-4.08	29.15	46.00	100	125	-16.85	
	399.3387	32.94	peak	-3.69	29.25	46.00	100	190	-16.75	
*	860.0401	28.59	peak	3.75	32.34	46.00	100	335	-13.66	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_30-1000MHz Polarization: Vertical

Test Mode: PCS 1900 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	31.9440	31.61	peak	-7.31	24.30	40.00	100	280	-15.70	
	403.2265	32.26	peak	-3.62	28.64	46.00	100	265	-17.36	
	669.5391	28.64	peak	0.88	29.52	46.00	100	140	-16.48	
*	834.7695	28.50	peak	3.13	31.63	46.00	100	35	-14.37	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

Test Mode: PCS 1900 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4478.958	42.85	peak	-0.70	42.15	74.00	100	85	-31.85	
*	7088.176	41.53	peak	4.38	45.91	74.00	100	260	-28.09	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

Test Mode: PCS 1900 Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3146.293	42.74	peak	-2.81	39.93	74.00	100	25	-34.07	
*	7102.204	41.38	peak	4.40	45.78	74.00	100	175	-28.22	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

Test Mode: PCS 1900 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

Test Mode: PCS 1900 Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-98.89	peak	23.64	-75.25	-13.00	150	170	-62.25	
	147.1944	-103.10	peak	22.64	-80.46	-13.00	150	150	-67.46	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.9921	-95.67	peak	23.89	-71.78	-13.00	150	140	-58.78	
	149.9200	-103.39	peak	23.43	-79.96	-13.00	150	100	-66.96	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	397.1945	-73.53	peak	-8.35	-81.88	-13.00	150	240	-68.88	
*	693.7876	-75.78	peak	-0.80	-76.58	-13.00	150	100	-63.58	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	660.1203	-77.23	peak	-2.19	-79.42	-13.00	150	150	-66.42	
*	860.5211	-77.44	peak	0.34	-77.10	-13.00	150	140	-64.10	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3458.918	-62.24	peak	10.03	-52.21	-13.00	150	210	-39.21	
*	3705.411	-56.16	peak	10.02	-46.14	-13.00	150	200	-33.14	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3567.134	-61.77	peak	10.32	-51.45	-13.00	150	240	-38.45	
	3975.952	-62.24	peak	10.53	-51.71	-13.00	150	100	-38.71	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-98.69	peak	23.64	-75.05	-13.00	150	140	-62.05	
	145.8317	-103.30	peak	22.56	-80.74	-13.00	150	200	-67.74	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	77.3548	-95.10	peak	23.87	-71.23	-13.00	150	140	-58.23	
	169.3387	-103.78	peak	24.59	-79.19	-13.00	150	200	-66.19	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	738.6774	-74.12	peak	-2.28	-76.40	-13.00	150	140	-63.40	
*	874.9500	-72.36	peak	0.66	-71.70	-13.00	150	100	-58.70	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	555.9120	-76.81	peak	-3.97	-80.78	-13.00	150	240	-67.78	
*	729.0582	-68.32	peak	-1.36	-69.68	-13.00	150	140	-56.68	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3296.593	-60.84	peak	8.41	-52.43	-13.00	150	140	-39.43	
*	3705.411	-56.32	peak	10.02	-46.30	-13.00	150	100	-33.30	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3549.098	-62.09	peak	10.34	-51.75	-13.00	150	240	-38.75	
	3831.663	-62.74	peak	10.89	-51.85	-13.00	150	200	-38.85	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9262

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-97.82	peak	23.64	-74.18	-13.00	150	140	-61.18	
	153.6674	-102.38	peak	23.01	-79.37	-13.00	150	210	-66.37	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	77.3548	-95.42	peak	23.87	-71.55	-13.00	150	170	-58.55	
	97.7957	-100.41	peak	24.20	-76.21	-13.00	150	270	-63.21	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	746.6934	-71.80	peak	-2.58	-74.38	-13.00	150	270	-61.38	
*	886.1724	-61.11	peak	1.01	-60.10	-13.00	150	100	-47.10	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	462.9260	-74.60	peak	-6.38	-80.98	-13.00	150	170	-67.98	
*	817.2345	-76.86	peak	-0.74	-77.60	-13.00	150	280	-64.60	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3470.942	-61.77	peak	10.02	-51.75	-13.00	150	140	-38.75	
*	3765.531	-60.06	peak	9.91	-50.15	-13.00	150	210	-37.15	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3194.389	-61.39	peak	9.23	-52.16	-13.00	150	40	-39.16	
*	3410.822	-62.07	peak	11.19	-50.88	-13.00	150	140	-37.88	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-98.62	peak	23.64	-74.98	-13.00	150	140	-61.98	
	176.8337	-103.60	peak	24.09	-79.51	-13.00	150	250	-66.51	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	76.6734	-94.70	peak	23.88	-70.82	-13.00	150	170	-57.82	
	140.7215	-103.52	peak	22.55	-80.97	-13.00	150	240	-67.97	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	775.5511	-72.67	peak	-2.72	-75.39	-13.00	150	100	-62.39	
*	895.7916	-60.13	peak	1.32	-58.81	-13.00	150	240	-45.81	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	485.3708	-75.61	peak	-5.36	-80.97	-13.00	150	140	-67.97	
*	772.3447	-76.02	peak	-1.40	-77.42	-13.00	150	100	-64.42	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3392.786	-62.64	peak	9.93	-52.71	-13.00	150	240	-39.71	
*	3765.531	-59.28	peak	9.91	-49.37	-13.00	150	100	-36.37	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3236.473	-60.84	peak	8.62	-52.22	-13.00	150	150	-39.22	
*	3410.822	-61.69	peak	11.19	-50.50	-13.00	150	100	-37.50	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9400

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-97.92	peak	23.64	-74.28	-13.00	150	100	-61.28	
	144.1283	-102.20	peak	22.47	-79.73	-13.00	150	150	-66.73	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-99.14	peak	24.20	-74.94	-13.00	150	170	-61.94	
	144.4690	-103.03	peak	22.91	-80.12	-13.00	150	240	-67.12	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	775.5511	-73.69	peak	-2.72	-76.41	-13.00	150	240	-63.41	
*	895.7916	-60.27	peak	1.32	-58.95	-13.00	150	100	-45.95	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	680.9620	-76.77	peak	-1.67	-78.44	-13.00	150	300	-65.44	
*	942.2846	-75.45	peak	-0.26	-75.71	-13.00	150	250	-62.71	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3549.098	-62.13	peak	9.91	-52.22	-13.00	150	200	-39.22	
*	3819.639	-50.38	peak	9.95	-40.43	-13.00	150	100	-27.43	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3212.425	-62.11	peak	9.09	-53.02	-13.00	150	210	-40.02	
*	3813.627	-62.87	peak	10.95	-51.92	-13.00	150	150	-38.92	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-97.40	peak	23.64	-73.76	-13.00	150	140	-60.76	
	130.5010	-103.41	peak	22.28	-81.13	-13.00	150	270	-68.13	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	77.3548	-95.34	peak	23.87	-71.47	-13.00	150	170	-58.47	
	138.6774	-104.05	peak	22.50	-81.55	-13.00	150	200	-68.55	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	658.5171	-76.00	peak	-0.86	-76.86	-13.00	150	100	-63.86	
*	886.1724	-63.64	peak	1.01	-62.63	-13.00	150	200	-49.63	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	589.5792	-76.13	peak	-3.71	-79.84	-13.00	150	180	-66.84	
*	873.3467	-75.08	peak	0.35	-74.73	-13.00	150	100	-61.73	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3434.870	-62.76	peak	10.04	-52.72	-13.00	150	200	-39.72	
*	3819.639	-50.13	peak	9.95	-40.18	-13.00	150	240	-27.18	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3194.389	-62.09	peak	9.23	-52.86	-13.00	150	100	-39.86	
*	3398.798	-62.83	peak	11.24	-51.59	-13.00	150	240	-38.59	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band2 CH9538

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_30-1000MHz Polarization: Horizontal

Test Mode: WCDMA Band II Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	360.4607	31.99	peak	-4.38	27.61	46.00	100	335	-18.39	
	391.5631	33.25	peak	-3.83	29.42	46.00	100	180	-16.58	
	554.8496	29.10	peak	-1.14	27.96	46.00	100	100	-18.04	
*	817.2744	28.03	peak	2.46	30.49	46.00	100	65	-15.51	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_30-1000MHz Polarization: Vertical

Test Mode: WCDMA Band II Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	31.9440	31.40	peak	-7.31	24.09	40.00	100	135	-15.91	
	111.6433	28.84	peak	-6.85	21.99	43.50	100	185	-21.51	
	399.3387	32.41	peak	-3.69	28.72	46.00	100	255	-17.28	
*	411.0020	35.48	peak	-3.48	32.00	46.00	100	300	-14.00	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

Test Mode: WCDMA Band II Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3244.489	48.95	peak	-2.81	46.14	74.00	100	280	-27.86	
*	7368.738	41.94	peak	4.81	46.75	74.00	100	205	-27.25	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

Test Mode: WCDMA Band II Idle

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1883.767	44.85	peak	-6.04	38.81	74.00	100	35	-35.19	
*	7340.681	41.55	peak	4.63	46.18	74.00	100	115	-27.82	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Horizontal

Test Mode: WCDMA Band II Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber


Condition: FCC_part 15 RE-Class B_Above 1GHz_PK Polarization: Vertical

Test Mode: WCDMA Band II Idle

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBuV)		(dB/m)	(dBuV/m)	(dBuV/m)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-99.28	peak	23.64	-75.64	-13.00	150	240	-62.64	
	153.6674	-102.23	peak	23.01	-79.22	-13.00	150	100	-66.22	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-101.03	peak	24.20	-76.83	-13.00	150	240	-63.83	
	155.3708	-103.58	peak	23.95	-79.63	-13.00	150	280	-66.63	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	493.3868	-74.81	peak	-6.81	-81.62	-13.00	150	240	-68.62	
*	685.7716	-76.19	peak	-0.82	-77.01	-13.00	150	100	-64.01	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	579.9600	-76.03	peak	-3.78	-79.81	-13.00	150	170	-66.81	
*	897.3948	-74.96	peak	0.37	-74.59	-13.00	150	200	-61.59	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1649.299	-51.72	peak	2.76	-48.96	-13.00	150	170	-35.96	
*	2472.946	-55.03	peak	8.20	-46.83	-13.00	150	240	-33.83	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2436.874	-60.11	peak	8.51	-51.60	-13.00	150	140	-38.60	
*	2707.415	-61.30	peak	12.09	-49.21	-13.00	150	200	-36.21	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	54.5291	-104.45	peak	23.82	-80.63	-13.00	150	140	-67.63	
*	97.7957	-98.46	peak	23.64	-74.82	-13.00	150	100	-61.82	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-101.18	peak	24.20	-76.98	-13.00	150	140	-63.98	
	158.4370	-104.94	peak	24.24	-80.70	-13.00	150	110	-67.70	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	576.7536	-76.91	peak	-4.66	-81.57	-13.00	150	240	-68.57	
*	882.9660	-77.32	peak	0.91	-76.41	-13.00	150	100	-63.41	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	589.5792	-76.88	peak	-3.71	-80.59	-13.00	150	170	-67.59	
*	921.4430	-76.61	peak	0.05	-76.56	-13.00	150	240	-63.56	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1655.311	-51.79	peak	2.76	-49.03	-13.00	150	240	-36.03	
*	2472.946	-55.21	peak	8.20	-47.01	-13.00	150	200	-34.01	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2503.006	-61.29	peak	10.10	-51.19	-13.00	150	240	-38.19	
*	2743.487	-61.84	peak	12.08	-49.76	-13.00	150	280	-36.76	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 3.33 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4132

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4183

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	55.2105	-103.70	peak	23.83	-79.87	-13.00	150	170	-66.87	
*	97.7957	-98.12	peak	23.64	-74.48	-13.00	150	250	-61.48	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4183

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-99.41	peak	24.20	-75.21	-13.00	150	170	-62.21	
	162.1844	-103.27	peak	24.44	-78.83	-13.00	150	240	-65.83	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4183

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	469.3387	-75.50	peak	-7.14	-82.64	-13.00	150	200	-69.64	
*	648.8978	-76.70	peak	-0.94	-77.64	-13.00	150	300	-64.64	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4183

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	491.7836	-75.64	peak	-5.07	-80.71	-13.00	150	240	-67.71	
*	773.9480	-74.97	peak	-1.39	-76.36	-13.00	150	100	-63.36	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4183

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1673.347	-55.79	peak	2.78	-53.01	-13.00	150	240	-40.01	
*	2503.006	-54.83	peak	7.86	-46.97	-13.00	150	100	-33.97	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4183

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2484.970	-61.27	peak	9.77	-51.50	-13.00	150	240	-38.50	
*	2809.619	-60.94	peak	11.79	-49.15	-13.00	150	280	-36.15	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4183

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 22 (850 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4183

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4183

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4183

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4183

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4183

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Horizontal

EUT: W6M21611-16408 Power: 4.07 Vd.c.


M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4183

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	



Tel:+886-2-6606-8877 Fax:+886-2-6606-8875



Site: Chamber

Condition: FCC_part 24 (1900 band) Polarization: Vertical

EUT: W6M21611-16408 Power: 4.07 Vd.c.

M/N: Distance: 3m

Test Mode: WCDMA Band5 CH4183

	Frequency	Reading	Detector	Corr. factor	Result	Limit	Ant.Pos	Tab.Pos	Margin	Comment
Mk.	(MHz)	(dBm)		(dB)	(dBm)	(dBm)	(cm)	(deg.)	(dB)	