



1.76. LTE Peak to Average Ratio(NTNV)(Subtest:76, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	4.13	13	Pass




1.77. LTE Peak to Average Ratio(NTNV)(Subtest:77, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	4.23	13	Pass




1.78. LTE Peak to Average Ratio(NTNV)(Subtest:78, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	6.13	13	Pass




1.79. LTE Peak to Average Ratio(NTNV)(Subtest:79, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	6.02	13	Pass




1.80. LTE Peak to Average Ratio(NTNV)(Subtest:80, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	5.96	13	Pass




1.81. LTE Peak to Average Ratio(NTNV)(Subtest:81, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	5.99	13	Pass




1.82. LTE Peak to Average Ratio(NTNV)(Subtest:82, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	5.09	13	Pass




1.83. LTE Peak to Average Ratio(NTNV)(Subtest:83, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	4.88	13	Pass




1.84. LTE Peak to Average Ratio(NTNV)(Subtest:84, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2565	0.1	5.01	13	Pass




1.85. LTE Peak to Average Ratio(NTNV)(Subtest:85, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.76	13	Pass



1.86. LTE Peak to Average Ratio(NTNV)(Subtest:86, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.36	13	Pass



Average Power
21.88 dBm
45.37 % at 0dB

10.0 %	2.53 dB
1.0 %	4.50 dB
0.1 %	5.36 dB
0.01 %	5.86 dB
0.001 %	6.15 dB
0.0001 %	6.29 dB
Peak	6.32 dB
	28.20 dBm

Center Freq 2.507500000 GHz Center Freq: 2.507500000 GHz Radio Std: None
Trig: Free Run Counts: 1.00 M/1.00 Mpt
#IFGain:Low #Atten: 40 dB

Gaussian

100 %
10 %
1 %
0.1 %
0.01 %
0.001 %
0.0001 %


0 dB 20 dB

Info BW 15.000 MHz

MSG STATUS


1.87. LTE Peak to Average Ratio(NTNV)(Subtest:87, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.3	13	Pass




1.88. LTE Peak to Average Ratio(NTNV)(Subtest:88, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.31	13	Pass



1.89. LTE Peak to Average Ratio(NTNV)(Subtest:89, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	4.43	13	Pass




Average Power
22.81 dBm
47.73 % at 0dB

10.0 %	2.58 dB
1.0 %	4.03 dB
0.1 %	4.43 dB
0.01 %	4.57 dB
0.001 %	4.63 dB
0.0001 %	4.66 dB
Peak	4.69 dB
	27.50 dBm

1.90. LTE Peak to Average Ratio(NTNV)(Subtest:90, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	4.53	13	Pass



Average Power
22.93 dBm
47.51 % at 0dB


10.0 %	2.58 dB
1.0 %	4.08 dB
0.1 %	4.53 dB
0.01 %	4.72 dB
0.001 %	4.77 dB
0.0001 %	4.79 dB
Peak	4.80 dB
	27.73 dBm

Center Freq 2.507500000 GHz
Center Freq: 2.507500000 GHz
Trig: Free Run
Counts: 1.00 M/1.00 Mpt
#IFGain:Low
#Atten: 40 dB

Frequency
Center Freq 2.507500000 GHz
CF Step 5.000000 MHz
Auto Man
Freq Offset 0 Hz


1.91. LTE Peak to Average Ratio(NTNV)(Subtest:91, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	4.59	13	Pass



1.92. LTE Peak to Average Ratio(NTNV)(Subtest:92, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	6.34	13	Pass



1.93. LTE Peak to Average Ratio(NTNV)(Subtest:93, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	6.23	13	Pass

Keysight Spectrum Analyzer - Power Stat CCDF

RL RF 50 Ω AC INT REF ALIGN OFF 02:50:24 下午 六月 27, 201

Center Freq 2.507500000 GHz Center Freq: 2.507500000 GHz Radio Std: None
Trig: Free Run Counts: 1.00 M/1.00 Mpt
#IFGain:Low #Atten: 40 dB

Average Power 20.89 dBm
43.00 % at 0dB

10.0 % 3.05 dB
1.0 % 5.06 dB
0.1 % 6.23 dB
0.01 % 6.95 dB
0.001 % 7.31 dB
0.0001 % 7.44 dB
Peak 7.44 dB
28.33 dBm

Gaussian




0.0001 % 0 dB 20 dB
Info BW 15.000 MHz

Frequency
Center Freq 2.507500000 GHz
CF Step 5.000000 MHz
Auto Man
Freq Offset 0 Hz

MSG STATUS


1.94. LTE Peak to Average Ratio(NTNV)(Subtest:94, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	6.15	13	Pass



1.95. LTE Peak to Average Ratio(NTNV)(Subtest:95, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	6.13	13	Pass



Average Power
21.10 dBm
43.39 % at 0dB

10.0 %	3.03 dB
1.0 %	5.00 dB
0.1 %	6.13 dB
0.01 %	6.84 dB
0.001 %	7.21 dB
0.0001 %	7.29 dB
Peak	7.36 dB
	28.46 dBm

Center Freq
2.507500000 GHz


CF Step
5.000000 MHz

Freq Offset
0 Hz

MSG STATUS


1.96. LTE Peak to Average Ratio(NTNV)(Subtest:96, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.28	13	Pass



1.97. LTE Peak to Average Ratio(NTNV)(Subtest:97, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.4	13	Pass



Keysight Spectrum Analyzer - Power Stat CCDF

RL RF 50 Ω AC INT REF ALIGN OFF 02:50:41 下午 六月 27, 201

Center Freq 2.507500000 GHz Center Freq: 2.507500000 GHz Radio Std: None
Trig: Free Run Counts: 1.00 M/1.00 Mpt
#IFGain:Low #Atten: 40 dB

Average Power
22.18 dBm
43.98 % at 0dB

10.0 %	2.89 dB
1.0 %	4.87 dB
0.1 %	5.40 dB
0.01 %	5.53 dB
0.001 %	5.56 dB
0.0001 %	5.58 dB
Peak	5.60 dB
	27.78 dBm

Gaussian

100 %
10 %
1 %
0.1 %
0.01 %
0.001 %
0.0001 %

0 dB 20 dB


Info BW 15.000 MHz

MSG STATUS

Frequency
Center Freq 2.507500000 GHz
CF Step 5.000000 MHz
Auto Man
Freq Offset 0 Hz


1.98. LTE Peak to Average Ratio(NTNV)(Subtest:98, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2507.5	0.1	5.53	13	Pass




1.99. LTE Peak to Average Ratio(NTNV)(Subtest:99, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.66	13	Pass




1.100. LTE Peak to Average Ratio(NTNV)(Subtest:100, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.24	13	Pass




1.101. LTE Peak to Average Ratio(NTNV)(Subtest:101, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.17	13	Pass




1.102. LTE Peak to Average Ratio(NTNV)(Subtest:102, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.19	13	Pass




1.103. LTE Peak to Average Ratio(NTNV)(Subtest:103, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.42	13	Pass




1.104. LTE Peak to Average Ratio(NTNV)(Subtest:104, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.31	13	Pass




1.105. LTE Peak to Average Ratio(NTNV)(Subtest:105, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.32	13	Pass




1.106. LTE Peak to Average Ratio(NTNV)(Subtest:106, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.24	13	Pass




1.107. LTE Peak to Average Ratio(NTNV)(Subtest:107, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.06	13	Pass




1.108. LTE Peak to Average Ratio(NTNV)(Subtest:108, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6	13	Pass




1.109. LTE Peak to Average Ratio(NTNV)(Subtest:109, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.03	13	Pass




1.110. LTE Peak to Average Ratio(NTNV)(Subtest:110, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.44	13	Pass




1.111. LTE Peak to Average Ratio(NTNV)(Subtest:111, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.23	13	Pass




1.112. LTE Peak to Average Ratio(NTNV)(Subtest:112, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.33	13	Pass




1.113. LTE Peak to Average Ratio(NTNV)(Subtest:113, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.59	13	Pass




1.114. LTE Peak to Average Ratio(NTNV)(Subtest:114, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.16	13	Pass




1.115. LTE Peak to Average Ratio(NTNV)(Subtest:115, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.04	13	Pass




1.116. LTE Peak to Average Ratio(NTNV)(Subtest:116, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.09	13	Pass




1.117. LTE Peak to Average Ratio(NTNV)(Subtest:117, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	4.29	13	Pass




1.118. LTE Peak to Average Ratio(NTNV)(Subtest:118, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	4.06	13	Pass




1.119. LTE Peak to Average Ratio(NTNV)(Subtest:119, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	4.15	13	Pass




1.120. LTE Peak to Average Ratio(NTNV)(Subtest:120, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	6.19	13	Pass




1.121. LTE Peak to Average Ratio(NTNV)(Subtest:121, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	6.03	13	Pass




1.122. LTE Peak to Average Ratio(NTNV)(Subtest:122, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.95	13	Pass




1.123. LTE Peak to Average Ratio(NTNV)(Subtest:123, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.99	13	Pass




1.124. LTE Peak to Average Ratio(NTNV)(Subtest:124, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.3	13	Pass




1.125. LTE Peak to Average Ratio(NTNV)(Subtest:125, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.09	13	Pass




1.126. LTE Peak to Average Ratio(NTNV)(Subtest:126, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2562.5	0.1	5.16	13	Pass




1.127. LTE Peak to Average Ratio(NTNV)(Subtest:127, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.49	13	Pass




1.128. LTE Peak to Average Ratio(NTNV)(Subtest:128, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.41	13	Pass




1.129. LTE Peak to Average Ratio(NTNV)(Subtest:129, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.3	13	Pass




1.130. LTE Peak to Average Ratio(NTNV)(Subtest:130, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.32	13	Pass




1.131. LTE Peak to Average Ratio(NTNV)(Subtest:131, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	4.47	13	Pass



1.132. LTE Peak to Average Ratio(NTNV)(Subtest:132, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	4.43	13	Pass



Average Power
23.11 dBm
46.84 % at 0dB

10.0 %	2.59 dB
1.0 %	3.96 dB
0.1 %	4.43 dB
0.01 %	4.63 dB
0.001 %	4.67 dB
0.0001 %	4.68 dB
Peak	4.68 dB
	27.79 dBm


Center Freq 2.510000000 GHz
Center Freq: 2.510000000 GHz
Trig: Free Run
Counts: 1.00 M/1.00 Mpt
#Atten: 40 dB

Gaussian
100 %
10 %
1 %
0.1 %
0.01 %
0.001 %
0.0001 %
0 dB 20 dB
Info BW 20.000 MHz

Frequency
Center Freq 2.510000000 GHz
CF Step 5.000000 MHz
Auto Man
Freq Offset 0 Hz


1.133. LTE Peak to Average Ratio(NTNV)(Subtest:133, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	4.55	13	Pass




1.134. LTE Peak to Average Ratio(NTNV)(Subtest:134, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	6.26	13	Pass




1.135. LTE Peak to Average Ratio(NTNV)(Subtest:135, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	6.22	13	Pass




1.136. LTE Peak to Average Ratio(NTNV)(Subtest:136, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	6.11	13	Pass




1.137. LTE Peak to Average Ratio(NTNV)(Subtest:137, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	6.13	13	Pass




1.138. LTE Peak to Average Ratio(NTNV)(Subtest:138, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.27	13	Pass




1.139. LTE Peak to Average Ratio(NTNV)(Subtest:139, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.21	13	Pass




1.140. LTE Peak to Average Ratio(NTNV)(Subtest:140, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2510	0.1	5.44	13	Pass




1.141. LTE Peak to Average Ratio(NTNV)(Subtest:141, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.4	13	Pass




1.142. LTE Peak to Average Ratio(NTNV)(Subtest:142, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.27	13	Pass




1.143. LTE Peak to Average Ratio(NTNV)(Subtest:143, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.22	13	Pass




1.144. LTE Peak to Average Ratio(NTNV)(Subtest:144, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	5.22	13	Pass




1.145. LTE Peak to Average Ratio(NTNV)(Subtest:145, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.47	13	Pass




1.146. LTE Peak to Average Ratio(NTNV)(Subtest:146, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.26	13	Pass




1.147. LTE Peak to Average Ratio(NTNV)(Subtest:147, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	4.38	13	Pass




1.148. LTE Peak to Average Ratio(NTNV)(Subtest:148, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.21	13	Pass



1.149. LTE Peak to Average Ratio(NTNV)(Subtest:149, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.09	13	Pass



1.150. LTE Peak to Average Ratio(NTNV)(Subtest:150, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 50, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2535	0.1	6.04	13	Pass

