

Mobilus Ltd.


INVIDYO CAMERA

Manufacturer: Kyosay Global Product Development Ltd.

Address: Room 502, Building#11, TianFuLai International Industrial Park, No 33 Changbao Xi Lu, Rongli, Shunde, GD, China

model: INV200

Product Diagram



Installation Instructions

Mobile Setup

You need an Android or iOS mobile device to set up the camera. Please follow instructions below to complete setup.


1. Plug in the camera adapter and connect the power cord to the camera
2. Wait for approximately 30 seconds until the camera says "Please Show QR code"
3. Download the invidyo app from the App Store for iOS devices or from the Google Play store for Android devices

4. Create a new user account to begin using the app




The image shows the sign-up screen of the Invidyo mobile app. At the top, the 'invidyo' logo is displayed in blue. Below the logo, there are five input fields for user registration: 'Your Name', 'Your Surname', 'Your E-mail', 'Your Password', and 'Password Again'. A blue 'Sign up' button is positioned below the password fields. Underneath the button, the word 'OR' is centered, followed by two social media login icons: Google+ (red square with a white 'g+') and Facebook (blue square with a white 'f'). The bottom of the screen features a black Android-style navigation bar with icons for back, home, and recent apps, along with a status bar on the right showing the time as 15:03 and various system icons.

5. Launch the mobile app and choose “Setup” from the menu




6. Enter a name for the camera, choose the appropriate wireless network, and enter the network password. For iOS devices, connect to the appropriate wireless network by navigating the “Settings” and “Wi-Fi” functions through the iOS operating system.




7. Select the “Generate QR Code” button. A new screen showing the QR code will be displayed.



8. Show the QR code to the camera by holding the device upright with the QR code fully visible 4 inches from the camera
9. After the camera successfully reads the QR code, wait for approximately 2 minutes for the camera to begin communicating with the server
10. Close the QR code screen and monitor the progress indicator from the mobile app



11. Once the setup finishes, follow the instructions to start watching the video feed



FCC Certification Requirements Caution:

Any changes or modifications in construction of this device which are not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20cm from all persons.

CE:

CAUTION : RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE. DISPOSE OF USED BATTERIES ACCORDING TO THE INSTRUCTIONS.

adapter shall be considered safety approval type eg: CE or TUV or Nemko,

Input rating 230V/0.5A output rating 5Vdc/2A

Adapter shall be installed near the equipment and shall be easily accessible.

Don't place the product on more than 25 °C or below -10 °C environment for operation.

Don't place the product on more than 60 °C or below -15 °C environment for storage.

The plug considered as disconnect device of adapter

Hereby, Mobilus Ltd. declares that this INVIDYO CAMERA product is in compliance with essential requirements and other relevant provisions of Directive 1999/5/EC.