

RADIO TEST REPORT

Report No: STS1708265W03

Issued for

Shenzhen Vastking Electronic Co.,LTD.

2/F, Building 6, ZhengZhong Industrial Park, Qiaotou Community, Fuyong, Baoan, Shenzhen, China

Product Name:	A laptop
Brand Name:	Proscan
Test Model Name:	V100
Series Model:	PLTNB1035-B, PLTNB1035-B-MN
FCC ID:	2AFA3-V100
Test Standard:	FCC Part 15.247

Any reproduction of this document must be done in full. No single part of this document may be reproduced we permission from STS, All Test Data Presented in this report is only applicable to presented Test sample VAL

Shenzhen STS Test Services Co., Ltd.

1/F., Building B, Zhuoke Science Park, No.190, Chongqing Road,
Fuyong Street, Bao'an District, Shenzhen, Guangdong, China
TEL: +86-755 3688 6288 FAX: +86-755 3688 6277 E-mail:sts@stsapp.com







TEST RESULT CERTIFICATION

Applicant's name Shenzhen Vastking Electronic Co.,LTD.

Address 2/F, Building 6, ZhengZhong Industrial Park, Qiaotou Community,

Fuyong, Baoan, Shenzhen, China

Manufacture's Name...... Shenzhen Vastking Electronic Co.,LTD.

Fuyong, Baoan, Shenzhen, China

Product description

Product name A laptop

Trade mark Proscan

Test model name V100

Series model...... PLTNB1035-B, PLTNB1035-B-MN

Standards FCC Part15.247

Test procedure ANSI C63.10-2013

This device described above has been tested by STS, the test results show that the equipment under test (EUT) is in compliance with the FCC requirements. And it is applicable only to the tested sample identified in the report.

This report shall not be reproduced except in full, without the written approval of STS, this document may be altered or revised by STS, personal only, and shall be noted in the revision of the document.

Date of Test:

Date (s) of performance of tests 26 Aug. 2017~04 Sep. 2017

Test Result..... Pass

Testing Engineer : Sean She

(Sean she)

Technical Manager :

(Hakim.hou)

Authorized Signatory:

(Vita Li)





Table of Contents

1. SUMMARY OF TEST RESULTS	6
1.1 TEST FACTORY	7
1.2 MEASUREMENT UNCERTAINTY	7
2. GENERAL INFORMATION	8
2.1 GENERAL DESCRIPTION OF EUT	8
2.2 DESCRIPTION OF TEST MODES	10
2.3 BLOCK DIGRAM SHOWING THE CONFIGURATION OF SYSTEM TESTED	11
2.4 DESCRIPTION OF SUPPORT UNITS(CONDUCTED MODE)	12
2.5 EQUIPMENTS LIST FOR ALL TEST ITEMS	13
3. EMC EMISSION TEST	15
3.1 CONDUCTED EMISSION MEASUREMENT	15
3.2 TEST PROCEDURE	16
3.3 TEST SETUP	16
3.4 EUT OPERATING CONDITIONS	16
3.5 TEST RESULTS	17
4. RADIATED EMISSION MEASUREMENT	19
4.1 RADIATED EMISSION LIMITS	19
4.2 TEST PROCEDURE	20
4.3 TEST SETUP	21
4.4 EUT OPERATING CONDITIONS	21
4.5 FIELD STRENGTH CALCULATION	22
4.6 TEST RESULTS	23
5. CONDUCTED SPURIOUS & BAND EDGE EMISSION	30
5.1 REQUIREMENT	30
5.2 TEST PROCEDURE	30
5.3 TEST SETUP	30
5.4 EUT OPERATION CONDITIONS	30
5.5 TEST RESULTS	31
6. POWER SPECTRAL DENSITY TEST	34
6.1 APPLIED PROCEDURES / LIMIT	34
6.2 TEST PROCEDURE	34
6.3 TEST SETUP	34
6.4 EUT OPERATION CONDITIONS	34







Table of Contents

6.5 TEST RESULTS	35
7. BANDWIDTH TEST	37
7.1 APPLIED PROCEDURES / LIMIT	37
7.2 TEST PROCEDURE	37
7.3 TEST SETUP	37
7.4 EUT OPERATION CONDITIONS	37
7.5 TEST RESULTS	38
8. PEAK OUTPUT POWER TEST	40
8.1 APPLIED PROCEDURES / LIMIT	40
8.2 TEST PROCEDURE	40
8.3 TEST SETUP	40
8.4 EUT OPERATION CONDITIONS	40
8.5 TEST RESULTS	41
9. ANTENNA REQUIREMENT	42
9.1 STANDARD REQUIREMENT	42
9.2 EUT ANTENNA	42
10. EUT TEST PHOTO	43



Page 5 of 44 Report No.: STS1708265W03

Revision History

Rev.	Rev. Issue Date Report NO.		Effect Page	Contents
00	05 Sep. 2017	Sep. 2017 STS1708265W03		Initial Issue





1. SUMMARY OF TEST RESULTS

Test procedures according to the technical standards: KDB 558074 D01 DTS Meas Guidance v04

FCC Part 15.247,Subpart C					
Standard Section	I Act Itam				
15.207	Conducted Emission	PASS			
15.247 (a)(2)	6dB Bandwidth	PASS			
15.247 (b)(3)	Output Power	PASS			
15.247 (c)	Radiated Spurious Emission	PASS			
15.247 (d)	Conducted Spurious & Band Edge Emission	PASS			
15.247 (e)	Power Spectral Density	PASS			
15.205	5.205 Restricted Band Edge Emission				
Part 15.247(d)/part 15.209(a)	Band Edge Emission	PASS			
15.203	Antenna Requirement	PASS			

NOTE:

- (1) "N/A" denotes test is not applicable in this Test Report
- (2) All tests are according to ANSI C63.10-2013



Report No.: STS1708265W03

1.1 TEST FACTORY

Shenzhen STS Test Services Co., Ltd.

Add.: 1/F., Building B, Zhuoke Science Park, No.190, Chongqing Road,

Fuyong Street, Bao'an District, Shenzhen, Guangdong, China

CNAS Registration No.: L7649; FCC Registration No.: 625569 IC Registration No.: 12108A

1.2 MEASUREMENT UNCERTAINTY

The reported uncertainty of measurement $\mathbf{y} \pm \mathbf{U}$ where expended uncertainty \mathbf{U} is based on a standard uncertainty multiplied by a coverage factor of $\mathbf{k=2}$ providing a level of confidence of approximately 95 % $^{\circ}$

No.	Item	Uncertainty
1	Conducted Emission (9KHz-150KHz)	±2.88dB
2	Conducted Emission (150KHz-30MHz)	±2.67dB
3	RF power,conducted	±0.71dB
4	Spurious emissions,conducted	±0.63dB
5	All emissions,radiated (9KHz-30MHz)	±3.02dB
6	All emissions,radiated (30MHz-200MHz)	±3.80dB
7	All emissions,radiated (200MHz-1000MHz)	±3.97dB
8	All emissions,radiated(>1G)	±3.03dB



2. GENERAL INFORMATION

2.1 GENERAL DESCRIPTION OF EUT

A laptop			
Proscan			
V100			
PLTNB1035-B, PLTN	PLTNB1035-B, PLTNB1035-B-MN		
Model name is different			
The EUT is A laptop			
Operation Frequency:	2402~2480 MHz		
Modulation Type:	GFSK		
Radio Technology	BLE		
Number Of Channel	40		
Antenna Designation:	Please see Note 3.		
Antenna Gain (dBi)	1.56dbi		
Please refer to the Note 2.			
Input: AC 100-240V, Output: DC 5V, 3000			
Rated Voltage: 3.8V Charge Limit: 4.35V Capacity: 5000mAh			
N/A			
N/A			
Please refer to the User's Manual			
	Proscan V100 PLTNB1035-B, PLTN Model name is differ The EUT is A laptop Operation Frequency: Modulation Type: Radio Technology Number Of Channel Antenna Designation: Antenna Gain (dBi) Please refer to the N Input: AC 100-240V, Output: DC 5V, 3000 Rated Voltage: 3.8V Charge Limit: 4.35V Capacity: 5000mAh N/A N/A		

Note:

1. For a more detailed features description, please refer to the manufacturer's specifications or the User's Manual.



2

	Channel List						
Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequency (MHz)	Channel	Frequenc y (MHz)
01	2402	11	2422	21	2442	31	2462
02	2404	12	2424	22	2444	32	2464
03	2406	13	2426	23	2446	33	2466
04	2408	14	2428	24	2448	34	2468
05	2410	15	2430	25	2450	35	2470
06	2412	16	2432	26	2452	36	2472
07	2414	17	2434	27	2454	37	2474
08	2416	18	2436	28	2456	38	2476
09	2418	19	2438	29	2458	39	2478
10	2420	20	2440	30	2460	40	2480

3.

Table for Filed Antenna

Ant.	Brand	Model Name	Antenna Type	Connector	Gain (dBi)	NOTE
1	Proscan	V100	PIFA Antenna	N/A	1.56	BT 4.0 ANT



2.2 DESCRIPTION OF TEST MODES

For conducted test items and radiated spurious emissions Each of these EUT operation mode(s) or test configuration mode(s) mentioned below was evaluated respectively..

Worst Mode	Description	Data/Modulation
Mode 1	TX CH1(2402MHz)	1 MHz/GFSK
Mode 2	TX CH20(2440MHz)	1 MHz/GFSK
Mode 3	TX CH40(2480MHz)	1 MHz/GFSK

Note:

- (1) The measurements are performed at all Bit Rate of Transmitter, the worst data was reported
- (2) We have be tested for all avaiable U.S. voltage and frequencies(For 120V,50/60Hz and 240V, 50/60Hz) for which the device is capable of operation.
- (3) The EUT was programmed to be in continuously transmitting with a modulated carrier at maximum power on bottom/middle/top channels as required using the supported data rates/modulation types and the transmit duty cycle is not less than 98%.
- (4) Controlled using a bespoke application on the laptop PC supplied by the customer. The application was used to enable a continuous transmission mode and to select the test channels, data rates and modulation schemes as required.

For AC Conducted Emission

Test Case			
AC Conducted Emission	Mode 4 : Keeping BT TX		




2.3 BLOCK DIGRAM SHOWING THE CONFIGURATION OF SYSTEM TESTED

Radiated Spurious Emission Test

E-1 EUT

Conducted Emission Test





2.4 DESCRIPTION OF SUPPORT UNITS(CONDUCTED MODE)

The EUT has been tested as an independent unit together with other necessary accessories or support units. The following support units or accessories were used to form a representative test configuration during the tests.

Item	Equipment	Mfr/Brand	Model/Type No.	Serial No.	Note
E-1	A laptop	Proscan	V100	N/A	EUT
E-2	Adapter	N/A	EE-0503000LZ	N/A	EUT

Item	Shielded Type	Ferrite Core	Length	Note
C-1	Cable shielded line (Charging)	NO	100cm	N/A

Note:

- (1) The support equipment was authorized by Declaration of Confirmation.
- (2) For detachable type I/O cable should be specified the length in cm in [®] Length ^a column.
- (3) "YES" is means "shielded" "with core"; "NO" is means "unshielded" "without core".





2.5 EQUIPMENTS LIST FOR ALL TEST ITEMS

Radiation Test equipment

adiation rest equipment							
Kind of Equipment	Manufacturer	Type No.	Serial No.	Last calibration	Calibrated until		
EMI Test Receiver	R&S	ESW	101535	2017.06.01	2018.05.31		
Bilog Antenna	TESEQ	CBL6111D	34678	2017.03.24	2018.03.23		
Horn Antenna	Schwarzbeck	BBHA 9120D	9120D-1343	2017.03.06	2018.03.05		
SHF-EHF Horn Antenna (15G-40GHz)	BBHA 9170	SCHWARZBECK	BBHA9170367	2017.05.02	2018.05.01		
Temperature & Humitidy	HH660	Mieo	N/A	2016.10.25	2017.10.24		
Temperature & Humitidy	HH660	Mieo	N/A	2016.10.25	2017.10.24		
Pre-mplifier (0.1M-3GHz)	EM	EM330	60538	2017.03.12	2018.03.11		
PreAmplifier (1G-26.5GHz)	Agilent	8449B	60538	2016.10.23	2017.10.22		
Pre-mplifier (18G-40G)	MINI-CIRCUITS	AP-040G	1382501	2017.05.15	2018.05.14		
Operational Manual Passive Loop (9K30MHz)	ETS	6512	00165355	2017.03.06	2018.03.05		
Low frequency cable	EM	R01	N/A	2017.03.12	2018.03.11		
Low frequency cable	EM	R06	N/A	2017.03.12	2018.03.11		
High frequency cable	SCHWARZBECK	R04	N/A	2017.03.12	2018.03.11		
High frequency cable	SCHWARZBECK	R02	N/A	2017.03/12	2018.03.11		
Semi-anechoic chamber	Changling	966	N/A	2016.10.23	2017.10.22		
trun table	EM	SC100_1	60531	N/A	N/A		
Antnna mast	EM	SC100	N/A	N/A	N/A		
Max-full Antenna Corp	MF	MFA-440H	N/A	N/A	N/A		

Conduction Test equipment

Kind of Equipment	Manufacturer	Type No.	Serial No.	Last calibration	Calibrated until
Test Receiver	R&S	ESCI	101427	2016.10.23	2017.10.22
LISN	R&S	ENV216	101242	2016.10.26	2017.10.25
conduction Cable	EM	C01	N/A	2017.03.12	2018.03.11
Temperature & Humitidy	Mieo	HH660	N/A	2016.10.23	2017.10.22



RF Connected Test

Kind of Equipment	Manufacturer	Type No.	Serial No.	Last calibration	Calibrated until
USB RF power sensor	DARE	RPR3006W	15I00041SNO03	2016.10.23	2017.10.22
Spectrum Analyzer	Agilent	E4407B	MY50140340	2017.03.11	2018.03.10
Signal Analyzer	Agilent	N9020A	MY49100060	2017.03.11	2018.03.10

Note: The temporary antenna connector is soldered on the PCB board in order to perform conducted tests and this temporary antenna connector is listed in the equipment list.





3. EMC EMISSION TEST

3.1 CONDUCTED EMISSION MEASUREMENT

3.1.1 POWER LINE CONDUCTED EMISSION LIMITS

operating frequency band. In case the emission fall within the restricted band specified on Part 207(a) limit in the table below has to be followed.

FREQUENCY (MHz)	Conducted Emission limit (dBuV)		
FREQUENCT (MINZ)	Quasi-peak	Average	
0.15 -0.5	66 - 56 *	56 - 46 *	
0.50 -5.0	56.00	46.00	
5.0 -30.0	60.00	50.00	

Note:

- (1) The tighter limit applies at the band edges.
- (2) The limit of " * " marked band means the limitation decreases linearly with the logarithm of the frequency in the range.

The following table is the setting of the receiver


Receiver Parameters	Setting	
Attenuation	10 dB	
Start Frequency	0.15 MHz	
Stop Frequency	30 MHz	
IF Bandwidth	9 kHz	



3.2 TEST PROCEDURE

- a. The EUT was 0.8 meters from the horizontal ground plane and 0.4 meters from the vertical ground plane with EUT being connected to the power mains through a line impedance stabilization network (LISN). All other support equipments powered from additional LISN(s). The LISN provide 50 Ohm/ 50uH of coupling impedance for the measuring instrument.
- b. Interconnecting cables that hang closer than 40 cm to the ground plane shall be folded back and forth in the center forming a bundle 30 to 40 cm long.
- c. I/O cables that are not connected to a peripheral shall be bundled in the center. The end of the cable may be terminated, if required, using the correct terminating impedance. The overall length shall not exceed 1 m.
- d. LISN at least 80 cm from nearest part of EUT chassis.
- e. For the actual test configuration, please refer to the related Item -EUT Test Photos.

3.3 TEST SETUP



Note: 1.Support units were connected to second LISN.

2.Both of LISNs (AMN) are 80 cm from EUT and at least 80 from other units and other metal planes

3.4 EUT OPERATING CONDITIONS

The EUT was configured for testing in a typical fashion (as a customer would normally use it). The EUT has been programmed to continuously transmit during test. This operating condition was tested and used to collect the included data.




3.5 TEST RESULTS

Temperature:	25.4 ℃	Relative Humidity:	60%
Pressure:	1010hPa	Phase:	L
Test Voltage:	AC 120V/60Hz	Test Mode:	Mode 4

Frequency	Reading	Correct	Result	Limit	Margin	Domork
(MHz)	(dBuV)	Factor(dB)	(dBuV)	(dBuV)	(dB)	Remark
0.1700	44.32	9.79	54.11	64.96	-10.85	QP
0.1700	19.56	9.79	29.35	54.96	-25.61	AVG
0.3620	42.41	10.10	52.51	58.68	-6.17	QP
0.3620	15.43	10.10	25.53	48.68	-23.15	AVG
0.6300	42.69	9.91	52.60	56.00	-3.40	QP
0.6300	29.66	9.91	39.57	46.00	-6.43	AVG
1.1420	37.62	9.80	47.42	56.00	-8.58	QP
1.1420	24.86	9.80	34.66	46.00	-11.34	AVG
9.3620	35.67	10.14	45.81	60.00	-14.19	QP
9.3620	21.14	10.14	31.28	50.00	-18.72	AVG
17.6500	41.98	10.35	52.33	60.00	-7.67	QP
17.6500	27.45	10.35	37.80	50.00	-12.20	AVG

Remark:

- 1. All readings are Quasi-Peak and Average values.
- 2. Margin = Result (Result = Reading + Factor)-Limit 100.0 dBuV



1/F., Building B, Zhuoke Science Park, No.190, Chongqing Road, Fuyong Street, Bao'an District, Shenzhen, Guangdong, China Tel: +86-755 3688 6288 Fax:+86-755 3688 6277 Http://www.stsapp.com E-mail: sts@stsapp.com




Temperature:	25.4 ℃	Relative Humidity:	60%
Pressure:	1010hPa	Phase:	N
Test Voltage:	AC 120V/60Hz	Test Mode:	Mode 4

Frequency	Reading	Correct	Result	Limit	Margin	Domonic
(MHz)	(dBuV)	Factor(dB)	(dBuV)	(dBuV)	(dB)	Remark
0.1780	43.66	9.82	53.48	64.58	-11.10	QP
0.1780	22.17	9.82	31.99	54.58	-22.59	AVG
0.6300	38.65	9.90	48.55	56.00	-7.45	QP
0.6300	26.54	9.90	36.44	46.00	-9.56	AVG
1.9700	38.75	9.87	48.62	56.00	-7.38	QP
1.9700	20.74	9.87	30.61	46.00	-15.39	AVG
3.4940	36.65	9.92	46.57	56.00	-9.43	QP
3.4940	18.67	9.92	28.59	46.00	-17.41	AVG
9.1900	36.06	9.92	45.98	60.00	-14.02	QP
9.1900	20.39	9.92	30.31	50.00	-19.69	AVG
17.8220	42.61	10.29	52.90	60.00	-7.10	QP
17.8220	25.96	10.29	36.25	50.00	-13.75	AVG

Remark:

- 1. All readings are Quasi-Peak and Average values.
- 2. Margin = Result (Result = Reading + Factor)-Limit 100.0 dBuV



1/F., Building B, Zhuoke Science Park, No.190, Chongqing Road, Fuyong Street, Bao'an District, Shenzhen, Guangdong, China Tel: +86-755 3688 6288 Fax:+86-755 3688 6277 Http://www.stsapp.com E-mail: sts@stsapp.com



Report No.: STS1708265W03

4. RADIATED EMISSION MEASUREMENT

4.1 RADIATED EMISSION LIMITS

in any 100 kHz bandwidth outside the operating frequency band. In case the emission fall within the Restricted band specified on Part15.205(a)&209(a) limit in the table and according to ANSI C63.10-2013 below has to be followed.

LIMITS OF RADIATED EMISSION MEASUREMENT (Frequency Range 9kHz-1000MHz)

Frequencies	Field Strength	Measurement Distance
(MHz)	(micorvolts/meter)	(meters)
0.009~0.490	2400/F(KHz)	300
0.490~1.705	24000/F(KHz)	30
1.705~30.0	30	30
30~88	100	3
88~216	150	3
216~960	200	3
Above 960	500	3

LIMITS OF RADIATED EMISSION MEASUREMENT (Above 1000MHz)

	(dBuV/m) (at 3M)		
FREQUENCY (MHz)	PEAK	AVERAGE	
Above 1000	74	54	

Notes:

- (1) The limit for radiated test was performed according to FCC PART 15C.
- (2) The tighter limit applies at the band edges.
- (3) Emission level (dBuV/m)=20log Emission level (uV/m).

For Radiated Emission

Spectrum Parameter	Setting		
Attenuation	Auto		
Detector	Peak		
Start Frequency	1000 MHz(Peak/AV)		
Stop Frequency	10th carrier hamonic(Peak/AV)		
RB / VB (emission in restricted	1 MHz / 3 MHz		
band)	I WINZ / 3 WINZ		

For Band edge

Spectrum Parameter	Setting			
Detector	Peak			
Start/Stan Fraguency	Lower Band Edge: 2300 to 2403 MHz			
Start/Stop Frequency	Upper Band Edge: 2479 to 2500 MHz			
RB / VB (emission in restricted band)	1 MHz / 3 MHz			

Report No.: STS1708265W03



Receiver Parameter	Setting
Start ~ Stop Frequency	9kHz~90kHz / RB 200Hz for PK & AV
Start ~ Stop Frequency	90kHz~110kHz / RB 200Hz for QP
Start ~ Stop Frequency	110kHz~490kHz / RB 200Hz for PK & AV
Start ~ Stop Frequency	490kHz~30MHz / RB 9kHz for QP
Start ~ Stop Frequency	30MHz~1000MHz / RB 120kHz for QP

4.2 TEST PROCEDURE


- a. The measuring distance of at 3 m shall be used for measurements at frequency 0.009MHz up to 1GHz, and above 1GHz.
- b. The EUT was placed on the top of a rotating table 0.8 meters(above 1GHz is 1.5 m) above the ground at a 3 meter anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The height of the equipment shall be 0.8 m(above 1GHz is 1.5 m); the height of the test antenna shall vary between 1 m to 4 m. Horizontal and vertical polarizations of the antenna are set to make the measurement
- d. The initial step in collecting conducted emission data is a spectrum analyzer peak detector mode pre-scanning the measurement frequency range. Significant peaks are then marked and then Quasi Peak detector mode re-measured.
- e. If the Peak Mode measured value compliance with and lower than Quasi Peak Mode Limit, the EUT shall be deemed to meet QP Limits and then no additional QP Mode measurement performed.
- f. For the actual test configuration, please refer to the related Item –EUT Test Photos. Note:

Both horizontal and vertical antenna polarities were tested and performed pretest to three orthogonal axis. The worst case emissions were reported.




4.3 TEST SETUP


(A) Radiated Emission Test-Up Frequency Below 30MHz



(B) Radiated Emission Test-Up Frequency 30MHz~1GHz



(C) Radiated Emission Test-Up Frequency Above 1GHz



4.4 EUT OPERATING CONDITIONS

The EUT tested system was configured as the statements of 2.3 Unless otherwise a special operating condition is specified in the follows during the testing.



4.5 FIELD STRENGTH CALCULATION

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where

FS = Field Strength

CL = Cable Attenuation Factor (Cable Loss)

RA = Reading Amplitude

AG = Amplifier Gain

AF = Antenna Factor

For example

Frequency	FS	RA	AF	CL	AG	Factor
(MHz)	(dBµV/m)	(dBµV/m)	(dB)	(dB)	(dB)	(dB)
300	40	58.1	12.2	1.6	31.9	-18.1

Factor=AF+CL-AG





4.6 TEST RESULTS

(Between 9KHz - 30 MHz)

Temperature:	26 ℃	Relative Humidtity:	60%
Pressure:	1010 hPa	Test Voltage:	3.8V from Battery
Test Mode:	TX Mode	Polarization:	

Freq.	Reading	Limit	Margin	State
(MHz)	(dBuV/m)	(dBuV/m)	(dB)	P/F
				PASS
				PASS

Note:

The amplitude of spurious emissions which are attenuated by more than 20dB below the permissible value has no need to be reported.

Distance extrapolation factor =40 log (specific distance/test distance)(dB);

Limit line = specific limits(dBuv) + distance extrapolation factor.



(30MHz -1000MHz)

Temperature:	26 ℃	Relative Humidity:	60%
Pressure:	1010hPa	Phase:	Horizontal
Test Voltage:	3.8V from Battery	LIAST MICAO:	Mode1/2/3 (Mode 2-1M worst mode)

Frequency	Reading	Correct	Result	Limit	Margin	Remark
(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
32.8637	41.62	-12.66	28.96	40.00	-11.04	QP
59.8588	51.03	-24.30	26.73	40.00	-13.27	QP
192.4186	51.08	-20.24	30.84	43.50	-12.66	QP
278.0668	46.86	-15.73	31.13	46.00	-14.87	QP
480.5276	42.18	-9.38	32.80	46.00	-13.20	QP
771.4486	41.98	-3.32	38.66	46.00	-7.34	QP

Remark:

1. Margin = Result (Result = Reading + Factor)-Limit





Page 25 of 44 Report No.: STS1708265W03

Temperature:	26 ℃	Relative Humidity:	60%
Pressure:	1010hPa	Phase:	Vertical
Test Voltage:	3.8V from Battery	LIAST MANAGE	Mode1/2/3 (Mode 2-1M worst mode)

Frequency	Reading	Correct	Result	Limit	Margin	Remark
(MHz)	(dBuV)	Factor(dB/m)	(dBuV/m)	(dBuV/m)	(dB)	
31.5093	47.42	-11.96	35.46	40.00	-4.54	QP
36.6375	47.12	-14.59	32.53	40.00	-7.47	QP
59.8588	53.46	-24.30	29.16	40.00	-10.84	QP
133.1511	49.18	-17.54	31.64	43.50	-11.86	QP
360.4476	48.47	-13.12	35.35	46.00	-10.65	QP
694.4174	45.79	-5.45	40.34	46.00	-5.66	QP

Remark:

1. Margin = Result (Result = Reading + Factor)-Limit







(1GHz-25GHz)Restricted band and Spurious emission Requirements

GFSK Low Channel

Frequency Reading Amplifier Loss Factor Factor Lowel Limits Margin Delector Clip Cl		Antenna Corrected Emission									
	Frequency	Reading	Amplifier	Loss	Factor	Factor	Level	Limits	Margin	Detector	
3264.77 49.08 44.70 6.70 28.20 -9.80 39.28 74.00 -34.72 PK Vertical 3264.77 39.03 44.70 6.70 28.20 -9.80 29.23 54.00 -24.77 AV Vertical 3264.76 48.07 44.70 6.70 28.20 -9.80 29.29 54.00 -24.91 AV Horizontal 4804.28 58.41 44.20 9.04 31.60 -3.56 54.85 74.00 -19.33 AV Vertical 4804.81 58.85 44.20 9.04 31.60 -3.56 34.67 54.00 -19.33 AV Vertical 4804.51 58.85 44.20 9.04 31.60 -3.56 35.09 74.00 -18.91 PK Horizontal 5359.76 38.21 44.20 9.86 32.00 -2.34 43.83 74.00 -30.17 PK Horizontal 5359.86 37.47 44.20 9.86 32.00<	(MHz)	(dBµV)	(dB)	(dB)	(dB/m)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	Туре	Comment
3264.77 39.03					Low	Channel (2402 N	MHz)				
3264.76 48.07 44.70 6.70 28.20 -9.80 39.27 74.00 -35.73 PK Horizontal Accordance 3264.76 38.89 44.70 6.70 28.20 -9.80 29.09 54.00 -24.91 AV Horizontal Horizontal 4804.28 58.41 44.20 9.04 31.60 -3.56 54.85 74.00 -19.33 AV Vertical 4804.28 38.23 44.20 9.04 31.60 -3.56 55.09 74.00 -18.91 PK Horizontal 4804.51 38.25 44.20 9.04 31.60 -3.56 55.09 74.00 -18.91 PK Horizontal 5359.76 46.17 44.20 9.86 32.00 -2.34 43.83 74.00 -19.31 AV Vertical 5359.86 45.64 44.20 9.86 32.00 -2.34 43.50 74.00 -19.15 PK Horizontal 5359.86 37.47 44.20 9.	3264.77	49.08	44.70	6.70	28.20	-9.80	39.28	74.00	-34.72	PK	Vertical
3264.76 38.89 44.70 6.70 28.20 -9.80 29.09 54.00 -24.91 AV Horizontal 4804.28 58.41 44.20 9.04 31.60 -3.56 54.85 74.00 -19.15 PK Vertical Vertical 4804.28 38.23 44.20 9.04 31.60 -3.56 55.09 74.00 -18.91 PK Horizontal 4804.51 38.25 44.20 9.04 31.60 -3.56 55.09 74.00 -18.91 PK Horizontal 5359.76 46.17 44.20 9.86 32.00 -2.34 43.83 74.00 -18.13 AV Vertical 5359.86 45.64 44.20 9.86 32.00 -2.34 43.83 74.00 -30.70 PK Horizontal 5359.86 37.47 44.20 9.86 32.00 -2.34 43.30 74.00 -30.70 PK Horizontal 7205.94 51.45 43.50 11.40 35.50 3.40<	3264.77	39.03	44.70	6.70	28.20	-9.80	29.23	54.00	-24.77	AV	Vertical
4804.28 58.41 44.20 9.04 31.60 -3.56 54.85 74.00 -19.15 PK Vertical 4804.28 38.23 44.20 9.04 31.60 -3.56 34.67 54.00 -19.33 AV Vertical 4804.51 58.65 44.20 9.04 31.60 -3.56 55.09 74.00 -18.91 PK Horizontal 5359.76 46.17 44.20 9.86 32.00 -2.34 43.83 74.00 -30.17 PK Vertical 5359.76 38.21 44.20 9.86 32.00 -2.34 43.83 74.00 -30.70 PK Horizontal 5359.86 45.64 44.20 9.86 32.00 -2.34 43.30 74.00 -30.70 PK Horizontal 7205.94 51.45 43.50 11.40 35.50 3.40 54.85 74.00 -19.15 PK Vertical 7205.95 50.54 43.50 11.40 35.50	3264.76	48.07	44.70	6.70	28.20	-9.80	38.27	74.00	-35.73	PK	Horizontal
4804.28 38.23 44.20 9.04 31.60 -3.56 34.67 54.00 -19.33 AV Vertical 4804.51 58.65 44.20 9.04 31.60 -3.56 55.09 74.00 -18.91 PK Horizontal 4804.51 38.25 44.20 9.96 32.00 -2.34 43.83 74.00 -9.11 AV Horizontal 5369.76 38.21 44.20 9.86 32.00 -2.34 43.83 74.00 -30.70 PK Vertical 5369.86 45.64 44.20 9.86 32.00 -2.34 43.30 74.00 -30.70 PK Horizontal 5369.86 37.47 44.20 9.86 32.00 -2.34 43.30 74.00 -30.70 PK Horizontal 7205.94 51.45 43.50 11.40 35.50 3.40 54.85 74.00 -19.15 PK Vertical 7205.95 50.54 43.50 11.40 35.5	3264.76	38.89	44.70	6.70	28.20	-9.80	29.09	54.00	-24.91	AV	Horizontal
4804.51 58.65 44.20 9.04 31.60 -3.56 55.09 74.00 -18.91 PK Horizontal 4804.51 38.25 44.20 9.04 31.60 -3.56 34.69 54.00 -19.31 AV Horizontal 5359.76 38.21 44.20 9.86 32.00 -2.34 35.87 54.00 -18.13 AV Vortical 5359.76 38.21 44.20 9.86 32.00 -2.34 43.30 74.00 -30.70 PK Horizontal 5359.86 37.47 44.20 9.86 32.00 -2.34 43.30 74.00 -30.70 PK Horizontal 7205.94 51.45 43.50 11.40 35.50 3.40 54.85 74.00 -19.15 PK Vertical 7205.95 50.54 43.50 11.40 35.50 3.40 36.30 54.00 -17.70 AV Vertical 7205.95 32.53 43.60 11.40 35.	4804.28	58.41	44.20	9.04	31.60	-3.56	54.85	74.00	-19.15	PK	Vertical
4804.51 38.25 44.20 9.04 31.60 -3.56 34.69 54.00 -19.31 AV Horizontal 5359.76 46.17 44.20 9.86 32.00 -2.34 43.83 74.00 -30.17 PK Vertical 5359.86 45.64 44.20 9.86 32.00 -2.34 43.30 74.00 -30.70 PK Horizontal 5359.86 37.47 44.20 9.86 32.00 -2.34 43.30 74.00 -30.70 PK Horizontal 7205.94 51.45 43.50 11.40 35.50 3.40 54.85 74.00 -19.15 PK Vertical 7205.94 32.90 43.50 11.40 35.50 3.40 56.30 54.00 -17.70 AV Vertical 7205.95 50.54 43.50 11.40 35.50 3.40 53.94 74.00 -20.06 PK Horizontal 11036.73 30.33 43.60 14.30 39	4804.28	38.23	44.20	9.04	31.60	-3.56	34.67	54.00	-19.33	AV	Vertical
5359.76 46.17 44.20 9.86 32.00 -2.34 43.83 74.00 -30.17 PK Vertical 5359.76 38.21 44.20 9.86 32.00 -2.34 35.87 54.00 -18.13 AV Vertical 5359.86 45.64 44.20 9.86 32.00 -2.34 43.30 74.00 -30.70 PK Horizontal 5359.86 37.47 44.20 9.86 32.00 -2.34 35.13 54.00 -18.87 AV Horizontal 7205.94 51.45 43.50 11.40 35.50 3.40 36.30 54.00 -17.70 AV Vertical 7205.94 32.90 43.50 11.40 35.50 3.40 36.93 54.00 -17.70 AV Vertical 7205.95 50.54 43.50 11.40 35.50 3.40 35.93 54.00 -18.07 AV Horizontal 11036.73 40.45 43.60 14.30 39.5	4804.51	58.65	44.20	9.04	31.60	-3.56	55.09	74.00	-18.91	PK	Horizontal
5359.76 38.21 44.20 9.86 32.00 -2.34 43.30 74.00 -30.70 PK Horizontal 5359.86 45.64 44.20 9.86 32.00 -2.34 43.30 74.00 -30.70 PK Horizontal 5359.86 37.47 44.20 9.86 32.00 -2.34 35.13 54.00 -18.87 AV Horizontal 7205.94 51.45 43.50 11.40 35.50 3.40 54.85 74.00 -19.15 PK Vertical 7205.94 32.90 43.50 11.40 35.50 3.40 53.94 74.00 -20.06 PK Horizontal 7205.95 50.54 43.50 11.40 35.50 3.40 35.93 54.00 -18.07 AV Horizontal 11035.73 40.45 43.60 14.30 39.50 10.20 50.65 74.00 -23.35 PK Vertical 11036.10 31.05 43.60 14.30 <t< td=""><td>4804.51</td><td>38.25</td><td>44.20</td><td>9.04</td><td>31.60</td><td>-3.56</td><td>34.69</td><td>54.00</td><td>-19.31</td><td>AV</td><td>Horizontal</td></t<>	4804.51	38.25	44.20	9.04	31.60	-3.56	34.69	54.00	-19.31	AV	Horizontal
5359.86 45.64 44.20 9.86 32.00 -2.34 43.30 74.00 -30.70 PK Horizontal 5359.86 37.47 44.20 9.86 32.00 -2.34 35.13 54.00 -18.87 AV Horizontal 7205.94 51.45 43.50 11.40 35.50 3.40 54.85 74.00 -19.15 PK Vertical 7205.94 32.90 43.50 11.40 35.50 3.40 53.94 74.00 -20.06 PK Horizontal 7205.95 50.54 43.50 11.40 35.50 3.40 53.94 74.00 -20.06 PK Horizontal 11035.73 40.45 43.60 14.30 39.50 10.20 50.65 74.00 -23.35 PK Vertical 11036.10 40.79 43.60 14.30 39.50 10.20 50.99 74.00 -23.01 PK Horizontal 13299.41 40.89 42.60 15.90	5359.76	46.17	44.20	9.86	32.00	-2.34	43.83	74.00	-30.17	PK	Vertical
5359.86 37.47 44.20 9.86 32.00 -2.34 35.13 54.00 -18.87 AV Horizontal 7205.94 51.45 43.50 11.40 35.50 3.40 54.85 74.00 -19.15 PK Vertical 7205.94 32.90 43.50 11.40 35.50 3.40 36.30 54.00 -17.70 AV Vertical 7205.95 50.54 43.50 11.40 35.50 3.40 35.93 54.00 -18.07 AV Horizontal 7205.95 32.53 43.50 11.40 35.50 3.40 35.93 54.00 -18.07 AV Horizontal 11035.73 40.45 43.60 14.30 39.50 10.20 50.65 74.00 -23.35 PK Vertical 11036.10 40.79 43.60 14.30 39.50 10.20 50.99 74.00 -23.01 PK Horizontal 13299.41 40.89 42.60 15.90 <t< td=""><td>5359.76</td><td>38.21</td><td>44.20</td><td>9.86</td><td>32.00</td><td>-2.34</td><td>35.87</td><td>54.00</td><td>-18.13</td><td>AV</td><td>Vertical</td></t<>	5359.76	38.21	44.20	9.86	32.00	-2.34	35.87	54.00	-18.13	AV	Vertical
7205.94 51.45 43.50 11.40 35.50 3.40 54.85 74.00 -19.15 PK Vertical 7205.94 32.90 43.50 11.40 35.50 3.40 36.30 54.00 -17.70 AV Vertical 7205.95 50.54 43.50 11.40 35.50 3.40 53.94 74.00 -20.06 PK Horizontal 7205.95 32.53 43.50 11.40 35.50 3.40 35.93 54.00 -18.07 AV Horizontal 11035.73 40.45 43.60 14.30 39.50 10.20 50.65 74.00 -23.35 PK Vertical 11036.10 40.79 43.60 14.30 39.50 10.20 50.99 74.00 -23.01 PK Horizontal 11036.10 31.05 43.60 14.30 39.50 10.20 41.25 54.00 -12.75 AV Horizontal 13299.41 40.89 42.60 15.90	5359.86	45.64	44.20	9.86	32.00	-2.34	43.30	74.00	-30.70	PK	Horizontal
7205.94 32.90 43.50 11.40 35.50 3.40 36.30 54.00 -17.70 AV Vertical 7205.95 50.54 43.50 11.40 35.50 3.40 53.94 74.00 -20.06 PK Horizontal 7205.95 32.53 43.50 11.40 35.50 3.40 35.93 54.00 -18.07 AV Horizontal 11035.73 40.45 43.60 14.30 39.50 10.20 50.65 74.00 -23.35 PK Vertical 11036.10 40.79 43.60 14.30 39.50 10.20 50.99 74.00 -23.01 PK Horizontal 11036.10 31.05 43.60 14.30 39.50 10.20 41.25 54.00 -12.75 AV Horizontal 13299.41 40.89 42.60 15.90 38.90 12.20 53.09 74.00 -20.91 PK Vertical 13299.51 39.67 42.60 15.90	5359.86	37.47	44.20	9.86	32.00	-2.34	35.13	54.00	-18.87	AV	Horizontal
7205.95 50.54 43.50 11.40 35.50 3.40 53.94 74.00 -20.06 PK Horizontal 7205.95 32.53 43.50 11.40 35.50 3.40 35.93 54.00 -18.07 AV Horizontal 11035.73 40.45 43.60 14.30 39.50 10.20 50.65 74.00 -23.35 PK Vertical 11035.73 30.33 43.60 14.30 39.50 10.20 40.53 54.00 -13.47 AV Vertical 11036.10 40.79 43.60 14.30 39.50 10.20 50.99 74.00 -23.01 PK Horizontal 13299.41 40.89 42.60 15.90 38.90 12.20 53.09 74.00 -20.91 PK Vertical 13299.51 39.67 42.60 15.90 38.90 12.20 40.74 54.00 -13.26 AV Vertical 15999.51 29.84 42.60 15.90	7205.94	51.45	43.50	11.40	35.50	3.40	54.85	74.00	-19.15	PK	Vertical
7205.95 32.53 43.50 11.40 35.50 3.40 35.93 54.00 -18.07 AV Horizontal 11035.73 40.45 43.60 14.30 39.50 10.20 50.65 74.00 -23.35 PK Vertical 11035.73 30.33 43.60 14.30 39.50 10.20 50.99 74.00 -23.01 PK Horizontal 11036.10 40.79 43.60 14.30 39.50 10.20 50.99 74.00 -23.01 PK Horizontal 11036.10 31.05 43.60 14.30 39.50 10.20 41.25 54.00 -12.75 AV Horizontal 13299.41 40.89 42.60 15.90 38.90 12.20 53.09 74.00 -20.91 PK Vertical 13299.51 39.67 42.60 15.90 38.90 12.20 51.87 74.00 -22.13 PK Horizontal 15999.92 41.07 42.70 18.00	7205.94	32.90	43.50	11.40	35.50	3.40	36.30	54.00	-17.70	AV	Vertical
11035.73 40.45 43.60 14.30 39.50 10.20 50.65 74.00 -23.35 PK Vertical 11035.73 30.33 43.60 14.30 39.50 10.20 40.53 54.00 -13.47 AV Vertical 11036.10 40.79 43.60 14.30 39.50 10.20 50.99 74.00 -23.01 PK Horizontal 11036.10 31.05 43.60 14.30 39.50 10.20 41.25 54.00 -12.75 AV Horizontal 13299.41 40.89 42.60 15.90 38.90 12.20 53.09 74.00 -20.91 PK Vertical 13299.51 39.67 42.60 15.90 38.90 12.20 51.87 74.00 -22.13 PK Horizontal 15999.51 29.84 42.60 15.90 38.90 12.20 51.87 74.00 -22.13 PK Horizontal 15999.92 41.07 42.70 18.00	7205.95	50.54	43.50	11.40	35.50	3.40	53.94	74.00	-20.06	PK	Horizontal
11035.73 30.33 43.60 14.30 39.50 10.20 40.53 54.00 -13.47 AV Vertical 11036.10 40.79 43.60 14.30 39.50 10.20 50.99 74.00 -23.01 PK Horizontal 11036.10 31.05 43.60 14.30 39.50 10.20 41.25 54.00 -12.75 AV Horizontal 13299.41 40.89 42.60 15.90 38.90 12.20 53.09 74.00 -20.91 PK Vertical 13299.41 28.54 42.60 15.90 38.90 12.20 40.74 54.00 -13.26 AV Vertical 13299.51 39.67 42.60 15.90 38.90 12.20 51.87 74.00 -22.13 PK Horizontal 15999.51 29.84 42.60 15.90 38.90 12.20 42.04 54.00 -11.96 AV Horizontal 15999.92 41.07 42.70 18.00	7205.95	32.53	43.50	11.40	35.50	3.40	35.93	54.00	-18.07	AV	Horizontal
11036.10 40.79 43.60 14.30 39.50 10.20 50.99 74.00 -23.01 PK Horizontal 11036.10 31.05 43.60 14.30 39.50 10.20 41.25 54.00 -12.75 AV Horizontal 13299.41 40.89 42.60 15.90 38.90 12.20 53.09 74.00 -20.91 PK Vertical 13299.41 28.54 42.60 15.90 38.90 12.20 40.74 54.00 -13.26 AV Vertical 13299.51 39.67 42.60 15.90 38.90 12.20 51.87 74.00 -22.13 PK Horizontal 15999.51 29.84 42.60 15.90 38.90 12.20 42.04 54.00 -11.96 AV Horizontal 15999.92 41.07 42.70 18.00 37.10 12.40 53.47 74.00 -20.53 PK Vertical 15999.68 39.84 42.70 18.00	11035.73	40.45	43.60	14.30	39.50	10.20	50.65	74.00	-23.35	PK	Vertical
11036.10 31.05 43.60 14.30 39.50 10.20 41.25 54.00 -12.75 AV Horizontal 13299.41 40.89 42.60 15.90 38.90 12.20 53.09 74.00 -20.91 PK Vertical 13299.41 28.54 42.60 15.90 38.90 12.20 40.74 54.00 -13.26 AV Vertical 13299.51 39.67 42.60 15.90 38.90 12.20 51.87 74.00 -22.13 PK Horizontal 13299.51 29.84 42.60 15.90 38.90 12.20 42.04 54.00 -11.96 AV Horizontal 15999.92 41.07 42.70 18.00 37.10 12.40 53.47 74.00 -20.53 PK Vertical 15999.68 39.84 42.70 18.00 37.10 12.40 52.24 74.00 -21.76 PK Horizontal 17997.65 30.49 42.70 19.40	11035.73	30.33	43.60	14.30	39.50	10.20	40.53	54.00	-13.47	AV	Vertical
13299.41 40.89 42.60 15.90 38.90 12.20 53.09 74.00 -20.91 PK Vertical 13299.41 28.54 42.60 15.90 38.90 12.20 40.74 54.00 -13.26 AV Vertical 13299.51 39.67 42.60 15.90 38.90 12.20 51.87 74.00 -22.13 PK Horizontal 13299.51 29.84 42.60 15.90 38.90 12.20 42.04 54.00 -11.96 AV Horizontal 15999.92 41.07 42.70 18.00 37.10 12.40 53.47 74.00 -20.53 PK Vertical 15999.68 39.84 42.70 18.00 37.10 12.40 41.04 54.00 -12.96 AV Vertical 15999.68 30.37 42.70 18.00 37.10 12.40 42.77 54.00 -11.23 AV Horizontal 17997.65 30.49 42.70 19.40	11036.10	40.79	43.60	14.30	39.50	10.20	50.99	74.00	-23.01	PK	Horizontal
13299.41 28.54 42.60 15.90 38.90 12.20 40.74 54.00 -13.26 AV Vertical 13299.51 39.67 42.60 15.90 38.90 12.20 51.87 74.00 -22.13 PK Horizontal 13299.51 29.84 42.60 15.90 38.90 12.20 42.04 54.00 -11.96 AV Horizontal 15999.92 41.07 42.70 18.00 37.10 12.40 53.47 74.00 -20.53 PK Vertical 15999.92 28.64 42.70 18.00 37.10 12.40 41.04 54.00 -12.96 AV Vertical 15999.68 39.84 42.70 18.00 37.10 12.40 52.24 74.00 -21.76 PK Horizontal 17997.65 30.49 42.70 19.40 46.50 23.20 53.69 74.00 -20.31 PK Vertical 17997.80 30.84 42.70 19.40	11036.10	31.05	43.60	14.30	39.50	10.20	41.25	54.00	-12.75	AV	Horizontal
13299.51 39.67 42.60 15.90 38.90 12.20 51.87 74.00 -22.13 PK Horizontal 13299.51 29.84 42.60 15.90 38.90 12.20 42.04 54.00 -11.96 AV Horizontal 15999.92 41.07 42.70 18.00 37.10 12.40 53.47 74.00 -20.53 PK Vertical 15999.92 28.64 42.70 18.00 37.10 12.40 41.04 54.00 -12.96 AV Vertical 15999.68 39.84 42.70 18.00 37.10 12.40 52.24 74.00 -21.76 PK Horizontal 15999.68 30.37 42.70 18.00 37.10 12.40 42.77 54.00 -11.23 AV Horizontal 17997.65 30.49 42.70 19.40 46.50 23.20 53.69 74.00 -20.31 PK Vertical 17997.80 30.84 42.70 19.40	13299.41	40.89	42.60	15.90	38.90	12.20	53.09	74.00	-20.91	PK	Vertical
13299.51 29.84 42.60 15.90 38.90 12.20 42.04 54.00 -11.96 AV Horizontal 15999.92 41.07 42.70 18.00 37.10 12.40 53.47 74.00 -20.53 PK Vertical 15999.92 28.64 42.70 18.00 37.10 12.40 41.04 54.00 -12.96 AV Vertical 15999.68 39.84 42.70 18.00 37.10 12.40 52.24 74.00 -21.76 PK Horizontal 15999.68 30.37 42.70 18.00 37.10 12.40 42.77 54.00 -11.23 AV Horizontal 17997.65 30.49 42.70 19.40 46.50 23.20 53.69 74.00 -20.31 PK Vertical 17997.65 19.70 42.70 19.40 46.50 23.20 54.04 74.00 -19.96 PK Horizontal 17997.80 30.84 42.70 19.40	13299.41	28.54	42.60	15.90	38.90	12.20	40.74	54.00	-13.26	AV	Vertical
15999.92 41.07 42.70 18.00 37.10 12.40 53.47 74.00 -20.53 PK Vertical 15999.92 28.64 42.70 18.00 37.10 12.40 41.04 54.00 -12.96 AV Vertical 15999.68 39.84 42.70 18.00 37.10 12.40 52.24 74.00 -21.76 PK Horizontal 15999.68 30.37 42.70 18.00 37.10 12.40 42.77 54.00 -11.23 AV Horizontal 17997.65 30.49 42.70 19.40 46.50 23.20 53.69 74.00 -20.31 PK Vertical 17997.65 19.70 42.70 19.40 46.50 23.20 42.90 54.00 -11.10 AV Vertical 17997.80 30.84 42.70 19.40 46.50 23.20 54.04 74.00 -19.96 PK Horizontal	13299.51	39.67	42.60	15.90	38.90	12.20	51.87	74.00	-22.13	PK	Horizontal
15999.92 28.64 42.70 18.00 37.10 12.40 41.04 54.00 -12.96 AV Vertical 15999.68 39.84 42.70 18.00 37.10 12.40 52.24 74.00 -21.76 PK Horizontal 15999.68 30.37 42.70 18.00 37.10 12.40 42.77 54.00 -11.23 AV Horizontal 17997.65 30.49 42.70 19.40 46.50 23.20 53.69 74.00 -20.31 PK Vertical 17997.65 19.70 42.70 19.40 46.50 23.20 42.90 54.00 -11.10 AV Vertical 17997.80 30.84 42.70 19.40 46.50 23.20 54.04 74.00 -19.96 PK Horizontal	13299.51	29.84	42.60	15.90	38.90	12.20	42.04	54.00	-11.96	AV	Horizontal
15999.68 39.84 42.70 18.00 37.10 12.40 52.24 74.00 -21.76 PK Horizontal 15999.68 30.37 42.70 18.00 37.10 12.40 42.77 54.00 -11.23 AV Horizontal 17997.65 30.49 42.70 19.40 46.50 23.20 53.69 74.00 -20.31 PK Vertical 17997.65 19.70 42.70 19.40 46.50 23.20 42.90 54.00 -11.10 AV Vertical 17997.80 30.84 42.70 19.40 46.50 23.20 54.04 74.00 -19.96 PK Horizontal	15999.92	41.07	42.70	18.00	37.10	12.40	53.47	74.00	-20.53	PK	Vertical
15999.68 30.37 42.70 18.00 37.10 12.40 42.77 54.00 -11.23 AV Horizontal 17997.65 30.49 42.70 19.40 46.50 23.20 53.69 74.00 -20.31 PK Vertical 17997.65 19.70 42.70 19.40 46.50 23.20 42.90 54.00 -11.10 AV Vertical 17997.80 30.84 42.70 19.40 46.50 23.20 54.04 74.00 -19.96 PK Horizontal	15999.92	28.64	42.70	18.00	37.10	12.40	41.04	54.00	-12.96	AV	Vertical
17997.65 30.49 42.70 19.40 46.50 23.20 53.69 74.00 -20.31 PK Vertical 17997.65 19.70 42.70 19.40 46.50 23.20 42.90 54.00 -11.10 AV Vertical 17997.80 30.84 42.70 19.40 46.50 23.20 54.04 74.00 -19.96 PK Horizontal	15999.68	39.84	42.70	18.00	37.10	12.40	52.24	74.00	-21.76	PK	Horizontal
17997.65 19.70 42.70 19.40 46.50 23.20 42.90 54.00 -11.10 AV Vertical 17997.80 30.84 42.70 19.40 46.50 23.20 54.04 74.00 -19.96 PK Horizontal	15999.68	30.37	42.70	18.00	37.10	12.40	42.77	54.00	-11.23	AV	Horizontal
17997.80 30.84 42.70 19.40 46.50 23.20 54.04 74.00 -19.96 PK Horizontal	17997.65	30.49	42.70	19.40	46.50	23.20	53.69	74.00	-20.31	PK	Vertical
	17997.65	19.70	42.70	19.40	46.50	23.20	42.90	54.00	-11.10	AV	Vertical
17997.80 18.58 42.70 19.40 46.50 23.20 41.78 54.00 -12.22 AV Horizontal	17997.80	30.84	42.70	19.40	46.50	23.20	54.04	74.00	-19.96	PK	Horizontal
	17997.80	18.58	42.70	19.40	46.50	23.20	41.78	54.00	-12.22	AV	Horizontal





GFSK Mid Channel

		Antenna Corrected Emission									
Mile	Frequency	Reading	Amplifier	Loss				Limite	Margin	Detector	
Mid Channel (2440 MHz) 38-84 44.70 6.70 28.20 -9.80 38.18 74.00 -35.82 PK Vertical 3264.69 48.80 44.70 6.70 28.20 -9.80 30.01 54.00 -23.99 AV Vertical 3264.69 48.80 44.70 6.70 28.20 -9.80 38.00 74.00 -35.00 PK Horizontal 4880.67 59.56 44.20 9.04 31.60 -3.56 56.00 74.00 -18.00 PK Vertical 4880.57 38.36 44.20 9.04 31.60 -3.56 56.00 74.00 -19.20 AV Vertical 4880.58 38.22 44.20 9.04 31.60 -3.56 34.80 54.00 -19.20 AV Vertical 4880.58 38.22 44.20 9.04 31.60 -3.56 34.80 54.00 -19.20 AV Vertical 4880.58 38.22 44.20 9.04 31.60 -3.56 34.80 54.00 -19.20 AV Vertical 4880.58 38.22 44.20 9.04 31.60 -3.56 34.80 54.00 -19.34 AV Horizontal 5359.83 37.75 44.20 9.86 32.00 -2.34 42.92 74.00 -19.34 AV Horizontal 5359.83 37.75 44.20 9.86 32.00 -2.34 42.92 74.00 -19.80 PK Vertical 5359.72 45.90 44.20 9.86 32.00 -2.34 43.56 74.00 -19.83 AV Vertical 5359.72 45.90 44.20 9.86 32.00 -2.34 35.41 54.00 -19.83 PK Vertical 5359.72 45.90 44.20 9.86 32.00 -2.34 35.31 54.00 -19.83 PK Vertical 7310.77 50.77 43.50 11.40 35.50 3.40 55.20 74.00 -19.83 PK Vertical 7310.77 50.77 43.50 11.40 35.50 3.40 37.36 54.00 -16.64 AV Vertical 9607.73 30.88 43.50 11.40 35.50 3.40 37.36 54.00 -16.64 AV Vertical 9607.73 30.88 43.50 11.40 35.50 3.40 37.36 54.00 -16.64 AV Vertical 9607.73 30.88 43.50 11.40 35.50 3.40 37.36 54.00 -17.31 AV Horizontal 9608.21 40.16 43.60 14.30 39.50 10.20 51.04 74.00 -22.62 PK Vertical 9608.21 40.16 43.60 14.30 39.50 10.20 51.04 74.00 -22.62 PK Vertical 9608.21 40.16 43.60 14.30 39.50 10.20 51.04 74.00 -22.62 PK Vertical 13299.19 40.89 42.60 15.90 38.		_							ŭ		Comment
3264.69	(1411 12)										
39,81	3264 60	47 QR	44.70	6.70		, 	•	74.00	-35.82	DK	Vertical
3264.69 48.80 44.70 6.70 26.20 -9.80 39.00 74.00 -35.00 PK Horizontal 3264.69 39.05 44.70 6.70 28.20 -9.80 29.25 54.00 -24.75 AV Horizontal 4880.57 59.56 44.20 9.04 31.60 -3.56 56.00 74.00 -18.00 PK Vertical 4880.57 38.36 44.20 9.04 31.60 -3.56 56.00 74.00 -19.20 AV Vertical 4880.58 38.22 44.20 9.04 31.60 -3.56 54.59 74.00 -19.20 AV Vertical 4880.58 38.22 44.20 9.04 31.60 -3.56 54.59 74.00 -19.41 PK Horizontal 5399.33 45.26 44.20 9.86 32.00 -2.34 42.92 74.00 -31.08 PK Vertical 5399.83 45.26 44.20 9.86 32.00 -2.34 42.92 74.00 -31.08 PK Vertical 5399.83 37.75 44.20 9.86 32.00 -2.34 43.56 74.00 -18.59 AV Vertical 5399.72 45.90 44.20 9.86 32.00 -2.34 43.56 74.00 -30.44 PK Horizontal 5399.72 45.90 44.20 9.86 32.00 -2.34 43.56 74.00 -30.44 PK Horizontal 5399.72 37.65 44.20 9.86 32.00 -2.34 43.56 74.00 -30.44 PK Horizontal 5399.72 37.65 44.20 9.86 32.00 -2.34 43.56 74.00 -18.69 AV Vertical 7310.77 50.77 43.50 11.40 35.50 3.40 54.17 74.00 -19.83 PK Vertical 7310.77 50.77 43.50 11.40 35.50 3.40 54.17 74.00 -19.83 PK Vertical 7310.95 51.80 43.50 11.40 35.50 3.40 56.20 74.00 -18.80 PK Horizontal 7310.95 33.29 43.50 11.40 35.50 3.40 56.20 74.00 -18.80 PK Horizontal 7310.95 33.29 43.50 11.40 35.50 3.40 56.20 74.00 -18.80 PK Vertical 9607.73 30.88 43.60 14.30 39.50 10.20 51.04 74.00 -22.96 PK Vertical 9607.73 30.88 43.60 14.30 39.50 10.20 51.04 74.00 -22.96 PK Vertical 13299.19 40.69 42.60 15.90 38.90 12.20 50.36 74.00 -23.64 PK Horizontal 13299.19 40.69 42.60 15.90 38.90 12.20 50.36 74.00 -21.11 PK Vertical 13299.19 40.69 42.60 15.90 38.90 12.20 50.36 74.00 -21.11 PK Vertical 1599.94 39.82 42.70 18.00 37.10 12.40 41.04 54.00 -12.92 AV Vertical 1599.96 40.03 42.70 18.00 37.10 12.40 41.04 54.00 -12.39 AV Horizontal 1599.96 40.03 42.70 18.00 37.10 12.40 41.01 54.00 -12.39 AV Horizontal 1599.96 40.03 42.70 18.00 37.10 12.40 41.01 54.00 -12.39 AV Horizontal 1599.96 40.00 42.70 18.00 37.10 12.40 41.01 54.00 -12.39 AV Horizontal 1599.96 40.00 42.70 18.00 37.10 12.40 41.01 54.00 -12.39 AV Horizontal 1599.96 40.00 40.00 40.00 40.00											
3264.69 39.05 44.70 6.70 28.20 -9.80 29.25 54.00 -24.75 AV Horizontal 4880.57 59.56 44.20 9.04 31.60 -3.56 56.00 74.00 -18.00 PK Vertical Vertical 4880.57 38.36 44.20 9.04 31.60 -3.56 54.59 74.00 -19.41 PK Horizontal 4880.58 58.15 44.20 9.04 31.60 -3.56 54.59 74.00 -19.41 PK Horizontal 5359.83 38.22 44.20 9.86 32.00 -2.34 42.92 74.00 -18.59 AV Vertical 5359.72 45.90 44.20 9.86 32.00 -2.34 43.56 74.00 -30.44 PK Horizontal 5359.72 37.65 44.20 9.86 32.00 -2.34 43.56 74.00 -30.44 PK Horizontal 7310.77 45.07 43.50 11.40 35.50 3.40<											
4880.57 59.56 44.20 9.04 31.60 -3.56 56.00 74.00 18.00 PK Vertical 4880.57 38.36 44.20 9.04 31.60 -3.56 34.80 54.00 19.20 AV Vertical 4880.58 58.15 44.20 9.04 31.60 -3.56 54.59 74.00 19.34 AV Horizontal 4880.58 38.22 44.20 9.04 31.60 -3.56 34.66 54.00 -19.34 AV Horizontal 5359.83 45.26 44.20 9.86 32.00 -2.34 42.92 74.00 -31.08 PK Vertical 5359.72 45.90 44.20 9.86 32.00 -2.34 43.56 74.00 -18.69 AV Horizontal 7310.77 50.77 43.50 11.40 35.50 3.40 54.17 74.00 -19.33 PK Vertical 7310.75 51.80 43.50 11.40 35.50 <td></td>											
4880.57 38.36 44.20 9.04 31.60 -3.56 34.80 54.00 -19.20 AV Vertical 4880.58 58.15 44.20 9.04 31.60 -3.56 54.59 74.00 -19.41 PK Horizontal 4880.58 38.22 44.20 9.04 31.60 -3.56 34.66 54.00 -19.34 AV Horizontal 5359.83 45.26 44.20 9.86 32.00 -2.34 45.90 -18.59 AV Vertical 5369.72 45.90 44.20 9.86 32.00 -2.34 43.56 74.00 -30.44 PK Horizontal 7310.77 50.77 43.50 11.40 35.50 3.40 54.17 74.00 -19.83 PK Vertical 7310.77 33.96 43.50 11.40 35.50 3.40 55.20 74.00 -19.83 PK Horizontal 7310.95 51.80 43.50 11.40 35.50 3.4											
4880.58 58.15 44.20 9.04 31.60 -3.56 54.59 74.00 -19.41 PK Horizontal 4880.58 38.22 44.20 9.04 31.60 -3.56 34.66 54.00 -19.34 AV Horizontal 5359.83 35.26 44.20 9.86 32.00 -2.34 42.92 74.00 -31.08 PK Vertical 5359.72 45.90 44.20 9.86 32.00 -2.34 43.56 74.00 -30.44 PK Horizontal 5359.72 37.65 44.20 9.86 32.00 -2.34 43.56 74.00 -30.44 PK Horizontal 5359.72 37.65 44.20 9.86 32.00 -2.34 43.56 74.00 -18.69 AV Horizontal 7310.77 30.77 43.50 11.40 35.50 3.40 37.36 54.00 -18.89 PK Horizontal 7310.95 51.80 43.50 11.40 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>											
4880.58 38.22 44.20 9.04 31.60 -3.56 34.66 54.00 -19.34 AV Horizontal 5359.83 45.26 44.20 9.86 32.00 -2.34 42.92 74.00 .31.08 PK Vertical 5359.72 45.90 44.20 9.86 32.00 -2.34 35.41 54.00 .18.59 AV Vertical 5359.72 37.65 44.20 9.86 32.00 -2.34 35.31 54.00 .18.69 AV Horizontal 7310.77 50.77 43.50 11.40 35.50 3.40 54.17 74.00 .18.89 PK Vertical 7310.75 51.80 43.50 11.40 35.50 3.40 37.36 54.00 -16.64 AV Vertical 7310.95 51.80 43.50 11.40 35.50 3.40 35.50 74.00 -18.80 PK Horizontal 7310.95 33.29 43.50 11.40 35.50											
5359.83 45.26 44.20 9.86 32.00 -2.34 42.92 74.00 -31.08 PK Vertical 5359.83 37.75 44.20 9.86 32.00 -2.34 35.41 54.00 -18.59 AV Vertical 5359.72 45.90 44.20 9.86 32.00 -2.34 43.56 74.00 -30.44 PK Horizontal 5359.72 37.65 44.20 9.86 32.00 -2.34 35.31 54.00 -18.69 AV Horizontal 7310.77 50.77 43.50 11.40 35.50 3.40 54.17 74.00 -19.83 PK Vertical 7310.77 33.96 43.50 11.40 35.50 3.40 37.36 54.00 -16.64 AV Vertical 7310.95 51.80 43.50 11.40 35.50 3.40 36.69 54.00 -17.31 AV Horizontal 7310.95 30.29 43.50 14.30 39.50											
5359.83 37.75 44.20 9.86 32.00 -2.34 35.41 54.00 -18.59 AV Vertical 5359.72 45.90 44.20 9.86 32.00 -2.34 43.56 74.00 -30.44 PK Horizontal 5359.72 37.65 44.20 9.86 32.00 -2.34 35.31 54.00 -18.69 AV Horizontal 7310.77 50.77 43.50 11.40 35.50 3.40 54.17 74.00 -19.83 PK Vertical 7310.95 51.80 43.50 11.40 35.50 3.40 55.20 74.00 -18.80 PK Horizontal 7310.95 51.80 43.50 11.40 35.50 3.40 36.69 54.00 -17.31 AV Horizontal 7310.95 33.29 43.50 11.40 35.50 3.40 36.69 54.00 -17.31 AV Horizontal 9607.73 30.88 43.60 14.30 3											
5359.72 45.90 44.20 9.86 32.00 -2.34 43.56 74.00 -30.44 PK Horizontal 5359.72 37.65 44.20 9.86 32.00 -2.34 35.31 54.00 -18.69 AV Horizontal 7310.77 50.77 43.50 11.40 35.50 3.40 54.17 74.00 -19.83 PK Vertical 7310.77 33.96 43.50 11.40 35.50 3.40 37.36 54.00 -16.64 AV Vertical 7310.95 51.80 43.50 11.40 35.50 3.40 55.20 74.00 -18.80 PK Horizontal 7310.95 33.29 43.50 11.40 35.50 3.40 36.69 54.00 -17.31 AV Horizontal 9607.73 40.84 43.60 14.30 39.50 10.20 51.04 74.00 -22.96 PK Vertical 9608.21 40.16 43.60 14.30 39	5359.83	45.26	44.20	9.86	32.00		42.92	74.00	-31.08	PK	Vertical
5359.72 37.65 44.20 9.86 32.00 -2.34 35.31 54.00 -18.69 AV Horizontal 7310.77 50.77 43.50 11.40 35.50 3.40 54.17 74.00 -19.83 PK Vertical 7310.77 33.96 43.50 11.40 35.50 3.40 37.36 54.00 -16.64 AV Vertical 7310.95 51.80 43.50 11.40 35.50 3.40 36.69 54.00 -17.31 AV Horizontal 7310.95 33.29 43.50 11.40 35.50 3.40 36.69 54.00 -17.31 AV Horizontal 9607.73 40.84 43.60 14.30 39.50 10.20 51.04 74.00 -22.96 PK Vertical 9608.21 40.16 43.60 14.30 39.50 10.20 50.36 74.00 -23.64 PK Horizontal 13299.19 40.69 42.60 15.90	5359.83	37.75	44.20	9.86	32.00	-2.34	35.41	54.00	-18.59	AV	Vertical
7310.77 50.77 43.50 11.40 35.50 3.40 54.17 74.00 -19.83 PK Vertical 7310.77 33.96 43.50 11.40 35.50 3.40 37.36 54.00 -16.64 AV Vertical 7310.95 51.80 43.50 11.40 35.50 3.40 36.69 54.00 -17.31 AV Horizontal 7310.95 33.29 43.50 11.40 35.50 3.40 36.69 54.00 -17.31 AV Horizontal 9607.73 40.84 43.60 14.30 39.50 10.20 51.04 74.00 -22.96 PK Vertical 9607.73 30.88 43.60 14.30 39.50 10.20 41.08 54.00 -12.92 AV Vertical 9608.21 40.16 43.60 14.30 39.50 10.20 50.36 74.00 -23.64 PK Horizontal 13299.19 40.69 42.60 15.90 3	5359.72	45.90	44.20	9.86	32.00	-2.34	43.56	74.00	-30.44	PK	Horizontal
7310.77 33.96 43.50 11.40 35.50 3.40 37.36 54.00 -16.64 AV Vertical 7310.95 51.80 43.50 11.40 35.50 3.40 55.20 74.00 -18.80 PK Horizontal 7310.95 33.29 43.50 11.40 35.50 3.40 36.69 54.00 -17.31 AV Horizontal 9607.73 40.84 43.60 14.30 39.50 10.20 51.04 74.00 -22.96 PK Vertical 9607.73 30.88 43.60 14.30 39.50 10.20 41.08 54.00 -12.92 AV Vertical 9608.21 40.16 43.60 14.30 39.50 10.20 50.36 74.00 -23.64 PK Horizontal 13299.19 40.69 42.60 15.90 38.90 12.20 52.89 74.00 -21.11 PK Vertical 13299.36 39.78 42.60 15.90 <td< td=""><td>5359.72</td><td>37.65</td><td>44.20</td><td>9.86</td><td>32.00</td><td>-2.34</td><td>35.31</td><td>54.00</td><td>-18.69</td><td>AV</td><td>Horizontal</td></td<>	5359.72	37.65	44.20	9.86	32.00	-2.34	35.31	54.00	-18.69	AV	Horizontal
7310.95 51.80 43.50 11.40 35.50 3.40 55.20 74.00 -18.80 PK Horizontal 7310.95 33.29 43.50 11.40 35.50 3.40 36.69 54.00 -17.31 AV Horizontal 9607.73 40.84 43.60 14.30 39.50 10.20 51.04 74.00 -22.96 PK Vertical 9607.73 30.88 43.60 14.30 39.50 10.20 41.08 54.00 -12.92 AV Vertical 9608.21 40.16 43.60 14.30 39.50 10.20 50.36 74.00 -23.64 PK Horizontal 13299.19 40.69 42.60 15.90 38.90 12.20 52.89 74.00 -21.11 PK Vertical 13299.36 39.78 42.60 15.90 38.90 12.20 40.74 54.00 -13.26 AV Vertical 13299.36 29.90 42.60 15.90 <	7310.77	50.77	43.50	11.40	35.50	3.40	54.17	74.00	-19.83	PK	Vertical
7310.95 33.29 43.50 11.40 35.50 3.40 36.69 54.00 -17.31 AV Horizontal 9607.73 40.84 43.60 14.30 39.50 10.20 51.04 74.00 -22.96 PK Vertical 9607.73 30.88 43.60 14.30 39.50 10.20 41.08 54.00 -12.92 AV Vertical 9608.21 40.16 43.60 14.30 39.50 10.20 50.36 74.00 -23.64 PK Horizontal 13299.19 40.69 42.60 15.90 38.90 12.20 52.89 74.00 -21.11 PK Vertical 13299.36 39.78 42.60 15.90 38.90 12.20 51.98 74.00 -21.11 PK Horizontal 13299.36 29.90 42.60 15.90 38.90 12.20 51.98 74.00 -21.29 PK Horizontal 15999.94 39.82 42.70 18.00	7310.77	33.96	43.50	11.40	35.50	3.40	37.36	54.00	-16.64	AV	Vertical
9607.73	7310.95	51.80	43.50	11.40	35.50	3.40	55.20	74.00	-18.80	PK	Horizontal
9607.73 30.88 43.60 14.30 39.50 10.20 41.08 54.00 -12.92 AV Vertical 9608.21 40.16 43.60 14.30 39.50 10.20 50.36 74.00 -23.64 PK Horizontal 9608.21 30.09 43.60 14.30 39.50 10.20 40.29 54.00 -13.71 AV Horizontal 13299.19 40.69 42.60 15.90 38.90 12.20 52.89 74.00 -21.11 PK Vertical 13299.36 39.78 42.60 15.90 38.90 12.20 40.74 54.00 -13.26 AV Vertical 13299.36 29.90 42.60 15.90 38.90 12.20 51.98 74.00 -22.02 PK Horizontal 13299.36 29.90 42.60 15.90 38.90 12.20 51.98 74.00 -22.02 PK Horizontal 15299.94 39.82 42.70 18.00 37.10 12.40 52.22 74.00 -21.78 PK Vertical 15999.94 28.64 42.70 18.00 37.10 12.40 41.04 54.00 -12.96 AV Vertical 15999.66 40.03 42.70 18.00 37.10 12.40 52.43 74.00 -21.57 PK Horizontal 15999.66 29.21 42.70 18.00 37.10 12.40 41.61 54.00 -12.39 AV Horizontal 17997.75 30.74 42.70 19.40 46.50 23.20 53.62 74.00 -20.38 PK Horizontal 17997.75 19.56 42.70 19.40 46.50 23.20 53.62 74.00 -20.38 PK Horizontal 17997.75 19.56 42.70 19.40 46.50 23.20 53.62 74.00 -20.38 PK Horizontal 17997.64 30.42 42.70 19.40 46.50 23.20 53.62 74.00 -20.38 PK Horizontal	7310.95	33.29	43.50	11.40	35.50	3.40	36.69	54.00	-17.31	AV	Horizontal
9608.21	9607.73	40.84	43.60	14.30	39.50	10.20	51.04	74.00	-22.96	PK	Vertical
9608.21 30.09 43.60 14.30 39.50 10.20 40.29 54.00 -13.71 AV Horizontal 13299.19 40.69 42.60 15.90 38.90 12.20 52.89 74.00 -21.11 PK Vertical 13299.36 39.78 42.60 15.90 38.90 12.20 51.98 74.00 -22.02 PK Horizontal 13299.36 29.90 42.60 15.90 38.90 12.20 51.98 74.00 -22.02 PK Horizontal 13299.36 29.90 42.60 15.90 38.90 12.20 42.10 54.00 -11.90 AV Horizontal 15999.94 39.82 42.70 18.00 37.10 12.40 52.22 74.00 -21.78 PK Vertical 15999.94 28.64 42.70 18.00 37.10 12.40 41.04 54.00 -12.96 AV Vertical 15999.66 40.03 42.70 18.00 37.10 12.40 52.43 74.00 -21.57 PK Horizontal 15999.66 29.21 42.70 18.00 37.10 12.40 41.61 54.00 -12.39 AV Horizontal 17997.75 30.74 42.70 19.40 46.50 23.20 53.94 74.00 -20.06 PK Vertical 17997.64 30.42 42.70 19.40 46.50 23.20 53.62 74.00 -20.38 PK Horizontal	9607.73	30.88	43.60	14.30	39.50	10.20	41.08	54.00	-12.92	AV	Vertical
13299.19 40.69 42.60 15.90 38.90 12.20 52.89 74.00 -21.11 PK Vertical 13299.19 28.54 42.60 15.90 38.90 12.20 40.74 54.00 -13.26 AV Vertical 13299.36 39.78 42.60 15.90 38.90 12.20 51.98 74.00 -22.02 PK Horizontal 13299.36 29.90 42.60 15.90 38.90 12.20 42.10 54.00 -11.90 AV Horizontal 15999.94 39.82 42.70 18.00 37.10 12.40 52.22 74.00 -21.78 PK Vertical 15999.66 40.03 42.70 18.00 37.10 12.40 41.04 54.00 -12.96 AV Vertical 15999.66 29.21 42.70 18.00 37.10 12.40 41.61 54.00 -12.39 AV Horizontal 17997.75 30.74 42.70 19.40	9608.21	40.16	43.60	14.30	39.50	10.20	50.36	74.00	-23.64	PK	Horizontal
13299.19 28.54 42.60 15.90 38.90 12.20 40.74 54.00 -13.26 AV Vertical 13299.36 39.78 42.60 15.90 38.90 12.20 51.98 74.00 -22.02 PK Horizontal 13299.36 29.90 42.60 15.90 38.90 12.20 42.10 54.00 -11.90 AV Horizontal 15999.94 39.82 42.70 18.00 37.10 12.40 52.22 74.00 -21.78 PK Vertical 15999.94 28.64 42.70 18.00 37.10 12.40 41.04 54.00 -12.96 AV Vertical 15999.66 40.03 42.70 18.00 37.10 12.40 52.43 74.00 -21.57 PK Horizontal 17997.75 30.74 42.70 18.00 37.10 12.40 41.61 54.00 -12.39 AV Horizontal 17997.75 30.74 42.70 19.40	9608.21	30.09	43.60	14.30	39.50	10.20	40.29	54.00	-13.71	AV	Horizontal
13299.36 39.78 42.60 15.90 38.90 12.20 51.98 74.00 -22.02 PK Horizontal 13299.36 29.90 42.60 15.90 38.90 12.20 42.10 54.00 -11.90 AV Horizontal 15999.94 39.82 42.70 18.00 37.10 12.40 52.22 74.00 -21.78 PK Vertical 15999.94 28.64 42.70 18.00 37.10 12.40 41.04 54.00 -12.96 AV Vertical 15999.66 40.03 42.70 18.00 37.10 12.40 52.43 74.00 -21.57 PK Horizontal 15999.66 29.21 42.70 18.00 37.10 12.40 41.61 54.00 -12.39 AV Horizontal 17997.75 30.74 42.70 19.40 46.50 23.20 53.94 74.00 -20.06 PK Vertical 17997.64 30.42 42.70 19.40	13299.19	40.69	42.60	15.90	38.90	12.20	52.89	74.00	-21.11	PK	Vertical
13299.36 29.90 42.60 15.90 38.90 12.20 42.10 54.00 -11.90 AV Horizontal 15999.94 39.82 42.70 18.00 37.10 12.40 52.22 74.00 -21.78 PK Vertical 15999.94 28.64 42.70 18.00 37.10 12.40 41.04 54.00 -12.96 AV Vertical 15999.66 40.03 42.70 18.00 37.10 12.40 52.43 74.00 -21.57 PK Horizontal 15999.66 29.21 42.70 18.00 37.10 12.40 41.61 54.00 -12.39 AV Horizontal 17997.75 30.74 42.70 19.40 46.50 23.20 53.94 74.00 -20.06 PK Vertical 17997.64 30.42 42.70 19.40 46.50 23.20 53.62 74.00 -20.38 PK Horizontal	13299.19	28.54	42.60	15.90	38.90	12.20	40.74	54.00	-13.26	AV	Vertical
15999.94 39.82 42.70 18.00 37.10 12.40 52.22 74.00 -21.78 PK Vertical 15999.94 28.64 42.70 18.00 37.10 12.40 41.04 54.00 -12.96 AV Vertical 15999.66 40.03 42.70 18.00 37.10 12.40 52.43 74.00 -21.57 PK Horizontal 15999.66 29.21 42.70 18.00 37.10 12.40 41.61 54.00 -12.39 AV Horizontal 17997.75 30.74 42.70 19.40 46.50 23.20 53.94 74.00 -20.06 PK Vertical 17997.75 19.56 42.70 19.40 46.50 23.20 42.76 54.00 -11.24 AV Vertical 17997.64 30.42 42.70 19.40 46.50 23.20 53.62 74.00 -20.38 PK Horizontal	13299.36	39.78	42.60	15.90	38.90	12.20	51.98	74.00	-22.02	PK	Horizontal
15999.94 28.64 42.70 18.00 37.10 12.40 41.04 54.00 -12.96 AV Vertical 15999.66 40.03 42.70 18.00 37.10 12.40 52.43 74.00 -21.57 PK Horizontal 15999.66 29.21 42.70 18.00 37.10 12.40 41.61 54.00 -12.39 AV Horizontal 17997.75 30.74 42.70 19.40 46.50 23.20 53.94 74.00 -20.06 PK Vertical 17997.75 19.56 42.70 19.40 46.50 23.20 42.76 54.00 -11.24 AV Vertical 17997.64 30.42 42.70 19.40 46.50 23.20 53.62 74.00 -20.38 PK Horizontal	13299.36	29.90	42.60	15.90	38.90	12.20	42.10	54.00	-11.90	AV	Horizontal
15999.66 40.03 42.70 18.00 37.10 12.40 52.43 74.00 -21.57 PK Horizontal 15999.66 29.21 42.70 18.00 37.10 12.40 41.61 54.00 -12.39 AV Horizontal 17997.75 30.74 42.70 19.40 46.50 23.20 53.94 74.00 -20.06 PK Vertical 17997.75 19.56 42.70 19.40 46.50 23.20 42.76 54.00 -11.24 AV Vertical 17997.64 30.42 42.70 19.40 46.50 23.20 53.62 74.00 -20.38 PK Horizontal	15999.94	39.82	42.70	18.00	37.10	12.40	52.22	74.00	-21.78	PK	Vertical
15999.66 29.21 42.70 18.00 37.10 12.40 41.61 54.00 -12.39 AV Horizontal 17997.75 30.74 42.70 19.40 46.50 23.20 53.94 74.00 -20.06 PK Vertical 17997.75 19.56 42.70 19.40 46.50 23.20 42.76 54.00 -11.24 AV Vertical 17997.64 30.42 42.70 19.40 46.50 23.20 53.62 74.00 -20.38 PK Horizontal	15999.94	28.64	42.70	18.00	37.10	12.40	41.04	54.00	-12.96	AV	Vertical
17997.75 30.74 42.70 19.40 46.50 23.20 53.94 74.00 -20.06 PK Vertical 17997.75 19.56 42.70 19.40 46.50 23.20 42.76 54.00 -11.24 AV Vertical 17997.64 30.42 42.70 19.40 46.50 23.20 53.62 74.00 -20.38 PK Horizontal	15999.66	40.03	42.70	18.00	37.10	12.40	52.43	74.00	-21.57	PK	Horizontal
17997.75 19.56 42.70 19.40 46.50 23.20 42.76 54.00 -11.24 AV Vertical 17997.64 30.42 42.70 19.40 46.50 23.20 53.62 74.00 -20.38 PK Horizontal	15999.66	29.21	42.70	18.00	37.10	12.40	41.61	54.00	-12.39	AV	Horizontal
17997.64 30.42 42.70 19.40 46.50 23.20 53.62 74.00 -20.38 PK Horizontal	17997.75	30.74	42.70	19.40	46.50	23.20	53.94	74.00	-20.06	PK	Vertical
	17997.75	19.56	42.70	19.40	46.50	23.20	42.76	54.00	-11.24	AV	Vertical
17997.64 18.66 42.70 19.40 46.50 23.20 41.86 54.00 -12.14 AV Horizontal	17997.64	30.42	42.70	19.40	46.50	23.20	53.62	74.00	-20.38	PK	Horizontal
	17997.64	18.66	42.70	19.40	46.50	23.20	41.86	54.00	-12.14	AV	Horizontal



Report No.: STS1708265W03

GFSK High Channel

				Antenna	Corrected	Emission				
Frequency	Reading	Amplifier	Loss	Factor	Factor	Level	Limits	Margin	Detector	
(MHz)	(dBµV)	(dB)	(dB)	(dB/m)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	Туре	Comment
	High Channel (2480 MHz)									
3264.83	48.93	44.70	6.70	28.20	-9.80	39.13	74.00	-34.87	PK	Vertical
3264.83	38.62	44.70	6.70	28.20	-9.80	28.82	54.00	-25.18	AV	Vertical
3264.73	48.00	44.70	6.70	28.20	-9.80	38.20	74.00	-35.80	PK	Horizontal
3264.73	38.73	44.70	6.70	28.20	-9.80	28.93	54.00	-25.07	AV	Horizontal
4960.30	59.35	44.20	9.04	31.60	-3.56	55.79	74.00	-18.21	PK	Vertical
4960.30	39.05	44.20	9.04	31.60	-3.56	35.49	54.00	-18.51	AV	Vertical
4960.56	59.14	44.20	9.04	31.60	-3.56	55.58	74.00	-18.42	PK	Horizontal
4960.56	38.11	44.20	9.04	31.60	-3.56	34.55	54.00	-19.45	AV	Horizontal
5359.74	46.21	44.20	9.86	32.00	-2.34	43.87	74.00	-30.13	PK	Vertical
5359.74	37.97	44.20	9.86	32.00	-2.34	35.63	54.00	-18.37	AV	Vertical
5359.60	45.08	44.20	9.86	32.00	-2.34	42.74	74.00	-31.26	PK	Horizontal
5359.60	37.59	44.20	9.86	32.00	-2.34	35.25	54.00	-18.75	AV	Horizontal
7439.89	50.74	43.50	11.40	35.50	3.40	54.14	74.00	-19.86	PK	Vertical
7439.89	33.76	43.50	11.40	35.50	3.40	37.16	54.00	-16.84	AV	Vertical
7439.88	51.59	43.50	11.40	35.50	3.40	54.99	74.00	-19.01	PK	Horizontal
7439.88	33.02	43.50	11.40	35.50	3.40	36.42	54.00	-17.58	AV	Horizontal
9919.82	40.51	43.60	14.30	39.50	10.20	50.71	74.00	-23.29	PK	Vertical
9919.82	30.53	43.60	14.30	39.50	10.20	40.73	54.00	-13.27	AV	Vertical
9920.00	40.14	43.60	14.30	39.50	10.20	50.34	74.00	-23.66	PK	Horizontal
9920.00	30.29	43.60	14.30	39.50	10.20	40.49	54.00	-13.51	AV	Horizontal
13299.33	39.85	42.70	18.00	37.10	12.40	52.25	74.00	-21.75	PK	Vertical
13299.33	28.54	42.70	18.00	37.10	12.40	40.94	54.00	-13.06	AV	Vertical
13299.52	40.63	42.70	18.00	37.10	12.40	53.03	74.00	-20.97	PK	Horizontal
13299.52	29.74	42.70	18.00	37.10	12.40	42.14	54.00	-11.86	AV	Horizontal
17997.80	29.84	42.70	19.40	46.50	23.20	53.04	74.00	-20.96	PK	Vertical
17997.80	19.49	42.70	19.40	46.50	23.20	42.69	54.00	-11.31	AV	Vertical
17997.53	31.10	42.70	19.40	46.50	23.20	54.30	74.00	-19.70	PK	Horizontal
17997.53	17.84	42.70	19.40	46.50	23.20	41.04	54.00	-12.96	AV	Horizontal

Note:

Factor = Antenna Factor + Cable Loss - Pre-amplifier.
 Emission Level = Reading + Factor



4.6 TEST RESULTS (Restricted Bands Requirements)

				Antenna	Corrected	Emission				
				Antenna	Corrected	EIIIISSIOII				
Frequency	Reading	Amplifier	Loss	Factor	Factor	Level	Limits	Margin	Detector	
(MHz)	(dBµV)	(dB)	(dB)	(dB/m)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	Туре	Comment
					GFSK					
2390.00	68.31	43.80	4.91	25.90	-12.99	55.32	74.00	-18.68	PK	Vertical
2390.00	54.29	43.80	4.91	25.90	-12.99	41.30	54.00	-12.70	AV	Vertical
2390.00	69.50	43.80	4.91	25.90	-12.99	56.51	74.00	-17.49	PK	Horizontal
2390.00	52.66	43.80	4.91	25.90	-12.99	39.67	54.00	-14.33	AV	Horizontal
2483.50	69.23	43.80	5.12	25.90	-12.78	56.45	74.00	-17.55	PK	Vertical
2483.50	52.24	43.80	5.12	25.90	-12.78	39.46	54.00	-14.54	AV	Vertical
2483.50	70.22	43.80	5.12	25.90	-12.78	57.44	74.00	-16.56	PK	Horizontal
2483.50	53.41	43.80	5.12	25.90	-12.78	40.63	54.00	-13.37	AV	Horizontal

Low measurement frequencies is range from 2300 to 2403 MHz, high measurement frequencies is range from 2479 to 2500 MHz.

Only show the worst point data of the emissions in the frequency 2300-2403 MHz and 2479-2500 MHz.



Report No.: STS1708265W03

5. CONDUCTED SPURIOUS & BAND EDGE EMISSION

5.1 REQUIREMENT

According to FCC section 15.247(d), in any 100kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20dB below that in the 100kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.


5.2 TEST PROCEDURE

Spectrum Parameter	Setting	
Detector	Peak	
Start/Stop Frequency	30 MHz to 10th carrier harmonic	
RB / VB (emission in restricted band)	100 KHz/300 KHz	
Trace-Mode:	Max hold	

For Band edge

Spectrum Parameter	Setting	
Detector	Peak	
Start/Stan Eraguanay	Lower Band Edge: 2300 – 2403 MHz	
Start/Stop Frequency	Upper Band Edge: 2479 – 2500 MHz	
RB / VB (emission in restricted band)	100 KHz/300 KHz	
Trace-Mode:	Max hold	

5.3 TEST SETUP



The EUT which is powered by the Battery, is coupled to the Spectrum Analyzer; the RF load attached to the EUT antenna terminal is 50 Ohm; the path loss as the factor is calibrated to correct the reading. Make the measurement with the spectrum analyzer's resolution bandwidth(RBW) = 100 kHz. In order to make an accurate measurement, set the span greater than RBW.

5.4 EUT OPERATION CONDITIONS

The EUT tested system was configured as the statements of 2.3 Unless otherwise a special operating condition is specified in the follows during the testing.






5.5 TEST RESULTS


Temperature:	25 ℃	Relative Humidity:	50%
Pressure:	1012 hPa	Test Voltage:	DC 3.8V
Test Mode:	TX Mode /CH01, CH20, CH40		

01 CH






20 CH




40 CH






01 CH



40 CH





6. POWER SPECTRAL DENSITY TEST

6.1 APPLIED PROCEDURES / LIMIT

FCC Part 15.247,Subpart C				
Section	Test Item	Limit	Frequency Range (MHz)	Result
15.247(e)	Power Spectral Density	≤8 dBm (RBW≥3KHz)	2400-2483.5	PASS

6.2 TEST PROCEDURE

- 1. Set analyzer center frequency to DTS channel center frequency.
- 2. Set the span to 1.5 times the DTS channel bandwidth.
- 3. Set the RBW to: $100 \text{ kHz} \ge \text{RBW} \ge 3 \text{ kHz}$.
- 4. Set the VBW \geq 3 x RBW.
- 5. Detector = peak.
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8. Allow trace to fully stabilize.
- 9. Use the peak marker function to determine the maximum amplitude level.
- 10. If measured value exceeds limit, reduce RBW (no less than 3 kHz) and repeat.

6.3 TEST SETUP

EUT	SPECTRUM
	ANALYZER

6.4 EUT OPERATION CONDITIONS

The EUT tested system was configured as the statements of 2.3 Unless otherwise a special operating condition is specified in the follows during the testing.






6.5 TEST RESULTS

Temperature:	25 ℃	Relative Humidity:	60%
Pressure:	1015 hPa	Test Voltage:	DC 3.8V
Test Mode:	TX Mode /CH01, CH20, CH40		


Frequency	Power Density (dBm/3kHz)	Limit (dBm/3KHz)	Result
2402 MHz	-12.876	≤8	PASS
2440 MHz	-15.705	≤8	PASS
2480 MHz	-15.781	≤8	PASS

TX CH01






TX CH20



TX CH40







7. BANDWIDTH TEST

7.1 APPLIED PROCEDURES / LIMIT

FCC Part 15.247, Subpart C					
Section	Test Item	Limit	Frequency Range (MHz)	Result	
15.247(a)(2)	Bandwidth	>= 500KHz (6dB bandwidth)	2400-2483.5	PASS	

7.2 TEST PROCEDURE

The automatic bandwidth measurement capability of an instrument may be employed using the X dB bandwidth mode with X set to 6 dB, if the functionality described above (i.e., RBW = 100 kHz, VBW ≥3RBW, peak detector with maximum hold) is implemented by the instrumentation function. When using this capability, care shall be taken so that the bandwidth measurement is not influenced by any intermediate power nulls in the fundamental emission that might be ≥6 dB.

7.3 TEST SETUP



7.4 EUT OPERATION CONDITIONS

The EUT tested system was configured as the statements of 2.3 Unless otherwise a special operating condition is specified in the follows during the testing.






7.5 TEST RESULTS

Temperature:	25 ℃	Relative Humidity:	60%
Pressure:	1012 hPa	Test Voltage:	DC 3.8V
Test Mode:	TX Mode /CH01, CH20, CH40		

Frequency	6dB Bandwidth (MHz)	Channel Separation (MHz)	Result
2402 MHz	0.627	>=500KHz	PASS
2440 MHz	0.657	>=500KHz	PASS
2480 MHz	0.657	>=500KHz	PASS

TX CH 01





TX CH 20



TX CH 40





8. PEAK OUTPUT POWER TEST

8.1 APPLIED PROCEDURES / LIMIT

FCC Part 15.247,Subpart C						
Section	Test Item	Limit	Frequency Range (MHz)	Result		
15.247(b)(3)	Output Power	1 watt or 30dBm	2400-2483.5	PASS		

8.2 TEST PROCEDURE

a. The EUT was directly connected to the Power Sensor&PC

8.3 TEST SETUP



8.4 EUT OPERATION CONDITIONS

The EUT tested system was configured as the statements of 2.3 Unless otherwise a special operating condition is specified in the follows during the testing.

Report No.: STS1708265W03



8.5 TEST RESULTS

Temperature:	25 ℃	Relative Humidity:	60%
Pressure:	1012 hPa	Test Voltage:	DC 3.8V
Test Mode:	TX Mode /CH01, CH20, CH40		

TX Mode							
Test Channel	Frequency	Conducted Output Power		LIMIT			
	(MHz)	Peak (dBm)	AVG (dBm)	dBm			
CH01	2402	3.83	1.74	30			
CH20	2440	3.87	1.81	30			
CH40	2480	3.76	1.63	30			



9. ANTENNA REQUIREMENT

9.1 STANDARD REQUIREMENT

15.203 requirement: For intentional device, according to 15.203: an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

9.2 EUT ANTENNA

The EUT antenna is PIFA Antenna. It comply with the standard requirement.





Radiated Measurement Photos







Conducted Measurement Photos



* * * * * END OF THE REPORT * * * *