Appendix C

RF Test Data for 2.4G WIFI (Conducted Measurement)

Product Name: Digital Audio Player Trade Mark: N/A **Test Model: PAW Gold Touch**


Environmental Conditions

	Temperature:	24.1 ° C							
	Relative Humidity:	53.4%							
ATM Pressure:		100.0 kPa							
Test Engineer: Supervised by:		Diamond.Lu							
		Jayden.Zhuo							


C.1 Duty Cycle

Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
11B	2437	Ant1	100	PASS
11G	2437	Ant1	100	PASS
11N20SISO	2437	Ant1	100	PASS
11N40SISO	2437	Ant1	100	PASS


Duty Cycle_11B_2437_Ant1




Duty Cycle_11G_2437_Ant1







Duty Cycle_11N40SISO_2437_Ant1




C.2 Maximum Conducted Output Power

Mode	Channel	Meas.Level [dBm]	Limit [dBm]	Verdict
	LCH	11.88	30	PASS
11B	MCH	12.10	30	PASS
	HCH	11.51	30	PASS
	LCH	11.61	30	PASS
11G	MCH	11.75	30	PASS
	HCH	11.18	30	PASS
	LCH	12.09	30	PASS
11N20SISO	MCH	11.90	30	PASS
	HCH	11.34	30	PASS
	LCH	9.94	30	PASS
11N40SISO	MCH	10.59	30	PASS
	HCH	11.16	30	PASS

C.3 Maximum Power Spectral Density

Mode	Channel	Meas.Level [dBm/30KHz]	Limit [dBm/3KHz]	Verdict
	LCH	-0.176	8	PASS
11B	MCH	-2.673	8	PASS
	HCH	-0.032	8	PASS
	LCH	-13.062	8	PASS
11G	MCH	-12.882	8	PASS
	HCH	-13.768	8	PASS
	LCH	-12.442	8	PASS
11N20SISO	MCH	-12.526	8	PASS
	HCH	-13.209	8	PASS
	LCH	-18.021	8	PASS
11N40SISO	MCH	-17.770	8	PASS
	HCH	-16.921	8	PASS



#VBW 100 kHz

-50.0

_{raka}nkistika wipi kalendahi

Center 2.45200 GHz #Res BW 30 kHz Man

Freq Offset

<u>Auto</u>


North Andrew Control of the Control

Span 60.00 MHz Sweep 63.27 ms (1001 pts)

STATUS


C.4 6dB Bandwidth


Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
	LCH	10.10	≥0.5	PASS
11B	MCH	10.09	≥0.5	PASS
	HCH	10.08	≥0.5	PASS
	LCH	16.63	≥0.5	PASS
11G	MCH	16.60	≥0.5	PASS
	HCH	16.62	≥0.5	PASS
	LCH	17.81	≥0.5	PASS
11N20SISO	MCH	17.81	≥0.5	PASS
	HCH	17.84	≥0.5	PASS
	LCH	36.53	≥0.5	PASS
11N40SISO	MCH	36.52	≥0.5	PASS
	HCH	36.12	≥0.5	PASS





C.5 RF Conducted Spurious Emissions


Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdic t
	LCH	-0.074	-43.619	-20.074	PASS
11B	MCH	0.495	-43.157	-19.505	PASS
	HCH	0.243	-43.126	-19.757	PASS
	LCH	-10.479	-42.896	-30.479	PASS
11G	MCH	-10.207	-44.254	-30.207	PASS
	HCH	-10.845	-42.711	-30.845	PASS
	LCH	-9.717	-43.108	-29.717	PASS
11N20	MCH	-10.319	-43.795	-30.319	PASS
SISO	НСН	-10.917	-43.733	-30.917	PASS
	LCH	-14.919	-43.928	-34.919	PASS
11N40	MCH	-14.451	-43.755	-34.451	PASS
SISO	HCH	-14.054	-43.612	-34.054	PASS

































C.6 Band-edge for RF Conducted Emissions


Mode	Channel	Carrier Power[dBm]	Max.Spurious Level	Limit [dBm]	Verdict
4.45	LCH	-0.174	-48.781	-20.17	PASS
11B	HCH	-0.136	-50.094	-20.14	PASS
	LCH	-10.556	-49.274	-30.56	PASS
11G	HCH	-10.876	-49.987	-30.88	PASS
	LCH	-9.752	-49.813	-29.75	PASS
11N20SISO	HCH	-10.626	-49.054	-30.63	PASS
	LCH	-14.990	-50.334	-34.99	PASS
11N40SISO	HCH	-14.106	-49.709	-34.11	PASS




C.7 Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBu V/m]	Verdict
	2412	Ant1	2310.0	-44.21	2.0	0	51.05	PEAK	74	PASS
	2412	Ant1	2310.0	-53.83	2.0	0	41.43	AV	54	PASS
	2412	Ant1	2390.0	-41.76	2.0	0	53.50	PEAK	74	PASS
	2412	Ant1	2390.0	-53.35	2.0	0	41.90	AV	54	PASS
11B	2462	Ant1	2483.5	-43.43	2.0	0	51.83	PEAK	74	PASS
	2462	Ant1	2483.5	-53.13	2.0	0	42.13	AV	54	PASS
	2462	Ant1	2500.0	-42.63	2.0	0	52.63	PEAK	74	PASS
	2462	Ant1	2500.0	-53.07	2.0	0	42.19	AV	54	PASS
	2412	Ant1	2310.0	-43.15	2.0	0	52.11	PEAK	74	PASS
	2412	Ant1	2310.0	-53.83	2.0	0	41.43	AV	54	PASS
	2412	Ant1	2390.0	-43.61	2.0	0	51.65	PEAK	74	PASS
	2412	Ant1	2390.0	-53.01	2.0	0	42.25	AV	54	PASS
11G	2462	Ant1	2483.5	-42.60	2.0	0	52.65	PEAK	74	PASS
	2462	Ant1	2483.5	-52.96	2.0	0	42.29	AV	54	PASS
	2462	Ant1	2500.0	-41.94	2.0	0	53.32	PEAK	74	PASS
	2462	Ant1	2500.0	-52.91	2.0	0	42.35	AV	54	PASS
	2412	Ant1	2310.0	-43.20	2.0	0	52.06	PEAK	74	PASS
	2412	Ant1	2310.0	-53.81	2.0	0	41.45	AV	54	PASS
	2412	Ant1	2390.0	-42.84	2.0	0	52.42	PEAK	74	PASS
11N20	2412	Ant1	2390.0	-53.03	2.0	0	42.23	AV	54	PASS
SISO	2462	Ant1	2483.5	-40.51	2.0	0	54.75	PEAK	74	PASS
	2462	Ant1	2483.5	-52.95	2.0	0	42.31	AV	54	PASS
	2462	Ant1	2500.0	-40.67	2.0	0	54.59	PEAK	74	PASS
	2462	Ant1	2500.0	-52.91	2.0	0	42.34	AV	54	PASS
11N40	2422	Ant1	2310.0	-43.20	2.0	0	52.06	PEAK	74	PASS
SISO	2422	Ant1	2310.0	-53.84	2.0	0	41.42	AV	54	PASS

<u>S</u>	SHENZHEN LCS COMPLIANCE TESTING LABORATORY LTD.						FCC ID: 2AFA5-	Report No.: LCS181016013AEC				
		2422	Ant1	2390.0	-43.12	2.0	0	52.14	PEAK	74	PASS	
		2422	Ant1	2390.0	-53.36	2.0	0	41.90	AV	54	PASS	
		2452	Ant1	2483.5	-40.53	2.0	0	54.73	PEAK	74	PASS	
		2452	Ant1	2483.5	-52.93	2.0	0	42.33	AV	54	PASS	
		2452	Ant1	2500.0	-41.76	2.0	0	53.50	PEAK	74	PASS	
		2452	Ant1	2500.0	-52.95	2.0	0	42.30	AV	54	PASS	




Restrict-band band-edge measurements_11B_2412_Ant1_AV





Page 39 of 46

Restrict-band band-edge measurements_11B_2462_Ant1_PEAK




Restrict-band band-edge measurements_11B_2462_Ant1_AV







Restrict-band band-edge measurements_11G_2412_Ant1_AV




Restrict-band band-edge measurements_11G_2462_Ant1_PEAK





Restrict-band band-edge measurements_11G_2462_Ant1_AV







Restrict-band band-edge measurements_11N20SISO_2412_Ant1_AV







Restrict-band band-edge measurements_11N20SISO_2462_Ant1_AV








Restrict-band band-edge measurements_11N40SISO_2422_Ant1_AV



Restrict-band band-edge measurements_11N40SISO_2452_Ant1_PEAK



Restrict-band band-edge measurements_11N40SISO_2452_Ant1_AV

