
LTE Band 12

Peak-to-Average Ratio


Mode					
Mod.	QP	SK	16C	Limit: 13dB	
RB Size	1RB	Full RB	1RB	Full RB	Result
Lowest CH	3.94	4.75	4.75	5.86	
Middle CH	4.35	4.49	4.87	5.62	PASS
Highest CH	4.46	4.81	5.28	5.71	

Report No.: FG5N2627B

SPORTON INTERNATIONAL INC. Page Number : A12-1 of 30



Report No.: FG5N2627B




Report No.: FG5N2627B

26dB Bandwidth

Mode	LTE Band 12 : 26dB BW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Lowest CH	1.23	1.21	3.02	3.05	4.87	4.87	9.69	9.83	-	-	-	-
Middle CH	1.23	1.22	3.02	3.03	4.92	4.87	9.81	9.89	-	-	-	-
Highest CH	1.22	1.23	3.01	3.03	4.86	4.93	9.83	9.71	-	-	-	-


Report No.: FG5N2627B

SPORTON INTERNATIONAL INC. Page Number : A12-4 of 30




Page Number : A12-5 of 30

Report No.: FG5N2627B




Page Number : A12-6 of 30

Report No.: FG5N2627B



Page Number : A12-7 of 30

Report No.: FG5N2627B



Page Number : A12-8 of 30


Report No.: FG5N2627B

Occupied Bandwidth

Mode	LTE Band 12 : 99%OBW(MHz)											
BW	1.4	ИНz	3N	lHz	5N	lHz	101	ИHz	15N	ИHz	201	ИHz
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Lowest CH	1.09	1.09	2.7	2.72	4.5	4.5	9.05	9.05	-	-	-	-
Middle CH	1.09	1.09	2.73	2.72	4.47	4.5	9.03	9.07	-	-	-	-
Highest CH	1.09	1.09	2.71	2.72	4.5	4.49	9.09	8.99	-	-	-	-


Report No.: FG5N2627B

SPORTON INTERNATIONAL INC. Page Number : A12-9 of 30




Page Number : A12-10 of 30

Report No.: FG5N2627B




Page Number : A12-11 of 30

Report No.: FG5N2627B



Page Number : A12-12 of 30

Report No.: FG5N2627B




Page Number : A12-13 of 30

Report No.: FG5N2627B

Conducted Band Edge


Report No.: FG5N2627B

SPORTON INTERNATIONAL INC. Page Number: A12-14 of 30




Page Number : A12-15 of 30

Report No.: FG5N2627B




Page Number : A12-16 of 30

Report No.: FG5N2627B




Page Number : A12-17 of 30

Report No.: FG5N2627B




Page Number : A12-18 of 30

Report No.: FG5N2627B




Page Number : A12-19 of 30

Report No.: FG5N2627B




Page Number : A12-20 of 30

Report No.: FG5N2627B



Page Number : A12-21 of 30

Report No.: FG5N2627B




Page Number : A12-22 of 30

Report No.: FG5N2627B

Conducted Spurious Emission


Report No.: FG5N2627B

SPORTON INTERNATIONAL INC. Page Number: A12-23 of 30



Page Number : A12-24 of 30

Report No.: FG5N2627B




SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 Page Number : A12-25 of 30

Report No.: FG5N2627B




Report No.: FG5N2627B



Page Number : A12-27 of 30

Report No.: FG5N2627B



SPORTON INTERNATIONAL INC.

TEL: 886-3-327-3456 FAX: 886-3-328-4978 Page Number : A12-28 of 30

Report No.: FG5N2627B



Page Number : A12-29 of 30

Report No.: FG5N2627B

Frequency Stability

Test (Conditions	LTE Band 12 (QPSK) / Middle Channel	Limit
_		BW 10MHz	Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0007	
40	Normal Voltage	0.0114	
30	Normal Voltage	0.0113	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0004	
0	Normal Voltage	0.0107	
-10	Normal Voltage	0.0110	PASS
-20	Normal Voltage	0.0004	
-30	Normal Voltage	0.0018	
20	Maximum Voltage	0.0102	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0007	

Report No.: FG5N2627B

Note:

- 1. Normal Voltage = 3.8V. ; Battery End Point (BEP) = 3.5 V.; Maximum Voltage =4.2 V
- 2. The frequency fundamental emissions stay within the authorized frequency block.

SPORTON INTERNATIONAL INC. Page Number: A12-30 of 30