Global EMC Inc. Labs

EMC & RF Test Report

As per RSS 210 Issue 8:2010

&

FCC Part 15 Subpart C:2015 Unlicensed Intentional Radiators

on the

Watts Water Quality UV SMARTSTREAM B-Series

Raymond Lee Au, B.Eng

aymond Lee An

Project Engineer Global EMC Inc. 11 Gordon Collins Dr. Gormley, ON Canada, L0H 1G0

Ph: (905) 883-8189

Testing produced for



See *Appendix A* for full customer & EUT details.









Client	Watts Water Quality
Product	UV SMARTSTREAM B-Series
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015



Table of Contents

Table of Contents	2
Report Scope	3
Summary	4
Test Results Summary Justifications, Descriptions, Deviations & Notes Applicable Standards, Specifications and Methods Sample calculation(s) Document Revision Status	6 8 9
Definitions and Acronyms	10
Testing Facility	11
Calibrations and Accreditations Testing Environmental Conditions and Dates	
Detailed Test Results Section	13
Radiated Emissions – Spurious Radiated Emissions – Fundamental 20 dB Bandwidth Power Line Conducted Emissions	28 33
Appendix A – EUT Summary	41
Appendix B – EUT and Test Setup Photographs	43

Client	Watts Water Quality	CLODA
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	EINICING

Report Scope

This report addresses the EMC testing and test results of the Watts Water Quality UV SMARTSTREAM B-Series water treatment system. This unit is herein referred to as EUT (Equipment Under Test). Testing is performed at Global EMC Labs.

The EUT was tested for compliance against the following standards:

RSS 210 Issue 8:2010 FCC Part 15 Subpart C:2015

Test procedures, results, justifications, and engineering considerations, if any, follow later in this report.

The results contained in this report relate only to the item(s) tested.

This report does not imply product endorsement by A2LA or any other accreditation agency, any government, or Global EMC Inc.

Opinions/interpretations expressed in this report, if any, are outside the scope of Global EMC Inc accreditation. Any opinions expressed do not necessarily reflect the opinions of Global EMC Inc, unless otherwise stated.

Page 3 of 46 Report issue date: 11/13/2015 GEMC File #: GEMC-FCC-22847BR1

Client	Watts Water Quality	CLODA
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	EINICINC

Summary

The results contained in this report relate only to the item(s) tested.

EUT FCC Certification #, FCC ID:	2AFJT-SMARTSTREAM-B
EUT Industry Canada Certification #, IC:	20623-SMARTSTRMB
EUT Passed all tests performed.	Yes (see test results summary)
Tests conducted by	Raymond Lee Au

Client	Watts Water Quality	CLODAT
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	ENICING

Test Results Summary

Standard/Method	Description	Class/Limit	Result
FCC 15.203	Antenna Requirement	Unique	Pass See Justifications
FCC 15.205 RSS-GEN (Table 6)	Restricted Bands for intentional operation	Quasi-Peak Average	Pass
FCC 15.207 RSS-GEN (Table 3)	Power Line Conducted Emissions	Quasi-Peak Average	Pass
FCC 15.209 RSS-GEN (Tables 4.5)	Spurious Radiated emissions	Quasi-Peak Average	Pass
	PASS		

All tests were performed by Raymond Lee Au.

If the product as tested or otherwise complies with the specification, the EUT is deemed to comply with the requirement and is deemed a 'PASS' grade. If not 'FAIL' grade will be issued. Note that 'PASS' / 'FAIL' grade is independent of any measurement uncertainties. A 'PASS' / 'FAIL' grade within measurement uncertainty is marked with a '*'.

Page 5 of 46 Report issue date: 11/13/2015 GEMC File #: GEMC-FCC-22847BR1

Client	Watts Water Quality	CLODAT
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	ENICING

Justifications, Descriptions, Deviations & Notes

The following justifications for tests not performed or deviations from the above listed specifications apply:

For the antenna requirement specified in FCC 15.203, the antenna is a PCB trace antenna located inside a compartment screwed to the chassis of the unit. The antenna is connected to the PCB using U.FL connectors, which are secured with heatshrink tubbing at the antenna end, and glued at the PCB end to prevent unauthorized antenna replacement.

The EUT consists of a family of similar products. All units in the series have the same PCB and transmitter located in the same locations. Within each series there are 5 units, each controlled by the same PCB. The differences among the units in a series are the size and power of the UV lamp it drives, and the size of the plumbing pipe containing the lamp. Units are available in each series with 8, 11, 18, 25, and 32W lamps. The non-common parts between the units do not have wireless capabilities. All other components on the control boards are identical (and all come with a 7-segment LED display only).

These "Series-B" units are not to be confused with the "Series-C" and "Series-D" units by the same manufacturer. They share many common parts, including the design of the intentional radiator, but they have a different main PCB design, as well as supporting different lamp sizes.

For the Restricted Bands of operation, the 15.209 transmitter is designed to operate at 13.56 MHz.

The term "Series B" is used interchangeably with "B-Series," throughout this report. They refer to the same product line.

To cover the range of products in the product family, full testing is performed on a Series B, 32W unit, model WB012, as representative of the Series B units. It is the most fully configured unit in the product family, and the others simply use lower powered versions of the lamp.

See the table below for a summary of the units in the B-Series.

Client	Watts Water Quality	
Product	UV SMARTSTREAM B-Series	
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	



Summary of Product Family						
Series	Model	Tested Unit?	Power (W)	Water volume rating (gpm)	Chamber Length (Inches)	Chamber Diameter (Inches)
Series B	WB001	Yes. Meets 15.209 limits	8	1	9.1	2.5
	WB002	No. To be listed as part of family.	11	2	11.4	2.5
	WB008	No. To be listed as part of family.	18	8	23.2	2.5
	WB006	No. To be listed as part of family.	25	6	28.4	2.5
	WB012	Yes. Meets 15.209 limits	32	12	28.9	3.5

Client	Watts Water Quality	CLODA
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	

Applicable Standards, Specifications and Methods

ANSI C63.4:2009	- Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz
ANSI C63.4:2014	- American National Standard for Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz
ANSI C63.10:2009	- American national standard for testing unlicensed wireless devices
ANSI C63.10:2013	- American National Standard of Procedures for Compliance Testing of Unlicensed Wireless Devices
CFR 47 FCC 15:2015	5 - Code of Federal Regulations – Radio Frequency Devices
CISPR 22:2008	- Information technology equipment – Radio disturbance characteristics – Limits and methods of measurement
ICES-003:2010	- Digital Apparatus - Spectrum Management and Telecommunications Policy Interference-Causing Equipment Standard
ISO 17025:2005	- General Requirements for the competence of testing and calibration laboratories
RSS-GEN:2014	- Issue 4: General Requirements for Compliance of Radio Apparatus
RSS 210:2010	- Issue 8: Licence-exempt Radio Apparatus (All Frequency Bands): Category I Equipment

Page 8 of 46 Report issue date: 11/13/2015 GEMC File #: GEMC-FCC-22847BR1

Client	Watts Water Quality	CLODA
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	EINIC INC

Sample calculation(s)

Margin = limit – (received signal + antenna factor + cable loss – pre-amp gain)

Margin = 50.5 dBuV/m - (50 dBuV + 10 dB + 2.5 dB - 20 dB)

Margin = 8 dB

Document Revision Status

Release 1 - November 13, 2015

- Initial release.

Page 9 of 46 Report issue date: 11/13/2015 GEMC File #: GEMC-FCC-22847BR1

Client	Watts Water Quality	CLODAT
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	ENICING

Definitions and Acronyms

The following definitions and acronyms are applicable in this report. See also ANSI C63.14.

AE – Auxiallary Equipment.

BW – Bandwidth. Unless otherwise stated, this is refers to the 6 dB bandwidth.

EMC – Electro-Magnetic Compatibility

EMI – Electro-Magnetic Immunity

EUT – Equipment Under Test

ITE – Information Technology Equipment with a primary function(s) of entry, storage, display, retrieval, transmission, processing, switching, or control, of data.

LISN – Line impedance stabilization network

NCR – No Calibration Required

RF – Radio Frequency

Page 10 of 46 Report issue date: 11/13/2015 GEMC File #: GEMC-FCC-22847BR1

Client	Watts Water Quality	CLODA
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	EINICING

Testing Facility

Testing for EMC on the EUT was carried out at Global EMC labs in Toronto, Ontario, Canada. The testing lab consists of a 3m semi-anechoic chamber calibrated to be able to allow measurements on an EUT with a maximum width or length of up to 2m and height up to 3m. The chamber is equipped with a turn table that is capable of testing devices up to 3300lb in weight. This facility is capable of testing products that are rated for 120 Vac and 240Vac single phase, or 208 Vac 3 phase input. DC capability is also available. The chamber is equipped with an antenna mast that controls polarization and height from the control room adjoining the shielded chamber. Radiated emissions measurements are performed using a Bilog, and Horn antenna where applicable. Conducted emissions, unless otherwise stated, are performed using a LISN.

Calibrations and Accreditations

The measurement site used is registered with Federal Communications Commission (FCC) and Industry Canada (IC). This site is calibrated for Normalized Site Attenuation (NSA) using test procedures outlined in ANSI C63.4 "Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz". The semi-anechoic chamber is lined with ferrite tiles and absorption cones to minimize any undesired reflections. All measuring equipment is calibrated on an annual or bi-annual basis as listed for each respective test.

Client	Watts Water Quality	CLODAT
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	ENICING

Testing Environmental Conditions and Dates

Following were the environmental conditions in the facility during time of testing –

Date	Test	Init.	Temperature (°C)	Humidity (%)	Pressure (kPa)
Oct. 7, 2015	RE	RA	20-25°C	30-45%	100 -103kPa
Oct. 9, 2015	CE	RA	20-25°C	30-45%	100 -103kPa
Oct.12, 2015	BW	RA	20-25°C	30-45%	100 -103kPa

RE = Radiated Emissions

CE = Conducted Emissions

BW = Bandwidth Measurements

Client	Watts Water Quality	CLODA
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	EINC INC

Detailed Test Results Section

Client	Watts Water Quality	CLODA
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	EINICING

Radiated Emissions - Spurious

Purpose

The purpose of this test is to ensure that the RF energy unintentionally emitted from the EUT does not exceed the limits listed below as defined in the applicable test standard, as measured from a receiving antenna. This helps protect broadcast radio services such as television, FM radio, pagers, cellular telephones, emergency services, and so on, from unwanted interference.

Limit(s) and Method

Above 1000 MHz:

The method is as defined in ANSI C63.4:2009. The limits are as defined in FCC Part 15, Section 15.209:

2400/F uV/m (67.6-20log F dBuV/m) at 300 m ⁽¹⁾ 0.009 MHz - 0.490 MHz: $(147.6-20\log(F) \text{ at } 3 \text{ m})^{(1)}$ $24000/F \text{ uV/m} (87.6-20\log(F) \text{ dBuV/m}) \text{ at } 30 \text{ m}^{(1)}$ 0.490 MHz - 1.705 MHz: $(127.6-20\log(F) \text{ at } 3 \text{ m})^{(1)}$ 1.705 MHz - 30.0 MHz: $30 \text{ uV/m} (29.5 \text{ dBuV/m}) \text{ at } 30 \text{ m}^{(1)}, (69.5 \text{ dBuV/m at } 3\text{m})^{(1)}$ $100 \text{ uV/m} (40.0 \text{ dBuV/m}^1) \text{ at } 3 \text{ m}^{(1)}$ 30 MHZ – 88 MHz: $150 \text{ uV/m} (43.5 \text{ dBuV/m}^1) \text{ at } 3 \text{ m}^{(1)}$ 88 MHz – 216 MHz: $200 \text{ uV/m} (46.0 \text{ dBuV/m}^1) \text{ at } 3 \text{ m}^{(1)}$ 216 MHz – 960 MHz: $500 \text{ uV/m} (54.0 \text{ dBuV/m}^1) \text{ at } 3 \text{ m}^{(1)}$ Above 960 MHz: 500~uV/m (54 dBuV/m^2) at 3m $^{(2)}$ Above 1000 MHz:

 $500 \text{ uV/m} (74 \text{ dBuV/m}^3) \text{ at } 3\text{m}^{(3)}$

Page 14 of 46 Report issue date: 11/13/2015 GEMC File #: GEMC-FCC-22847BR1


⁽¹⁾ Limit is with Quasi Peak detector with bandwidths as defined in CISPR-16-1-1.

⁽²⁾ Limit is with 1 MHz measurement bandwidth and using an Average detector.

⁽³⁾ Limit is with 1 MHz measurement bandwidth and using a Peak detector

Client	Watts Water Quality	CLODA
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	

Typical Radiated Emissions Setup



Measurement Uncertainty

The expanded measurement uncertainty is calculated in accordance with CISPR 16-4-2 and is +/-4.4 dB with a 'k=2' coverage factor and a 95% confidence level.

Preliminary Graphs

Note the graphs shown below are for graphical illustration only. For final measurements with the appropriate detector, please refer to the final measurement table where applicable. The graphs shown below are maximized peak measurement graphs, measured with a resolution bandwidth greater than or equal to, the final required detector and over a full 0-360° rotation. This peaking process is done as a worst case measurement. This process enables the detection of frequencies of concern for final measurement, and provides considerable time savings.

In accordance with FCC Part 15, Subpart A, Section 15.33, the device was scanned to the 10th harmonic.

Page 15 of 46 Report issue date: 11/13/2015 GEMC File #: GEMC-FCC-22847BR1

Client	Watts Water Quality	CLODA
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	

Devices may be scanned at alternate test distances, and in accordance with FCC Part 15, Subpart A, Section 15.31, an extrapolation factor of 20 dB/decade was used above 30 MHz and 40 dB/decade below 30 MHz. For example for 1 meter measurements, an extrapolation factor 9.5 dB from 20 Log (1m/3m) is applied.

See final measurement section for all measurements.

The EUT was scanned with the transmitter on and transmitting continuous modulated data at maximum power

Plots and measurements are made at a 3 meter distance.


The EUT was scanned in the 3 orthogonal positions, and results from the worst case position are presented in this report.

Model WB001 was also tested as a spot check to confirm that units incorporating the smallest size of water chamber would not produce emissions that would fail.

Client	Watts Water Quality
Product	UV SMARTSTREAM B-Series
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015




Peak Emissions Graph 9 kHz to 150 kHz 3 meter test distance



Client	Watts Water Quality	AL.
Product	UV SMARTSTREAM B-Series	GL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	




Peak Emissions Graph 150 kHz to 30 MHz 3 meter test distance



Client	Watts Water Quality	
Product	UV SMARTSTREAM B-Series	
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	




Peak Emissions Graph Vertical Antenna Polarity 30 MHz to 1 GHz 3 meter test distance



Client	Watts Water Quality			
Product	UV SMARTSTREAM B-Series			
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015			




Peak Emissions Graph Horizontal Antenna Polarity 30 MHz to 1 GHz 3 meter test distance



Client	Watts Water Quality			
Product	UV SMARTSTREAM B-Series			
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015			




Peak Emissions Graph 9 kHz to 150 kHz 3 meter test distance



Client	Watts Water Quality	01.6
Product	UV SMARTSTREAM B-Series	GLO
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	




Peak Emissions Graph 150 kHz to 30 MHz 3 meter test distance



Client	Watts Water Quality	OL AL
Product	UV SMARTSTREAM B-Series	GLUI
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	EIV




Peak Emissions Graph Vertical Antenna Polarity 30 MHz to 1 GHz 3 meter test distance



Client	Watts Water Quality	OL OF
Product	UV SMARTSTREAM B-Series	GLUE
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	EIVI



Peak Emissions Graph Horizontal Antenna Polarity 30 MHz to 1 GHz 3 meter test distance



Client	Watts Water Quality	CLODA
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	

Final Measurements

Radiated Emissions Spurious measurements 3m test distance

WB012 (32W lamp)

Test Frequency (MHz)	Detection mode	Raw signal dB(μV)	Antenna factor (dB)	Cable loss + Pre- selector (dB)	Pre- Amp Gain dB	Received signal dB(μV/m)	Emission limit dB(μV/m)	Margin dB(μV)	Result
			Ve	ertical Ante	nna Polari	ty			
33.7	QP	53.93	14.2	0.5	-33.1	35.53	40	4.47	Pass
39.8	QP	55.5	11	0.5	-33.1	33.9	40	6.1	Pass
49.0	QP	58.87	7.9	0.6	-33.2	34.17	40	5.83	Pass
98.3	Peak	61.4	9.2	0.8	-33.2	38.2	43.5	5.3	Pass
66.3	Peak	62.9	6.7	0.7	-33.2	37.1	40	2.9	Pass
200.4	Peak	53.5	10.6	1.1	-33.4	31.8	43.5	11.7	Pass
			Hor	rizontal Ant	enna Pola	rity			
298.3	Peak	62.1	13.9	1.3	-33.7	43.6	46.4	2.8	Pass
33.9	Peak	50.5	16.3	0.5	-33.1	34.2	40	5.8	Pass
195.7	Peak	53.8	10.7	1.1	-33.4	32.2	43.5	11.3	Pass
273.9	Peak	58.1	13.1	1.3	-33.6	38.9	46.4	7.5	Pass
352.4	Peak	55.2	15.6	1.4	-33.8	38.4	46.4	8	Pass
350.0	Peak	55	15.6	1.4	-33.8	38.2	46.4	8.2	Pass

Page 25 of 46 Report issue date: 11/13/2015 GEMC File #: GEMC-FCC-22847BR1

Client	Watts Water Quality	
Product	UV SMARTSTREAM B-Series	
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	



Radiated Emissions Spurious measurements 3m test distance

WB001 (8W lamp)

Test Frequency (MHz)	Detection mode	Raw signal dB(μV)	Antenna factor (dB)	Cable loss + Pre- selector (dB)	Pre- Amp Gain dB	Received signal dB(μV/m)	Emission limit dB(μV/m)	Margin dB(μV)	Result
			Ve	rtical Ante	nna Polari	ity			
35.8	QP	58.44	12.2	0.5	-33.1	38.04	40	1.96	Pass
31.1	QP	51.76	15	0.5	-33.1	34.16	40	5.84	Pass
47.7	QP	61.45	8.4	0.6	-33.2	37.25	40	2.75	Pass
41.8	QP	56.82	9.8	0.6	-33.1	34.12	40	5.88	Pass
68.2	QP	55.79	5.9	0.7	-33.2	29.19	40	10.81	Pass
100.1	QP	53.26	9.2	0.8	-33.2	30.06	43.5	13.44	Pass
100.1	QP	53.26	9.2	0.8	-33.2	30.06	43.5	13.44	Pass
103.0	QP	51.96	9.2	0.8	-33.2	28.76	43.5	14.74	Pass
			Hor	izontal Ant	enna Pola	rity			
35.6	QP	48.92	14.5	0.5	-33.1	30.82	40	9.18	Pass
102.8	QP	51.3	8.8	0.8	-33.2	27.7	43.5	15.8	Pass
99.6	QP	52.06	8.7	0.8	-33.2	28.36	43.5	15.14	Pass
202.4	QP	56.13	10.4	1.1	-33.4	34.23	43.5	9.27	Pass
198.4	Peak	62.2	10.4	1.1	-33.4	40.3	43.5	3.2	Pass
82.3	Peak	61.1	6.8	0.7	-33.2	35.4	40	4.6	Pass

Page 26 of 46 Report issue date: 11/13/2015 GEMC File #: GEMC-FCC-22847BR1

Client	Watts Water Quality	CLODA
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	

Test Equipment List

Equipment	Model No.	Manufacturer	Last calibration date	Next calibration due date	Asset #
Spectrum Analyzer	8566B	HP	May 21, 2014	May 21, 2016	GEMC 193
Quasi-Peak Adapter	85650A	HP	May 22, 2014	May 22, 2016	GEMC 194
Loop Antenna 30Hz – 1MHz	EM 6871	Electro-Metrics	Feb. 3, 2015	Feb. 3, 2017	GEMC 70
Loop Antenna 100kHz – 30MHz	EM 6872	Electro-Metrics	Feb. 3, 2015	Feb. 3, 2017	GEMC 71
BiLog Antenna	3142-C	ETS	Feb. 10, 2015	Feb. 10, 2017	GEMC 137
Preamp	CPA9231A	Chase	Sept. 9, 2014	Sept. 9, 2016	GEMC 6403
RF Cable 7m	LMR-400-7M- 50OHM-MN- MN	LexTec	NCR	NCR	GEMC 28
RF Cable 1m	LMR-400-1M- 50OHM-MN- MN	LexTec	NCR	NCR	GEMC 29

This report module is based on GEMC template "FCC - 15.209 - Radiated Emissions_Rev1.doc"

Client	Watts Water Quality	CLODA
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	EINICINU

Radiated Emissions - Fundamental

Purpose

The purpose of these tests is to ensure that the RF energy emitted from the EUT does not exceed the limits listed below as defined in the applicable test standard, as measured from a receiving antenna. This helps protect broadcast radio services such as television, FM radio, pagers, cellular telephones, emergency services, and so on, from unwanted interference. RF energy unintentionally emitted from the EUT, and the intentionally emitted fundamental and its harmonics, have limits as shown below.

Limit(s) and Method

The method is as defined in ANSI C63.4:2009 and as per applicable standards.

For the fundamental and harmonics, the limits are as defined in FCC Part 15, Section 15.209 (at 3m):

Fundamental frequency	Field strength limits	Field strength limit of fundamental
1.705-30.0 MHz ⁴	30 μV/m at 30m	At 13.56 MHz: 69.54 dBμV/m at 3m

For other spurious emissions, the limits are as defined in FCC Part 15, Section 15.209:

```
0.009~MHz - 0.490~MHz, 2400/F(kHz)~\mu V/m~^{(3),(4)}~at~300m~0.490~MHz - 1.705~MHz, 24000/F(kHz)~uV/m~^{(4)}~at~30~m~30~MHz - 88~MHz, 100~uV/m~(40.0~dBuV/m~^{(1)})~at~3~m~88~MHz - 216~MHz, 150~uV/m~(43.5~dBuV/m~^{(1)})~at~3~m~216~MHz - 960~MHz, 200~uV/m~(46.4~dBuV/m~^{(1)})~at~3~m~Above~960~MHz, 500~uV/m~(54.0~dBuV/m~^{(1)})~at~3~m~Above~1000~MHz, 500~uV/m~(54~dBuV/m~^{(2)})~at~3~m~
```

Page 28 of 46 Report issue date: 11/13/2015 GEMC File #: GEMC-FCC-22847BR1

⁽¹⁾ Limit is with 120 kHz measurement bandwidth and a using a Quasi Peak detector. (2) Limit is with 1 MHz measurement bandwidth and using an Average detector. A peak limit of 20 dB higher additionally applies.


 $^{^{(3)}}$ In the frequency bands 9-90 kHz, and 110-490 kHz, limit is defined using an Average detector. A peak limit of 20 dB higher additionally applies. Otherwise it is a using a Quasi Peak detector.

Client	Watts Water Quality	CLARA
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	EINICING

 $^{^{(4)}}$ In the frequency bands 9-150 kHz, and 150 kHz -30 MHz, limit is defined with a 200 Hz and 9 kHz measurement bandwidths respectively.

Peak field strengths are limited to be at most 20 dB above the average limits where defined at the corresponding frequencies.

To obtain the maximum emission, the loop antenna is positioned with its plane vertical and rotated about its vertical axis at the maximum azimuth position. This is then repeated with its plane horizontal, and rotated about the horizontal axis. The maximum obtained emission is presented.



Typical Radiated Emissions Setup

Measurement Uncertainty

The expanded measurement uncertainty is calculated in accordance with CISPR 16-4-2 and is \pm 4-4.4 dB with a 'k=2' coverage factor and a 95% confidence level.

Preliminary Graphs

The graphs shown below are peak scans for graphical illustration only. For final measurements with the appropriate detector, please refer to the final measurement table where applicable. The graph shown below is a maximized peak measurement graph, measured with a resolution bandwidth greater than or equal to, the final required detector

Page 29 of 46 Report issue date: 11/13/2015 GEMC File #: GEMC-FCC-22847BR1


Client	Watts Water Quality	CLODA
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	

and over a full 0-360° rotation. This peaking process is done as a worst case measurement. This process enables the detection of frequencies of concern for final measurement, and provides considerable time savings.

In accordance with FCC Part 15, Subpart A, Section 15.33, the device was scanned to at least the 10th harmonic.

Peak Fundamental Emissions Plot 3m test distance (Factors not incorporated. See *Final Measurements*.)

WB012 (32W lamp)




Page 30 of 46 Report issue date: 11/13/2015 GEMC File #: GEMC-FCC-22847BR1

Client	Watts Water Quality	
Product	UV SMARTSTREAM B-Series	
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	



Peak Fundamental Emissions Plot 3m test distance (Factors not incorporated. See *Final Measurements*.)

WB001 (8W lamp)



Page 31 of 46 Report issue date: 11/13/2015 GEMC File #: GEMC-FCC-22847BR1

Client	Watts Water Quality	CLODATE
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	EINICING

Final Measurements

Radiated Emissions - 15.209

Test Frequency (MHz)	Detection mode	Raw signal dB(µA)	dBμA to dBμV conversion factor	Antenna factor dB	Cable loss + Pre- selector dB	Attenuator dB	Pre- Amp Gain dB	Received signal dB(µV/m)	Emission limit dB(µV/m)	Margin dB(μV)	Result
				W	B012 (32)	W lamp)					
13.56	Peak	47.5	51.5	-16.2	0.3	0.0	33.0	50.1	69.5	19.4	Pass
	WB001 (8W lamp)										
13.56	Peak	42.8	51.5	-16.2	0.3	0.0	33.0	45.4	69.5	24.1	Pass

See Radiated Emissions – Spurious section in this report for spurious emissions test results.

Peak emissions meet the general emission limit requirements of 15.209.

Test Equipment List

Equipment	Model No.	Manufacturer	Last calibration date	Next calibration due date	Asset #
Spectrum Analyzer	8566B	HP	May 21, 2014	May 21, 2016	GEMC 193
Quasi-Peak Adapter	85650A	HP	May 22, 2014	May 22, 2016	GEMC 194
Loop Antenna 100kHz – 30MHz	EM 6872	Electro-Metrics	Feb. 3, 2015	Feb. 3, 2017	GEMC 71
Preamp	CPA9231A	Chase	Sept. 9, 2014	Sept. 9, 2016	GEMC 6403
RF Cable 7m	LMR-400-7M- 50OHM-MN- MN	LexTec	NCR	NCR	GEMC 28
RF Cable 1m	LMR-400-1M- 50OHM-MN- MN	LexTec	NCR	NCR	GEMC 29

Page 32 of 46 Report issue date: 11/13/2015 GEMC File #: GEMC-FCC-22847BR1

Client	Watts Water Quality	CLODAT
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	ENICING

20 dB Bandwidth

Purpose

The purpose of this test is to find the 20 dB bandwidth of the emission. This is the bandwidth which is attenuated 20 dB from the peak of the intentional transmission.


Limit(s) and Method

The method is as defined in ANSI C63.10.

There are no applicable limits for this test. Its results are for informational purposes only.

Preliminary Graphs

20 dB Bandwidth for 13.56 MHz Transmission WB012



Page 33 of 46 Report issue date: 11/13/2015 GEMC File #: GEMC-FCC-22847BR1

Client	Watts Water Quality	CLODA
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	EINICINU

Results

The 20 dB bandwidth for the 13.56 MHz transmission is 798 Hz.

Test Equipment List

Equipment	Model No.	Manufacturer	Last calibration date	Next calibration due date	Asset #
Spectrum Analyzer	FSU	Rohde & Schwarz	Jan. 19, 2015	Jan. 19, 2017	GEMC 198
Loop Antenna 100kHz – 30MHz	EM 6872	Electro-Metrics	Feb. 3, 2015	Feb. 3, 2017	GEMC 71
Preamp	CPA9231A	Chase	Sept. 9, 2014	Sept. 9, 2016	GEMC 6403

Client	Watts Water Quality	CLODA
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	EINCINC

Power Line Conducted Emissions

Purpose

The purpose of this test is to ensure that the RF energy unintentionally emitted from the EUT's power line does not exceed the limits listed below as defined in the applicable test standard, as measured from a LISN. This helps protect lower frequency radio services such as AM radio, shortwave radio, amateur radio operators, maritime radio, CB radio, and so on, from unwanted interference.

Limits & Method

The limits and method are as defined in 47 CFR FCC Part 15 Section 15.207, RSS-GEN 8.8, and ANSI C64:2009.

Average	e Limits	QuasiPeak Limits		
150 kHz – 500 kHz	56 to 46 dBuV	150 kHz – 500 kHz	66 to 56 dBuV	
500 kHz – 5 MHz	46 dBuV	500 kHz – 5 MHz	56 dBuV	
5 MHz – 30 MHz	50 dBuV	500 kHz – 30 MHz	60 dBuV	

The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.


Note: If the Peak or Quasi Peak detector measurements do not exceed the Average limits, then the EUT is deemed to have passed the requirements.

Both limits are applicable, and each is specified as being measured with a 9 kHz measurement bandwidth.

Page 35 of 46 Report issue date: 11/13/2015 GEMC File #: GEMC-FCC-22847BR1

Client	Watts Water Quality	CLODA
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	EINICINU

Typical Setup Diagram



Measurement Uncertainty

The expanded measurement uncertainty is calculated in accordance with CISPR 16-4-2 and is +/-3.6 dB with a 'k=2' coverage factor and a 95% confidence level.


Preliminary Graphs

Note the graphs shown below are for graphical illustration only. For final measurements with the appropriate detector where applicable, please refer to the table. The graphs shown below are peak measurement graphs, measured with a resolution bandwidth greater than or equal to the final required detector. These graphs are performed as a worst case measurement to enable the detection of frequencies of concern and for considerable time savings. Power line conducted emissions is performed with the transmitter transmitting with constant modulated data at maximum output power.

Client	Watts Water Quality			
Product	UV SMARTSTREAM B-Series			
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015			




Peak Emissions Graph - Line 1 120V, 60Hz



Client	Watts Water Quality
Product	UV SMARTSTREAM B-Series
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015



Peak Emissions Graph - Line 2 120V, 60Hz



Client	Watts Water Quality	CLODATE
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	EMUINU

Final Measurements

Emissions Table 120V, 60Hz

Test Frequency (MHz)	Detector	Received signal (dBµV)	Attenuator (dB)	Cable loss (dB)	LISN factor (dB)	Emission Level (dBµV)	Quasi- Peak Emission limit (dBµV)	Average Emission limit (dBµV)	Quasi- Peak Margin (dB)	Average Margin (dB)	Result
					Phase	Line					
13.6	Peak	32.7	10	0.2	0.1	43	60	50	17	7	Pass
29.4	Peak	27.3	10	0.3	0.1	37.7	60	50	22.3	12.3	Pass
29.7	Peak	27.2	10	0.3	0.1	37.6	60	50	22.4	12.4	Pass
16.2	Peak	24.5	10	0.2	0.1	34.8	60	50	25.2	15.2	Pass
28.0	Peak	23.9	10	0.3	0.1	34.3	60	50	25.7	15.7	Pass
6.29	Peak	20.8	10	0.1	0	30.9	60	50	29.1	19.1	Pass
					Neutra	al Line					
13.6	Peak	31.2	10	0.2	0.1	41.5	60	50	18.5	8.5	Pass
29.4	Peak	28.4	10	0.3	0.1	38.8	60	50	21.2	11.2	Pass
27.6	Peak	26.7	10	0.3	0.1	37.1	60	50	22.9	12.9	Pass
28.7	Peak	26.5	10	0.3	0.1	36.9	60	50	23.1	13.1	Pass
16.2	Peak	25.8	10	0.2	0.1	36.1	60	50	23.9	13.9	Pass
6.56	Peak	21.1	10	0.1	0	31.2	60	50	28.8	18.8	Pass

Notes:

Peak = Peak readings

Where peak readings are under quasi-peak and/or average limits, the EUT passes the respective requirements, and no quasi-peak or average measurements are required.

See 'Appendix B – EUT & Test Setup Photographs' for photos showing the test set-up.

Page 39 of 46 Report issue date: 11/13/2015 GEMC File #: GEMC-FCC-22847BR1

Client	Watts Water Quality	CLODA
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	ENICING

Test Equipment List

Equipment	Model No.	Manufacturer	Last calibration date	Next calibration due date	Asset #
Spectrum Analyzer	8566B	HP	May 21, 2014	May 21, 2016	GEMC 193
Quasi-Peak Adapter	85650A	HP	May 22, 2014	May 22, 2016	GEMC 194
LISN	FCC-LISN- 50/250-16-2-01	FCC	Jan. 15, 2015	Jan. 15, 2017	GEMC 65
RF Cable 7m	LMR-400-7M- 50OHM-MN-MN	LexTec	NCR	NCR	GEMC 28
Attenuator 10 dB	FP-50-10	Trilithic	NCR	NCR	GEMC 42

This report module is based on GEMC template "FCC – Power Line Conducted Emissions Class B_Rev1"

Client	Watts Water Quality	CLODA
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	EINICINU

Appendix A – EUT Summary

For further details for filing purposes, refer to filing package.

Client	Watts Water Quality	CLODA
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	EINICING

General EUT Description

delicial Ed T Description						
Client	Client / Manufacturer Details					
Organization / Address	Watts Water Quality					
	8716 W. Ludlow Dr., Suite 1					
	Peoria, AZ 85381					
Contact	Craig Schmitt					
Phone	480-675-7995 X530					
Email	Craig.Schmitt@wattswater.com					
EUT (Equ	ipment Under Test) Details					
EUT Name	Watts Water Quality UV SMARTSTREAM (Series B)					
EUT Models	WB001, WB002, WB006, WB008, WB012					
Input voltage range(s) (V)	90-250VAC					
Frequency range(s) (Hz)	50/60Hz					
Basic EUT functionality description	UV water treatment system. An NFC reader is used to					
	determine the type of lamp connected.					
Test operation	RFID is modulated and continuously transmitting during					
	testing upon power up.					
Frequency of all clocks present in EUT	12MHz - Microcontroller Oscillator, 13.560MHz - NFC Tag					
	Reader Oscillator					
Peripherals required to exercise EUT	None					
Ex. Signal generator						

Note:

The EUT is considered to have been received the date of the commencement of the first test, unless otherwise stated. See 'Appendix B-EUT & Test Setup Photographs' for pictures.

Client	Watts Water Quality	CLODA
Product	UV SMARTSTREAM B-Series	GLUBAL
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	EINICING

Appendix B – EUT and Test Setup Photographs

Note: These photos are for information purposes only. Also refer to .PDF files separate from this test report.

Client	Watts Water Quality	OL OF
Product	UV SMARTSTREAM B-Series	GLUE
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	EIVI





Radiated emissions, 9 kHz – 30 MHz

Client	Watts Water Quality	GL E
Product	UV SMARTSTREAM B-Series	
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015	





Radiated emissions, 30 MHz – 1 GHz

Client	Watts Water Quality
Product	UV SMARTSTREAM B-Series
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2015





Conducted emissions