

FCC ID: 2AFOO-SP4218VGPBBT

FCC ID label

Size: 50mm x 25mm

Stick on the rear of the insert

This device complies with part 15 of FCC Rules. Operation is subject to the following two conditions; (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC Label Label size: 100mm x 50mm 透明底白字 貼在背板上



CAUTION RISK OF ELECTRIC SHOCK DO NOT OPEN NO USER-SERVICEABLE PARTS INSIDE 120VAC 60Hz 11.7A



SEE OWNERS MANUAL. FOR SERVICE DETAILS USE INLY ON 15 AMP BRANCH CIRCUIT.

CAUTION: RISK OF FIRE. DO NOT OPERATE UNLESS

INSTALLED IN AN APPROVED CABINET.

CAUTION: HIGH TEMPERATURE. KEEP ELECTRIC CORDS,

DRAPERY, AND OTHER FURNISHINGS AT LEAST 3FEET (0.9M) FROM FRONT OF THE HEATER

AND AWAY FROM THE SIDE AND REAR.

电擊警告標

Label size: 130mm x 80mm

白底黑字

CARLINGTONELECTRIC FIREPLACE

Product No.: CAL-174203A

Model No.: SP4218-HE-VGPBBT

Serial No.: XXXXXXXX Date Code.: MMYY

120VAC 60Hz 11.7A

CARLINGTON INDUSTRIES LIMITED ROOM 1114, SINCERE HOUSE, 83 ARGYLE ST 523660 HONG KONG Made in China c CTOUS

Intertek

CONFORMS to UL STD.1278 CERTIFIED to CSA STD. C22.2 No. 60335-1 & E60335-2-30

Rating Label

Label size: 130mm x 80mm

銀底黑字

WARNING - TO REDUCE THE RISK OF FIRE:

- 1) Always plug the heater directly into a wall outlet/receptacle. Never use with an extension cord or re-locatable power tap (outlet / power strip).
- 2) Check your heater cord and plug connections. A loose fitting outlet can cause the plug to overheat or cause fire. Be sure plug fits tight in the outlet. Check frequently during use to make sure plug and outlet are not hot. If so, discontinue using heater and have outlet replaced by a qualified electrician.
- 3) Always unplug heater when not in use.
- 4) Do not operate heater with a damaged cord or plug or after the heater malfunctions, has been dropped or damaged in any manner. Discard heater or return to an authorized service facility for examination and/or repair.
- 5) Do not run cord under carpeting. Do not cover cord with throw rugs, runners, or similar coverings. Do not route cord under furniture or appliances. Arrange cord away from traffic area and where it will not be tripped over.

DO NOT REMOVE THIS TAG!

電線警告標一

Label size: 200mm x 80mm

白底黑字

WARNING: FIRE RISK

EXISTS IF THE HEATER IS

COVERED BY OR

POSITIONED CLOSE TO

CURTAINS OR OTHER

COMBUSTIBLE MATERIALS

電線警告標二

Label size: 120mm x 40mm

白底黑字

4

CAUTION RISK OF ELECTRIC SHOCK DO NOT OPEN NO USER-SERVICEABLE PARTS INSIDE 120VAC 60Hz 11.7A

' <u>\</u>

SA1655A

SEE OWNERS MANUAL. FOR SERVICE DETAILS USE INLY ON 15 AMP BRANCH CIRCUIT.

CAUTION: RISK OF FIRE. DO NOT OPERATE UNLESS


INSTALLED IN AN APPROVED CABINET.

CAUTION: HIGH TEMPERATURE. KEEP ELECTRIC CORDS,

DRAPERY, AND OTHER FURNISHINGS AT LEAST 3FEET (0.9M) FROM FRONT OF THE HEATER AND AWAY FROM THE SIDE AND REAR.

电擊警告標 Label size: 130mm x 80mm 白底黑字 This device complies with part 15 of FCC Rules. Operation is subject to the following two conditions; (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FCC Label Label size: 100mm x 50mm 透明底白字 貼在背板上





FCC ID label
Size: 50mm x 25mm
Stick on the rear of the insert

CARLINGTON ELECTRIC FIREPLACE

Product No.: CAL-174203A Model No.: SP4218-HE-VGPBBT

Serial No.: XXXXXXXX Date Code.: MMYY



120VAC 60Hz 11.7A

CARLINGTON INDUSTRIES LIMITED ROOM 1114, SINCERE HOUSE, 83 ARGYLE ST 523660 HONG KONG Made in China Intertel

CONFORMS to UL STD.1278 CERTIFIED to CSA STD. C22.2 No. 60335-1 & E60335-2-30

Rating Label Label size: 130mm x 80mm銀底黑字 on top panel