




Page Number : A101 of A132 Report Issued Date : Nov. 19, 2015 Report Version : Rev. 01




Page Number : A102 of A132 Report Issued Date : Nov. 19, 2015 Report Version : Rev. 01




Page Number : A103 of A132 Report Issued Date : Nov. 19, 2015 Report Version : Rev. 01




Page Number : A104 of A132 Report Issued Date : Nov. 19, 2015 Report Version : Rev. 01



Page Number : A105 of A132 Report Issued Date : Nov. 19, 2015 Report Version : Rev. 01




Page Number : A106 of A132 Report Issued Date : Nov. 19, 2015 Report Version : Rev. 01




Page Number : A107 of A132
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

Conducted Spurious Emission




SPORTON INTERNATIONAL (SHENZHEN) INC.


TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : A108 of A132
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : A109 of A132 Report Issued Date : Nov. 19, 2015 Report Version : Rev. 01




TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : A110 of A132
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : A111 of A132 Report Issued Date : Nov. 19, 2015 Report Version : Rev. 01



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : A112 of A132 Report Issued Date : Nov. 19, 2015 Report Version : Rev. 01



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : A113 of A132 Report Issued Date : Nov. 19, 2015 Report Version : Rev. 01

Frequency Stability

Test 0	Conditions	LTE Band 7 (QPSK) / Middle Channel	Limit
T	Vallana	BW 10MHz	Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0085	
40	Normal Voltage	0.0056	
30	Normal Voltage	0.0042	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0014	
0	Normal Voltage	0.0282	
-10	Normal Voltage	0.0310	PASS
-20	Normal Voltage	0.0338	
-30	Normal Voltage	0.0324	
20	Maximum Voltage	0.0028	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0014	

Note:

- 1. Normal Voltage = 3.8V. ; Battery End Point (BEP) = 3.5 V.; Maximum Voltage =4.35V
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : A114 of A132
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

LTE Band 17

Conducted Output Power(Average power)

		Lī	ΓE Band 1	7 Maximum Average	Power [dBm]	
BW [MHz]	RB Size	RB Offset	Mod	Lowest	Middle	Highest
10	1	0		23.41	23.34	23.33
10	1	25		23.32	23.30	23.21
10	1	49		23.07	22.98	22.86
10	25	0	QPSK	22.39	22.38	22.35
10	25	12		22.37	22.31	22.25
10	25	25		22.30	22.21	22.15
10	50	0		22.36	22.31	22.25
10	1	0		22.68	22.70	22.72
10	1	25		22.64	22.59	22.58
10	1	49		22.47	22.35	22.28
10	25	0	16-QAM	21.43	21.43	21.39
10	25	12		21.42	21.35	21.28
10	25	25		21.33	21.27	21.18
10	50	0		21.38	21.38	21.30
5	1	0		23.32	23.27	23.11
5	1	12		23.40	23.26	22.97
5	1	24		23.26	23.07	22.71
5	12	0	QPSK	22.45	22.38	22.19
5	12	7		22.45	22.37	22.09
5	12	13		22.44	22.33	22.01
5	25	0		22.39	22.30	22.00
5	1	0		22.70	22.61	22.43
5	1	12		22.72	22.60	22.34
5	1	24		22.56	22.42	22.06
5	12	0	16-QAM	21.48	21.43	21.23
5	12	7		21.50	21.41	21.15
5	12	13		21.48	21.38	21.08
5	25	0		21.43	21.33	21.06

SPORTON INTERNATIONAL (SHENZHEN) INC.


TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : A115 of A132
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01


Peak-to-Average Ratio

Mode		LTE Band 17 / 10MHz							
Mod.	QP	SK	16C	Limit: 13dB					
RB Size	1RB	Full RB	1RB	Full RB	Result				
Lowest CH	4.84	5.36	5.86	6.23					
Middle CH	4.46	5.39	5.48	6.23	PASS				
Highest CH	4.43	5.45	5.19	6.26					


SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : A116 of A132 Report Issued Date : Nov. 19, 2015 Report Version : Rev. 01





Page Number : A117 of A132 Report Issued Date: Nov. 19, 2015 Report Version : Rev. 01




Page Number : A118 of A132
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

26dB Bandwidth


Mode		LTE Band 17 : 26dB BW(MHz)										
BW	1.4	1.4MHz 3MHz 5MHz 10MHz 15MHz 20M							ИHz			
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Lowest CH	-	-	-	-	5.08	5.06	10.03	9.93	-	-	-	-
Middle CH	-	-	-	-	5.05	5.07	10.01	9.93	-	-	-	-
Highest CH	-	-	-	-	5.08	5.07	9.99	9.97	-	-	-	-

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : A119 of A132
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01



Page Number : A120 of A132 Report Issued Date : Nov. 19, 2015 Report Version : Rev. 01




Page Number : A121 of A132 Report Issued Date : Nov. 19, 2015 Report Version : Rev. 01

Occupied Bandwidth


Mode		LTE Band 17 : 99%OBW(MHz)										
BW	1.4	1.4MHz 3MHz 5MHz 10MHz 15MHz 20M								ИHz		
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Lowest CH	-	-	-	-	4.51	4.51	9.11	9.03	-	-	-	-
Middle CH	-	-	-	-	4.51	4.50	9.09	9.05	-	-	-	-
Highest CH	-	-	-	-	4.51	4.51	9.05	8.99	-	-	-	-

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : A122 of A132 Report Issued Date : Nov. 19, 2015 Report Version : Rev. 01




Page Number : A123 of A132 Report Issued Date : Nov. 19, 2015 Report Version : Rev. 01




Page Number : A124 of A132 Report Issued Date : Nov. 19, 2015 Report Version : Rev. 01

Conducted Band Edge




SPORTON INTERNATIONAL (SHENZHEN) INC.


TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : A125 of A132 Report Issued Date : Nov. 19, 2015 Report Version : Rev. 01



Page Number : A126 of A132 Report Issued Date : Nov. 19, 2015 Report Version : Rev. 01



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : A127 of A132
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01




Page Number : A128 of A132 Report Issued Date : Nov. 19, 2015 Report Version : Rev. 01

Conducted Spurious Emission




SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : A129 of A132
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : A130 of A132 Report Issued Date : Nov. 19, 2015 Report Version : Rev. 01



TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : A131 of A132
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

Frequency Stability

Test 0	Conditions	LTE Band 17 (QPSK) / Middle Channel	Limit
- ,		BW 10MHz	Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Result
50	Normal Voltage	0.0155	
40	Normal Voltage	0.0141	
30	Normal Voltage	0.0028	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0014	
0	Normal Voltage	0.0127	
-10	Normal Voltage	0.0141	PASS
-20	Normal Voltage	0.0155	
-30	Normal Voltage	0.0127	
20	Maximum Voltage	0.0028	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0014	

Note:

- 1. Normal Voltage = 3.8V. ; Battery End Point (BEP) = 3.5 V.; Maximum Voltage =4.35V
- 2. Note: The frequency fundamental emissions stay within the authorized frequency block based on the frequency deviation measured is small.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : A132 of A132 Report Issued Date : Nov. 19, 2015 Report Version : Rev. 01

Appendix B. Test Results of Radiated Test

ERP/EIRP

	LTE Band 2 / 1.4MHz (Average)											
Channel Modula	No dedection	RB		Horiz	ontal	Vertical						
	Wodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		3	0	21.98	0.1578	22.45	0.1760					
Middle	QPSK	3	0	21.93	0.1560	22.40	0.1738					
Highest		1	5	23.89	0.2447	24.23	0.2647					
Lowest		1	3	21.31	0.1353	21.78	0.1505					
Middle	16QAM	1	3	21.38	0.1373	21.84	0.1526					
Highest		1	3	23.04	0.2013	23.38	0.2180					
Limit	EIRP < 2W			Res	sult	PASS						

	LTE Band 2 / 3MHz (Average)											
Channel	Modulation	RB		Horiz	ontal	Vertical						
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	8	22.42	0.1744	22.77	0.1892					
Middle	QPSK	1	0	22.43	0.1749	22.66	0.1845					
Highest		1	8	23.96	0.2489	24.19	0.2622					
Lowest		1	8	21.26	0.1336	21.77	0.1502					
Middle	16QAM	1	0	21.29	0.1345	21.70	0.1479					
Highest		1	8	22.92	0.1958	23.30	0.2140					
Limit	EIRI	o < 2W		Res	sult	PASS						

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B1 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

	LTE Band 2 / 5MHz (Average)											
Channel	Modulation	F	RB	Horizo	ontal	Vertical						
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	22.14	0.1639	22.50	0.1777					
Middle	QPSK	1	0	22.46	0.1763	22.62	0.1828					
Highest		1	24	24.06	0.2546	24.23	0.2651					
Lowest		1	0	21.28	0.1344	21.78	0.1508					
Middle	16QAM	1	0	21.36	0.1367	21.73	0.1488					
Highest		1	24	22.94	0.1970	23.29	0.2132					
Limit	EIRP < 2W			Res	sult	PASS						

	LTE Band 2 / 10MHz (Average)											
Channel	Modulation	RB		Horizo	ontal	Vertical						
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	22.64	0.1836	22.99	0.1989					
Middle	QPSK	1	0	22.66	0.1844	22.97	0.1981					
Highest		1	49	24.37	0.2733	24.58	0.2873					
Lowest		1	0	21.71	0.1484	22.09	0.1618					
Middle	16QAM	1	0	21.73	0.1490	22.16	0.1643					
Highest		1	49	23.36	0.2166	23.63	0.2307					
Limit	EIRP < 2W			Res	sult	PASS						

	LTE Band 2 / 15MHz (Average)											
Channel N		F	RB	Horiz	ontal	Vertical						
	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	22.68	0.1852	23.01	0.2001					
Middle	QPSK	1	74	22.79	0.1903	23.19	0.2086					
Highest		1	74	24.22	0.2641	24.45	0.2785					
Lowest		1	0	21.75	0.1498	22.14	0.1636					
Middle	16QAM	1	74	21.89	0.1544	22.38	0.1730					
Highest	1	1	74	23.34	0.2158	23.63	0.2309					
Limit	EIRI	EIRP < 2W			sult	PASS						

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B2 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

	LTE Band 2 / 20MHz (Average)											
Channel	Modulation	F	RB	Horizo	ontal	Vertical						
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)					
Lowest		1	0	22.70	0.1861	23.05	0.2016					
Middle	QPSK	1	0	22.77	0.1892	23.12	0.2053					
Highest		1	0	23.04	0.2012	23.49	0.2236					
Lowest		1	0	21.76	0.1500	22.15	0.1641					
Middle	16QAM	1	0	21.84	0.1527	22.28	0.1690					
Highest		1	99	23.31	0.2142	23.62	0.2299					
Limit	EIRP < 2W			Res	sult	PASS						

LTE Band 4 / 1.4MHz (Average)								
Channel	Modulation	RB		Horizontal		Vertical		
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)	
Lowest	QPSK	1	3	21.65	0.1463	21.84	0.1529	
Middle		3	0	22.66	0.1844	22.72	0.1870	
Highest		1	3	22.61	0.1824	22.61	0.1824	
Lowest	16QAM	1	3	20.59	0.1146	20.84	0.1213	
Middle		1	3	21.53	0.1422	21.71	0.1481	
Highest		1	3	21.52	0.1420	21.57	0.1436	
Limit	EIRP < 1W			Result		PASS		

LTE Band 4 / 3MHz (Average)								
Channel	Modulation	RB		Horizontal		Vertical		
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)	
Lowest	QPSK	1	8	21.56	0.1433	21.72	0.1487	
Middle		1	8	22.61	0.1823	22.72	0.1870	
Highest		1	0	22.58	0.1813	22.55	0.1801	
Lowest	16QAM	1	8	20.59	0.1146	20.82	0.1209	
Middle		1	8	21.49	0.1410	21.65	0.1464	
Highest		1	8	21.51	0.1417	21.54	0.1427	
Limit	EIRP < 1W			Result		PASS		

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B3 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

LTE Band 4 / 5MHz (Average)								
Channel	Modulation	RB		Horizontal		Vertical		
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)	
Lowest	QPSK	1	12	21.67	0.1470	21.79	0.1511	
Middle		1	12	22.57	0.1805	22.67	0.1849	
Highest		1	0	22.72	0.1873	22.68	0.1855	
Lowest	16QAM	1	12	20.69	0.1173	20.89	0.1227	
Middle		1	12	21.50	0.1412	21.67	0.1468	
Highest		1	0	21.63	0.1455	21.67	0.1468	
Limit	EIRP < 1W		Result		PASS			

LTE Band 4/ 10MHz (Average)								
Channel	Modulation	RB		Horizontal		Vertical		
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)	
Lowest	QPSK	1	25	21.82	0.1521	21.94	0.1561	
Middle		1	49	22.74	0.1878	22.76	0.1888	
Highest		1	0	22.73	0.1876	22.75	0.1883	
Lowest	16QAM	1	25	20.82	0.1208	21.01	0.1262	
Middle		1	49	21.91	0.1553	21.93	0.1559	
Highest		1	0	21.83	0.1525	21.83	0.1524	
Limit	EIRP < 1W			Result		PASS		

LTE Band 4 / 15MHz (Average)								
Channel	Modulation	RB		Horizontal		Vertical		
		Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)	
Lowest	QPSK	1	74	22.26	0.1683	22.33	0.1709	
Middle		1	74	22.80	0.1905	22.86	0.1932	
Highest		1	0	22.77	0.1892	22.83	0.1918	
Lowest	16QAM	1	74	21.04	0.1271	21.17	0.1308	
Middle		1	74	21.65	0.1463	21.79	0.1511	
Highest		1	37	21.50	0.1412	21.62	0.1453	
Limit	EIRP < 1W			Result		PASS		

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B4 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

	LTE Band 4 / 20MHz (Average)										
Channel	Modulation	F	RB	Horizo	ontal	Vertical					
Channel	Wiodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)				
Lowest		1	99	22.52	0.1786	22.59	0.1816				
Middle	QPSK	1	99	22.72	0.1872	22.73	0.1876				
Highest		1	99	22.53	0.1792	22.48	0.1769				
Lowest		1	99	21.37	0.1370	21.53	0.1423				
Middle	16QAM	1	99	21.66	0.1465	21.71	0.1483				
Highest		1	49	21.57	0.1436	21.69	0.1476				
Limit	EIRP < 1W			Res	sult	PAS	SS				

	LTE Band 7 / 5MHz (Average)										
Channel	Modulation	RB		Horiz	ontal	Vertical					
Channel	Wodulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)				
Lowest		1	12	20.30	0.1071	20.36	0.1086				
Middle	QPSK	1	0	19.34	0.0859	19.07	0.0807				
Highest		1	12	17.25	0.0530	17.35	0.0544				
Lowest		1	12	19.33	0.0857	19.43	0.0877				
Middle	16QAM	1	0	18.28	0.0672	18.08	0.0642				
Highest		1	12	16.22	0.0419	16.32	0.0429				
Limit	EIRP < 2W			Res	sult	PAS	SS				

	LTE Band 7 / 10MHz (Average)										
Channal	Madulation	F	RB	Horizo	ontal	Vert	ical				
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)				
Lowest		1	25	20.12	0.1028	19.98	0.0996				
Middle	QPSK	1	0	19.37	0.0865	19.07	0.0807				
Highest		1	49	17.06	0.0509	17.11	0.0514				
Lowest		1	49	19.14	0.0820	19.06	0.0806				
Middle	16QAM	1	0	18.45	0.0700	18.20	0.0660				
Highest		1	49	17.06	0.0509	17.11	0.0514				
Limit	EIRP < 2W			Res	sult	PAS	SS				

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B5 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

	LTE Band 7 / 15MHz (Average)										
Channel	Modulation	RB		Horizo	ontal	Vertical					
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)				
Lowest		1	37	20.20	0.1048	19.97	0.0993				
Middle	QPSK	1	0	19.45	0.0880	19.09	0.0812				
Highest		1	74	17.08	0.0511	17.14	0.0518				
Lowest		1	74	18.98	0.0791	18.84	0.0766				
Middle	16QAM	1	0	18.60	0.0725	18.32	0.0679				
Highest		1	74	16.20	0.0417	16.28	0.0425				
Limit	EIRP < 2W			Res	ult	PAS	SS				

	LTE Band 7 / 20MHz (Average)										
Channal	Madulation	F	RB	Horiz	ontal	Vert	ical				
Channel	Modulation	Size	Offset	EIRP(dBm)	EIRP(W)	EIRP(dBm)	EIRP(W)				
Lowest		1	0	20.25	0.1059	20.56	0.1137				
Middle	QPSK	1	0	19.39	0.0869	19.35	0.0860				
Highest		1	0	17.86	0.0611	17.79	0.0602				
Lowest		1	49	19.19	0.0831	19.13	0.0818				
Middle	16QAM	1	0	18.67	0.0736	18.47	0.0703				
Highest		1	99	16.25	0.0422	16.32	0.0428				
Limit	EIRP < 2W			Res	sult	PAS	SS				

	LTE Band 17 / 5MHz (Average)										
Channel	Modulation	F	RB	Horizo	ontal	Vert	ical				
Channel	Wodulation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)				
Lowest		1	12	16.17	0.0414	4.34	0.0027				
Middle	QPSK	1	0	16.12	0.0409	4.45	0.0028				
Highest		1	0	16.27	0.0424	4.76	0.0030				
Lowest		1	12	15.29	0.0338	3.45	0.0022				
Middle	16QAM	1	0	15.27	0.0336	3.59	0.0023				
Highest		1	0	15.48	0.0353	3.97	0.0025				
Limit	ERP < 3W			Res	ult	PAS	SS				

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B6 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01



	LTE Band 17 / 10MHz (Average)										
Channel	Modulation	RB		Horiz	ontal	Vertical					
Channel	Wodulation	Size	Offset	ERP(dBm)	ERP(W)	ERP(dBm)	ERP(W)				
Lowest		1	0	16.09	0.0407	4.08	0.0026				
Middle	QPSK	1	0	16.12	0.0409	4.24	0.0027				
Highest		1	0	16.16	0.0414	4.34	0.0027				
Lowest		1	0	15.27	0.0336	3.20	0.0021				
Middle	16QAM	1	0	15.25	0.0335	3.30	0.0021				
Highest	1	1	0	15.28	0.0337	3.44	0.0022				
Limit	ERP < 3W			Res	sult	PAS	SS				

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B7 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

Radiated Spurious Emission

			LTE Band 2	2 / 1.4MHz / 0	QPSK / RB S	ize 1 Offset ()		
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	3700.32	-55.27	-13	-42.27	-66.52	-67.00	0.87	12.60	Н
	5550.48	-53.27	-13	-40.27	-69.15	-65.30	1.07	13.10	Н
Lowest	7400.64	-49.78	-13	-36.78	-68.10	-59.39	1.69	11.30	Н
Lowest	3700.32	-54.31	-13	-41.31	-66.78	-66.04	0.87	12.6	V
	5550.48	-50.98	-13	-37.98	-67.3	-63.01	1.07	13.1	V
	7400.64	-50.55	-13	-37.55	-68.77	-60.16	1.69	11.3	V
	3758.92	-54.66	-13	-41.66	-65.91	-66.39	0.87	12.60	Н
	5638.38	-53.82	-13	-40.82	-69.70	-65.85	1.07	13.10	Н
Middle	7517.84	-50.88	-13	-37.88	-69.20	-60.49	1.69	11.30	Н
Middle	3758.92	-49.80	-13	-36.80	-62.27	-61.53	0.87	12.6	V
	5638.38	-53.25	-13	-40.25	-69.57	-65.28	1.07	13.1	V
	7517.84	-49.77	-13	-36.77	-67.99	-59.38	1.69	11.3	V
	3817.52	-54.28	-13	-41.28	-65.53	-66.01	0.87	12.60	Н
	5726.28	-53.74	-13	-40.74	-69.62	-65.77	1.07	13.10	Н
l limbost	7635.04	-50.82	-13	-37.82	-69.14	-60.43	1.69	11.30	Н
Highest	3817.52	-51.41	-13	-38.41	-63.88	-63.14	0.87	12.6	V
	5726.28	-51.83	-13	-38.83	-68.15	-63.86	1.07	13.1	V
	7635.04	-49.47	-13	-36.47	-67.69	-59.08	1.69	11.3	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B8 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

			LTE Band	2 / 3MHz / Q	PSK / RB Siz	ze 1 Offset 0			
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	3700.48	-54.76	-13	-41.76	-66.01	-66.49	0.87	12.60	Н
	5550.72	-52.99	-13	-39.99	-68.87	-65.02	1.07	13.10	Н
Lowest	7400.96	-49.84	-13	-36.84	-68.16	-59.45	1.69	11.30	Н
Lowest	3700.48	-53.52	-13	-40.52	-65.99	-65.25	0.87	12.6	V
	5550.72	-49.99	-13	-36.99	-66.31	-62.02	1.07	13.1	V
	7400.96	-50.29	-13	-37.29	-68.51	-59.90	1.69	11.3	V
	3758.92	-53.85	-13	-40.85	-65.10	-65.58	0.87	12.60	Н
	5638.38	-52.71	-13	-39.71	-68.59	-64.74	1.07	13.10	Н
Middle	7517.84	-50.24	-13	-37.24	-68.56	-59.85	1.69	11.30	Н
Middle	3758.92	-49.41	-13	-36.41	-61.88	-61.14	0.87	12.6	V
	5638.38	-53.37	-13	-40.37	-69.69	-65.40	1.07	13.1	V
	7517.84	-48.93	-13	-35.93	-67.15	-58.54	1.69	11.3	V
	3814.48	-53.85	-13	-40.85	-65.10	-65.58	0.87	12.60	Н
	5721.72	-54.39	-13	-41.39	-70.27	-66.42	1.07	13.10	Н
Limboot	7628.96	-49.70	-13	-36.70	-68.02	-59.31	1.69	11.30	Н
Highest	3814.48	-50.91	-13	-37.91	-63.38	-62.64	0.87	12.6	V
	5721.72	-50.63	-13	-37.63	-66.95	-62.66	1.07	13.1	V
	7628.96	-48.80	-13	-35.80	-67.02	-58.41	1.69	11.3	V

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B9 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

			LTE Band	2 / 5MHz / Q	PSK / RB Siz	ze 1 Offset 0			
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	3700.68	-56.24	-13	-43.24	-67.49	-67.97	0.87	12.60	Н
	5551.02	-54.05	-13	-41.05	-69.93	-66.08	1.07	13.10	Н
Lowest	7401.36	-50.75	-13	-37.75	-69.07	-60.36	1.69	11.30	Н
Lowest	3700.68	-55.67	-13	-42.67	-68.14	-67.40	0.87	12.6	V
	5551.02	-53.17	-13	-40.17	-69.49	-65.20	1.07	13.1	V
	7401.36	-50.70	-13	-37.70	-68.92	-60.31	1.69	11.3	V
	3755.68	-56.11	-13	-43.11	-67.36	-67.84	0.87	12.60	Н
	5633.52	-53.84	-13	-40.84	-69.72	-65.87	1.07	13.10	Н
Middle	7511.36	-50.37	-13	-37.37	-68.69	-59.98	1.69	11.30	Н
Middle	3755.68	-55.00	-13	-42.00	-67.47	-66.73	0.87	12.6	V
	5633.52	-53.32	-13	-40.32	-69.64	-65.35	1.07	13.1	V
	7511.36	-50.35	-13	-37.35	-68.57	-59.96	1.69	11.3	V
	3814.48	-52.83	-13	-39.83	-64.08	-64.56	0.87	12.60	Н
	5721.72	-54.22	-13	-41.22	-70.10	-66.25	1.07	13.10	Н
l limbost	7628.96	-51.68	-13	-38.68	-70.00	-61.29	1.69	11.30	Н
Highest	3814.48	-50.95	-13	-37.95	-63.42	-62.68	0.87	12.6	V
	5721.72	-50.67	-13	-37.67	-66.99	-62.70	1.07	13.1	V
	7628.96	-50.12	-13	-37.12	-68.34	-59.73	1.69	11.3	V

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B10 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

			LTE Band 2	2 / 10MHz / G	PSK / RB Si	ize 1 Offset 0)		
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	3701.18	-56.20	-13	-43.20	-67.45	-67.93	0.87	12.60	Н
	5551.77	-53.62	-13	-40.62	-69.50	-65.65	1.07	13.10	Н
Lowest	7402.36	-50.20	-13	-37.20	-68.52	-59.81	1.69	11.30	Н
Lowest	3701.18	-55.64	-13	-42.64	-68.11	-67.37	0.87	12.6	V
	5551.77	-53.45	-13	-40.45	-69.77	-65.48	1.07	13.1	V
	7402.36	-52.04	-13	-39.04	-70.26	-61.65	1.69	11.3	V
	3751.18	-52.87	-13	-39.87	-64.12	-64.60	0.87	12.60	Н
	5626.77	-53.13	-13	-40.13	-69.01	-65.16	1.07	13.10	Н
Middle	7502.36	-50.67	-13	-37.67	-68.99	-60.28	1.69	11.30	Н
Middle	3751.18	-50.73	-13	-37.73	-63.2	-62.46	0.87	12.6	V
	5626.77	-51.74	-13	-38.74	-68.06	-63.77	1.07	13.1	V
	7502.36	-50.79	-13	-37.79	-69.01	-60.40	1.69	11.3	V
	3801.18	-52.95	-13	-39.95	-64.20	-64.68	0.87	12.60	Н
	5701.77	-54.08	-13	-41.08	-69.96	-66.11	1.07	13.10	Н
l limb oot	7602.36	-51.41	-13	-38.41	-69.73	-61.02	1.69	11.30	Н
Highest	3801.18	-51.37	-13	-38.37	-63.84	-63.10	0.87	12.6	V
	5701.77	-51.88	-13	-38.88	-68.2	-63.91	1.07	13.1	V
	7602.36	-51.56	-13	-38.56	-69.78	-61.17	1.69	11.3	V

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B11 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

			LTE Band 2	2 / 15MHz / G	PSK / RB Si	ize 1 Offset 0			
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	3701.68	-55.04	-13	-42.04	-66.29	-66.77	0.87	12.60	Н
	5552.52	-52.09	-13	-39.09	-67.97	-64.12	1.07	13.10	Н
Lowest	7403.36	-51.60	-13	-38.60	-69.92	-61.21	1.69	11.30	Н
Lowest	3701.68	-54.10	-13	-41.10	-66.57	-65.83	0.87	12.6	V
	5552.52	-51.48	-13	-38.48	-67.8	-63.51	1.07	13.1	V
	7403.36	-51.20	-13	-38.20	-69.42	-60.81	1.69	11.3	V
	3746.68	-55.27	-13	-42.27	-66.52	-67.00	0.87	12.60	Н
	5620.02	-52.92	-13	-39.92	-68.80	-64.95	1.07	13.10	Н
Middle	7493.36	-51.42	-13	-38.42	-69.74	-61.03	1.69	11.30	Н
Middle	3746.68	-51.66	-13	-38.66	-64.13	-63.39	0.87	12.6	V
	5620.02	-51.71	-13	-38.71	-68.03	-63.74	1.07	13.1	V
	7493.36	-51.50	-13	-38.50	-69.72	-61.11	1.69	11.3	V
	3791.68	-54.54	-13	-41.54	-65.79	-66.27	0.87	12.60	Н
	5687.52	-52.76	-13	-39.76	-68.64	-64.79	1.07	13.10	Н
Liabaat	7583.36	-51.53	-13	-38.53	-69.85	-61.14	1.69	11.30	Н
Highest	3791.68	-50.66	-13	-37.66	-63.13	-62.39	0.87	12.6	V
	5687.52	-52.44	-13	-39.44	-68.76	-64.47	1.07	13.1	V
	7583.36	-51.25	-13	-38.25	-69.47	-60.86	1.69	11.3	V

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B12 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

			LTE Band 2	2 / 20MHz / G	PSK / RB Si	ize 1 Offset 0			
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	3702.18	-56.02	-13	-43.02	-67.27	-67.75	0.87	12.60	Н
	5553.27	-53.23	-13	-40.23	-69.11	-65.26	1.07	13.10	Н
Lowest	7404.36	-51.94	-13	-38.94	-70.26	-61.55	1.69	11.30	Н
Lowest	3702.18	-54.86	-13	-41.86	-67.33	-66.59	0.87	12.6	V
	5553.27	-51.76	-13	-38.76	-68.08	-63.79	1.07	13.1	V
	7404.36	-52.16	-13	-39.16	-70.38	-61.77	1.69	11.3	V
	3742.18	-55.13	-13	-42.13	-66.38	-66.86	0.87	12.60	Н
	5613.27	-52.43	-13	-39.43	-68.31	-64.46	1.07	13.10	Н
Middle	7484.36	-50.80	-13	-37.80	-69.12	-60.41	1.69	11.30	Н
Middle	3742.18	-52.20	-13	-39.20	-64.67	-63.93	0.87	12.6	V
	5613.27	-52.53	-13	-39.53	-68.85	-64.56	1.07	13.1	V
	7484.36	-51.41	-13	-38.41	-69.63	-61.02	1.69	11.3	V
	3782.18	-52.18	-13	-39.18	-63.43	-63.91	0.87	12.60	Н
	5673.27	-53.73	-13	-40.73	-69.61	-65.76	1.07	13.10	Н
Liabaat	7564.36	-51.21	-13	-38.21	-69.53	-60.82	1.69	11.30	Н
Highest	3782.18	-50.82	-13	-37.82	-63.29	-62.55	0.87	12.6	V
	5673.27	-51.30	-13	-38.30	-67.62	-63.33	1.07	13.1	V
	7564.36	-52.17	-13	-39.17	-70.39	-61.78	1.69	11.3	V

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B13 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

	LTE Band 4 / 1.4MHz / QPSK / RB Size 1 Offset 0											
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)			
	3420.32	-53.33	-13	-40.33	-66.16	-60.52	0.81	8.00	Н			
	5130.48	-50.14	-13	-37.14	-68.67	-59.19	0.95	10.00	Н			
Lowoot	6840.64	-47.66	-13	-34.66	-69.00	-59.93	1.13	13.40	Н			
Lowest	3420.32	-53.06	-13	-40.06	-66.4	-64.85	0.81	12.6	V			
	5130.48	-50.03	-13	-37.03	-68.66	-61.78	0.95	12.7	V			
	6840.64	-47.43	-13	-34.43	-68.42	-58.00	1.13	11.7	V			
	3463.92	-51.49	-13	-38.49	-64.32	-58.68	0.81	8.00	Н			
	5195.88	-49.62	-13	-36.62	-68.15	-58.67	0.95	10.00	Н			
Middle	6927.84	-47.62	-13	-34.62	-68.96	-59.89	1.13	13.40	Н			
Middle	3463.92	-52.55	-13	-39.55	-65.89	-64.34	0.81	12.6	V			
	5195.88	-50.39	-13	-37.39	-69.02	-62.14	0.95	12.7	V			
	6927.84	-47.98	-13	-34.98	-68.97	-58.55	1.13	11.7	V			
	3507.52	-51.42	-13	-38.42	-64.25	-58.61	0.81	8.00	Н			
	5261.28	-49.71	-13	-36.71	-68.24	-58.76	0.95	10.00	Н			
Liabaat	7015.04	-47.27	-13	-34.27	-68.61	-59.54	1.13	13.40	Н			
Highest	3507.52	-51.26	-13	-38.26	-64.6	-63.05	0.81	12.6	V			
	5261.28	-49.72	-13	-36.72	-68.35	-61.47	0.95	12.7	V			
	7015.04	-48.06	-13	-35.06	-69.05	-58.63	1.13	11.7	V			

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B14 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

			LTE Band	4 / 3MHz / Q	PSK / RB Siz	ze 1 Offset 0			
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	3420.48	-53.77	-13	-40.77	-66.60	-60.96	0.81	8.00	Н
	5130.72	-50.78	-13	-37.78	-69.31	-59.83	0.95	10.00	Н
Lowest	6840.96	-47.22	-13	-34.22	-68.56	-59.49	1.13	13.40	Н
Lowest	3420.48	-53.17	-13	-40.17	-66.51	-64.96	0.81	12.6	V
	5130.72	-50.53	-13	-37.53	-69.16	-62.28	0.95	12.7	V
	6840.96	-47.57	-13	-34.57	-68.56	-58.14	1.13	11.7	V
	3462.48	-53.89	-13	-40.89	-66.72	-61.08	0.81	8.00	Н
	5193.72	-47.47	-13	-34.47	-66.00	-56.52	0.95	10.00	Н
Middle	6924.96	-47.33	-13	-34.33	-68.67	-59.60	1.13	13.40	Н
Middle	3462.48	-51.88	-13	-38.88	-65.22	-63.67	0.81	12.6	V
	5193.72	-47.14	-13	-34.14	-65.77	-58.89	0.95	12.7	V
	6924.96	-47.61	-13	-34.61	-68.6	-58.18	1.13	11.7	V
	3504.48	-53.65	-13	-40.65	-66.48	-60.84	0.81	8.00	Н
	5256.72	-50.38	-13	-37.38	-68.91	-59.43	0.95	10.00	Н
Limboot	7008.96	-47.83	-13	-34.83	-69.17	-60.10	1.13	13.40	Н
Highest	3504.48	-52.96	-13	-39.96	-66.3	-64.75	0.81	12.6	V
	5256.72	-49.56	-13	-36.56	-68.19	-61.31	0.95	12.7	V
	7008.96	-48.22	-13	-35.22	-69.21	-58.79	1.13	11.7	V

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B15 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

			LTE Band	4 / 5MHz / Q	PSK / RB Siz	ze 1 Offset 0			
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	3420.68	-53.44	-13	-40.44	-66.27	-60.63	0.81	8.00	Н
	5131.02	-50.21	-13	-37.21	-68.74	-59.26	0.95	10.00	Н
Lowest	6841.36	-46.56	-13	-33.56	-67.90	-58.83	1.13	13.40	Н
Lowest	3420.68	-52.00	-13	-39.00	-65.34	-63.79	0.81	12.6	V
	5131.02	-50.42	-13	-37.42	-69.05	-62.17	0.95	12.7	V
	6841.36	-47.53	-13	-34.53	-68.52	-58.10	1.13	11.7	V
	3460.68	-52.34	-13	-39.34	-65.17	-59.53	0.81	8.00	Н
	5191.02	-49.93	-13	-36.93	-68.46	-58.98	0.95	10.00	Н
Mi al all a	6921.36	-47.39	-13	-34.39	-68.73	-59.66	1.13	13.40	Н
Middle	3460.68	-52.81	-13	-39.81	-66.15	-64.60	0.81	12.6	V
	5191.02	-49.82	-13	-36.82	-68.45	-61.57	0.95	12.7	V
	6921.36	-47.00	-13	-34.00	-67.99	-57.57	1.13	11.7	V
	3500.68	-53.35	-13	-40.35	-66.18	-60.54	0.81	8.00	Н
	5252	-50.12	-13	-37.12	-68.65	-59.17	0.95	10.00	Н
I limb a at	7001.36	-47.90	-13	-34.90	-69.24	-60.17	1.13	13.40	Н
Highest	3500.68	-52.73	-13	-39.73	-66.07	-64.52	0.81	12.6	V
	5252	-49.84	-13	-36.84	-68.47	-61.59	0.95	12.7	V
	7001.36	-48.21	-13	-35.21	-69.2	-58.78	1.13	11.7	V

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B16 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

			LTE Band 4	4 / 10MHz / G	PSK / RB Si	ize 1 Offset 0)		
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	3421.18	-53.56	-13	-40.56	-66.39	-60.75	0.81	8.00	Н
	5131.77	-50.16	-13	-37.16	-68.69	-59.21	0.95	10.00	Н
Lowest	6842.36	-47.10	-13	-34.10	-68.44	-59.37	1.13	13.40	Н
Lowest	3421.18	-51.58	-13	-38.58	-64.92	-63.37	0.81	12.6	V
	5131.77	-49.76	-13	-36.76	-68.39	-61.51	0.95	12.7	V
	6842.36	-46.83	-13	-33.83	-67.82	-57.40	1.13	11.7	V
	3456.18	-51.29	-13	-38.29	-64.12	-58.48	0.81	8.00	Н
	5184.27	-50.00	-13	-37.00	-68.53	-59.05	0.95	10.00	Н
Mi al all a	6912.36	-46.70	-13	-33.70	-68.04	-58.97	1.13	13.40	Н
Middle	3456.18	-53.15	-13	-40.15	-66.49	-64.94	0.81	12.6	V
	5184.27	-49.40	-13	-36.40	-68.03	-61.15	0.95	12.7	V
	6912.36	-47.88	-13	-34.88	-68.87	-58.45	1.13	11.7	V
	3491.18	-53.53	-13	-40.53	-66.36	-60.72	0.81	8.00	Н
	5236.77	-49.71	-13	-36.71	-68.24	-58.76	0.95	10.00	Н
LUadaasi	6982.36	-47.81	-13	-34.81	-69.15	-60.08	1.13	13.40	Н
Highest	3491.18	-52.51	-13	-39.51	-65.85	-64.30	0.81	12.6	V
	5236.77	-49.75	-13	-36.75	-68.38	-61.50	0.95	12.7	V
	6982.36	-47.78	-13	-34.78	-68.77	-58.35	1.13	11.7	V

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B17 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

			LTE Band 4	4 / 15MHz / G	PSK / RB Si	ize 1 Offset 0			
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	3421.68	-53.27	-13	-40.27	-66.10	-60.46	0.81	8.00	Н
	5132.52	-50.04	-13	-37.04	-68.57	-59.09	0.95	10.00	Н
Lowest	6843.36	-47.25	-13	-34.25	-68.59	-59.52	1.13	13.40	Н
Lowest	3421.68	-51.64	-13	-38.64	-64.98	-63.43	0.81	12.6	V
	5132.52	-48.65	-13	-35.65	-67.28	-60.40	0.95	12.7	V
	6843.36	-46.94	-13	-33.94	-67.93	-57.51	1.13	11.7	V
	3451.68	-53.42	-13	-40.42	-66.25	-60.61	0.81	8.00	Н
	5177.52	-49.87	-13	-36.87	-68.40	-58.92	0.95	10.00	Н
Middle	6903.36	-47.02	-13	-34.02	-68.36	-59.29	1.13	13.40	Н
Middle	3451.68	-51.58	-13	-38.58	-64.92	-63.37	0.81	12.6	V
	5177.52	-49.66	-13	-36.66	-68.29	-61.41	0.95	12.7	V
	6903.36	-47.34	-13	-34.34	-68.33	-57.91	1.13	11.7	V
	3481.68	-53.37	-13	-40.37	-66.20	-60.56	0.81	8.00	Н
	5222.52	-49.86	-13	-36.86	-68.39	-58.91	0.95	10.00	Н
Limboot	6963.36	-47.82	-13	-34.82	-69.16	-60.09	1.13	13.40	Н
Highest	3481.68	-53.43	-13	-40.43	-66.77	-65.22	0.81	12.6	V
	5222.52	-50.31	-13	-37.31	-68.94	-62.06	0.95	12.7	V
	6963.36	-48.00	-13	-35.00	-68.99	-58.57	1.13	11.7	V

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B18 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

	LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0												
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)				
	3422.18	-51.25	-13	-38.25	-64.08	-58.44	0.81	8.00	Н				
	5133.27	-51.02	-13	-38.02	-69.55	-60.07	0.95	10.00	Н				
Lowest	6844.36	-46.91	-13	-33.91	-68.25	-59.18	1.13	13.40	Н				
Lowest	3422.18	-50.90	-13	-37.90	-64.24	-62.69	0.81	12.6	V				
	5133.27	-50.43	-13	-37.43	-69.06	-62.18	0.95	12.7	V				
	6844.36	-48.13	-13	-35.13	-69.12	-58.70	1.13	11.7	V				
	3447.18	-53.76	-13	-40.76	-66.59	-60.95	0.81	8.00	Н				
	5170.77	-49.64	-13	-36.64	-68.17	-58.69	0.95	10.00	Н				
Middle	6894.36	-47.37	-13	-34.37	-68.71	-59.64	1.13	13.40	Н				
Middle	3447.18	-51.04	-13	-38.04	-64.38	-62.83	0.81	12.6	V				
	5170.77	-49.96	-13	-36.96	-68.59	-61.71	0.95	12.7	V				
	6894.36	-48.15	-13	-35.15	-69.14	-58.72	1.13	11.7	V				
	3472.18	-53.18	-13	-40.18	-66.01	-60.37	0.81	8.00	Н				
	5208.27	-49.82	-13	-36.82	-68.35	-58.87	0.95	10.00	Н				
l limbost	6944.36	-47.35	-13	-34.35	-68.69	-59.62	1.13	13.40	Н				
Highest	3472.18	-52.65	-13	-39.65	-65.99	-64.44	0.81	12.6	V				
	5208.27	-49.59	-13	-36.59	-68.22	-61.34	0.95	12.7	V				
	6944.36	-47.98	-13	-34.98	-68.97	-58.55	1.13	11.7	V				

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B19 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

	LTE Band 7 / 5MHz / QPSK / RB Size 1 Offset 0											
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)			
	5000.68	-41.63	-25.00	-16.63	-73.61	-53.38	0.95	12.70	Н			
	7501.02	-38.34	-25.00	-13.34	-75.23	-48.58	1.46	11.70	Н			
Lowest	10001.36	-38.89	-25.00	-13.89	-77.36	-49.68	1.31	12.10	Н			
Lowest	5000.68	-42.94	-25.00	-17.94	-74.17	-54.69	0.95	12.70	V			
	7501.02	-38.46	-25.00	-13.46	-75.34	-48.70	1.46	11.70	V			
	10001.36	-39.50	-25.00	-14.50	-76.40	-50.29	1.31	12.10	V			
	5065.68	-40.98	-25.00	-15.98	-72.97	-52.73	0.95	12.70	Н			
	7598.52	-38.08	-25.00	-13.08	-74.97	-48.32	1.46	11.70	Н			
Middle	10131.36	-38.32	-25.00	-13.32	-76.79	-49.11	1.31	12.10	Н			
Middle	5065.68	-39.98	-25.00	-14.98	-73.13	-51.73	0.95	12.70	V			
	7598.52	-38.39	-25.00	-13.39	-75.27	-48.63	1.46	11.70	V			
	10131.36	-40.34	-25.00	-15.34	-77.24	-51.13	1.31	12.10	V			
	5181.68	-40.67	-25.00	-15.67	-72.76	-52.42	0.95	12.70	Н			
	7772.52	-38.90	-25.00	-13.90	-75.79	-49.14	1.46	11.70	Н			
Llighoot	10363.36	-38.83	-25.00	-13.83	-77.30	-49.62	1.31	12.10	Н			
Highest	5181.68	-41.75	-25.00	-16.75	-72.98	-53.50	0.95	12.70	V			
	7772.52	-38.72	-25.00	-13.72	-75.60	-48.96	1.46	11.70	V			
	10363.36	-40.75	-25.00	-15.75	-77.65	-51.54	1.31	12.10	V			

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B20 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

			LTE Band 7	7 / 10MHz / C	PSK / RB Si	ize 1 Offset 0			
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	5001.18	-42.22	-25.00	-17.22	-74.20	-53.97	0.95	12.70	Н
	7501.77	-38.50	-25.00	-13.50	-75.39	-48.74	1.46	11.70	Н
Lowest	10002.36	-38.81	-25.00	-13.81	-77.28	-49.60	1.31	12.10	Н
Lowest	5001.18	-42.20	-25.00	-17.20	-73.63	-53.95	0.95	12.70	V
	7501.77	-38.04	-25.00	-13.04	-74.92	-48.28	1.46	11.70	V
	10002.36	-40.70	-25.00	-15.70	-77.60	-51.49	1.31	12.10	V
	5061.18	-40.00	-25.00	-15.00	-72.30	-51.75	0.95	12.70	Н
	7591.77	-38.29	-25.00	-13.29	-75.18	-48.53	1.46	11.70	Н
Middle	10122.36	-38.35	-25.00	-13.35	-76.82	-49.14	1.31	12.10	Н
ivildale	5061.18	-39.56	-25.00	-14.56	-72.79	-51.31	0.95	12.70	V
	7591.77	-38.11	-25.00	-13.11	-74.99	-48.35	1.46	11.70	V
	10122.36	-40.13	-25.00	-15.13	-77.03	-50.92	1.31	12.10	V
	5121.18	-40.17	-25.00	-15.17	-72.42	-51.92	0.95	12.70	Н
	7681.77	-38.88	-25.00	-13.88	-75.77	-49.12	1.46	11.70	Н
Lliab oct	10242.36	-39.06	-25.00	-14.06	-77.53	-49.85	1.31	12.10	Н
Highest	5121.18	-39.45	-25.00	-14.45	-72.70	-51.20	0.95	12.70	V
	7681.77	-38.70	-25.00	-13.70	-75.58	-48.94	1.46	11.70	V
	10242.36	-40.38	-25.00	-15.38	-77.28	-51.17	1.31	12.10	V

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B21 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

			LTE Band 7	7 / 15MHz / G	PSK / RB Si	ize 1 Offset 0			
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	5001.68	-41.44	-25.00	-16.44	-73.42	-53.19	0.95	12.70	Н
	7502.52	-38.07	-25.00	-13.07	-74.96	-48.31	1.46	11.70	Н
Lowest	10003.36	-38.77	-25.00	-13.77	-77.24	-49.56	1.31	12.10	Н
Lowest	5001.68	-39.47	-25.00	-14.47	-72.72	-51.22	0.95	12.70	V
	7502.52	-38.16	-25.00	-13.16	-75.04	-48.40	1.46	11.70	V
	10003.36	-40.10	-25.00	-15.10	-77.00	-50.89	1.31	12.10	V
	5056.68	-41.05	-25.00	-16.05	-73.03	-52.80	0.95	12.70	Н
	7585.02	-38.44	-25.00	-13.44	-75.33	-48.68	1.46	11.70	Н
Middle	10131.36	-37.76	-25.00	-12.76	-76.23	-48.55	1.31	12.10	Н
Middle	5056.68	-40.59	-25.00	-15.59	-73.27	-52.34	0.95	12.70	V
	7585.02	-38.80	-25.00	-13.80	-75.68	-49.04	1.46	11.70	V
	10131.36	-40.79	-25.00	-15.79	-77.69	-51.58	1.31	12.10	V
	5111.68	-40.89	-25.00	-15.89	-72.91	-52.64	0.95	12.70	Н
	7667.52	-38.68	-25.00	-13.68	-75.57	-48.92	1.46	11.70	Н
Liaboot	10223.36	-38.31	-25.00	-13.31	-76.78	-49.10	1.31	12.10	Н
Highest	5111.68	-39.21	-25.00	-14.21	-72.51	-50.96	0.95	12.70	V
	7667.52	-38.24	-25.00	-13.24	-75.12	-48.48	1.46	11.70	V
	10223.36	-39.89	-25.00	-14.89	-76.79	-50.68	1.31	12.10	V

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B22 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

			LTE Band 7	7 / 20MHz / G	PSK / RB Si	ize 1 Offset 0)		
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	5002.18	-48.76	-25.00	-23.76	-80.74	-60.51	0.95	12.70	Н
	7503.27	-44.67	-25.00	-19.67	-81.56	-54.91	1.46	11.70	Н
Lowoot	10004.36	-42.94	-25.00	-17.94	-81.41	-53.73	1.31	12.10	Н
Lowest	5002.18	-49.59	-25.00	-24.59	-80.82	-61.34	0.95	12.70	V
	7503.27	-44.42	-25.00	-19.42	-81.30	-54.66	1.46	11.70	V
	10004.36	-44.82	-25.00	-19.82	-81.72	-55.61	1.31	12.10	V
	5052.18	-40.07	-25.00	-15.07	-72.35	-51.82	0.95	12.70	Н
	7578.27	-37.87	-25.00	-12.87	-74.76	-48.11	1.46	11.70	Н
Middle	10104.36	-38.24	-25.00	-13.24	-76.71	-49.03	1.31	12.10	Н
ivildale	5052.18	-39.72	-25.00	-14.72	-72.92	-51.47	0.95	12.70	V
	7578.27	-38.49	-25.00	-13.49	-75.37	-48.73	1.46	11.70	V
	10104.36	-39.55	-25.00	-14.55	-76.45	-50.34	1.31	12.10	V
	5102.18	-40.91	-25.00	-15.91	-72.92	-52.66	0.95	12.70	Н
	7653.27	-38.61	-25.00	-13.61	-75.50	-48.85	1.46	11.70	Н
Lligh oct	10204.36	-38.33	-25.00	-13.33	-76.80	-49.12	1.31	12.10	Н
Highest	5102.18	-39.31	-25.00	-14.31	-72.59	-51.06	0.95	12.70	V
	7653.27	-38.78	-25.00	-13.78	-75.66	-49.02	1.46	11.70	V
	10204.36	-39.52	-25.00	-14.52	-76.42	-50.31	1.31	12.10	V

SPORTON INTERNATIONAL (SHENZHEN) INC.

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B23 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

			LTE Band	17 / 5MHz / G	PSK / RB Si	ize 1 Offset 0			
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
	1408.68	-47.52	-13	-34.52	-63.13	-54.20	0.57	9.40	Н
	2113.02	-50.41	-13	-37.41	-71.12	-58.11	0.75	10.60	Н
Lowest	2817.36	-47.82	-13	-34.82	-72.28	-57.40	0.87	12.60	Н
Lowest	1408.68	-48.45	-13	-35.45	-64.65	-55.13	0.57	9.40	V
	2113.02	-48.66	-13	-35.66	-71.38	-56.36	0.75	10.60	V
	2817.36	-42.70	-13	-29.70	-71.68	-52.28	0.87	12.60	V
	1415.68	-52.71	-13	-39.71	-67.07	-59.39	0.57	9.40	Н
	2123.58	-45.12	-13	-32.12	-67.13	-52.82	0.75	10.60	Н
Middle	2831.36	-45.31	-13	-32.31	-71.04	-54.89	0.87	12.60	Н
Middle	1415.68	-51.61	-13	-38.61	-66.97	-58.29	0.57	9.40	V
	2123.58	-46.49	-13	-33.49	-69.98	-54.19	0.75	10.60	V
	2831.36	-42.31	-13	-29.31	-71.37	-51.89	0.87	12.60	V
	1422.68	-49.21	-13	-36.21	-64.27	-55.89	0.57	9.40	Н
	2134.02	-49.57	-13	-36.57	-70.49	-57.27	0.75	10.60	Н
I limb and	2845.36	-47.00	-13	-34.00	-71.86	-56.58	0.87	12.60	Н
Highest	1422.68	-49.14	-13	-36.14	-65.26	-55.82	0.57	9.40	V
	2134.02	-47.18	-13	-34.18	-70.57	-54.88	0.75	10.60	V
	2845.36	-42.72	-13	-29.72	-71.70	-52.30	0.87	12.60	V

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B24 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1409.18	-46.03	-13	-33.03	-62.12	-52.71	0.57	9.40	Н
	2113.77	-50.39	-13	-37.39	-71.11	-58.09	0.75	10.60	Н
	2818.36	-46.20	-13	-33.20	-71.34	-55.78	0.87	12.60	Н
	1409.18	-47.09	-13	-34.09	-63.49	-53.77	0.57	9.40	V
	2113.77	-45.70	-13	-32.70	-69.44	-53.40	0.75	10.60	V
	2818.36	-42.12	-13	-29.12	-71.22	-51.70	0.87	12.60	V
Middle	1411.18	-54.61	-13	-41.61	-68.82	-61.29	0.57	9.40	Н
	2116.77	-50.54	-13	-37.54	-71.18	-58.24	0.75	10.60	Н
	2822.36	-45.45	-13	-32.45	-71.09	-55.03	0.87	12.60	Н
	1411.18	-41.92	-13	-28.92	-59.00	-48.60	0.57	9.40	V
	2116.77	-46.89	-13	-33.89	-70.34	-54.59	0.75	10.60	V
	2822.36	-42.82	-13	-29.82	-71.78	-52.40	0.87	12.60	V
Highest	1413.18	-49.82	-13	-36.82	-64.77	-56.50	0.57	9.40	Н
	2119.77	-48.48	-13	-35.48	-69.65	-56.18	0.75	10.60	Н
	2826.36	-47.09	-13	-34.09	-71.91	-56.67	0.87	12.60	Н
	1413.18	-53.34	-13	-40.34	-68.24	-60.02	0.57	9.40	V
	2119.77	-49.40	-13	-36.40	-71.62	-57.10	0.75	10.60	V
	2826.36	-43.03	-13	-30.03	-71.95	-52.61	0.87	12.60	V

TEL: 86-755-8637-9589 FAX: 86-755-8637-9595 FCC ID: 2AFRUHY1-5085G Page Number : B25 of B25
Report Issued Date : Nov. 19, 2015
Report Version : Rev. 01