# Appendix A

# RF Test Data for 2.4G WIFI (Conducted Measurement)

Product Name: Tablet PC
Trade Mark: N/A
Test Model: PVT-8-A50-R1


### **Environmental Conditions**

	Temperature:	24.1 ° C					
Relative Humidity: ATM Pressure:		53.8%					
		100.0 kPa					
	Test Engineer:	Diamond.Lu					
	Supervised by:	Wang.Chuang					


# A.1 Duty Cycle

Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
11B	2437	Ant1	100	PASS
11G	2437	Ant1	100	PASS
11N20SISO	2437	Ant1	100	PASS
11N40SISO	2437	Ant1	100	PASS


# Duty Cycle\_11B\_2437\_Ant1




### Duty Cycle\_11G\_2437\_Ant1



### Duty Cycle\_11N20SISO\_2437\_Ant1



### Duty Cycle\_11N40SISO\_2437\_Ant1





# **A.2 Maximum Conducted Output Power**

Mode	Channel	Meas.Level [dBm]	Limit [dBm]	Verdict
	LCH	9.24	30	PASS
11B	MCH	8.89	30	PASS
	HCH	9.38	30	PASS
	LCH	9.27	30	PASS
11G	MCH	9.39	30	PASS
	HCH	8.91	30	PASS
	LCH	9.34	30	PASS
11N20SISO	MCH	9.25	30	PASS
	HCH	9.11	30	PASS
	LCH	8.91	30	PASS
11N40SISO	MCH	8.73	30	PASS
	HCH	8.49	30	PASS

# **A.3 Maximum Power Spectral Density**


Mode	Channel	Meas.Level [dBm/30KHz]	Limit [dBm/3KHz]	Verdict
	LCH	-5.244	8	PASS
11B	MCH	-9.240	8	PASS
	HCH	-5.705	8	PASS
	LCH	-12.447	8	PASS
11G	MCH	-13.019	8	PASS
	HCH	-13.560	8	PASS
	LCH	-13.601	8	PASS
11N20SISO	MCH	-13.013	8	PASS
	HCH	-12.341	8	PASS
	LCH	-15.002	8	PASS
11N40SISO	MCH	-15.488	8	PASS
	HCH	-14.954	8	PASS





### A.4 6dB Bandwidth

Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
	LCH	8.609	≥0.5	PASS
11B	MCH	9.360	≥0.5	PASS
	HCH	8.608	≥0.5	PASS
	LCH	15.73	≥0.5	PASS
11G	MCH	16.12	≥0.5	PASS
	НСН	15.76	≥0.5	PASS
	LCH	16.35	≥0.5	PASS
11N20SISO	MCH	17.41	≥0.5	PASS
	HCH	16.36	≥0.5	PASS
	LCH	35.17	≥0.5	PASS
11N40SISO	MCH	35.84	≥0.5	PASS
	HCH	35.06	≥0.5	PASS



35.06 MHz

x dB


-6.00 dB


STATUS


x dB Bandwidth


# **A.5 RF Conducted Spurious Emissions**


Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdic t
	LCH	0.117	-33.962	-19.883	PASS
11B	MCH	-4.109	-43.944	-24.109	PASS
	HCH	-2.91	-43.628	-22.910	PASS
	LCH	-7.736	-43.244	-27.736	PASS
11G	MCH	-8.391	-44.215	-28.391	PASS
	нсн	-8.12	-43.777	-28.120	PASS
	LCH	-8.673	-43.789	-28.673	PASS
11N20	MCH	-8.081	-43.927	-28.081	PASS
SISO	НСН	-7.615	-43.017	-27.615	PASS
	LCH	-9.511	-43.256	-29.511	PASS
11N40	MCH	-10.452	-30.833	-30.452	PASS
SISO	НСН	-9.668	-43.311	-29.668	PASS




























# A.6 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
	LCH	0.028	-50.067	-19.97	PASS
11B	НСН	-0.152	-49.345	-20.15	PASS
	LCH	-7.929	-50.131	-27.93	PASS
11G	НСН	-8.099	-49.291	-28.1	PASS
	LCH	-8.434	-49.651	-28.43	PASS
11N20SISO	НСН	-7.614	-49.344	-27.61	PASS
	LCH	-10.282	-50.179	-30.28	PASS
11N40SISO	НСН	-9.556	-49.771	-29.56	PASS







# A.7 Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBu V/m]	Verdict
	2412	Ant1	2310.0	-42.19	2.0	0	53.07	PEAK	74	PASS
	2412	Ant1	2310.0	-53.66	2.0	0	41.60	AV	54	PASS
	2412	Ant1	2390.0	-42.89	2.0	0	52.37	PEAK	74	PASS
	2412	Ant1	2390.0	-53.29	2.0	0	41.96	AV	54	PASS
11B	2462	Ant1	2483.5	-41.78	2.0	0	53.48	PEAK	74	PASS
	2462	Ant1	2483.5	-53.06	2.0	0	42.19	AV	54	PASS
	2462	Ant1	2500.0	-42.58	2.0	0	52.68	PEAK	74	PASS
	2462	Ant1	2500.0	-53.05	2.0	0	42.21	AV	54	PASS
	2412	Ant1	2310.0	-42.85	2.0	0	52.40	PEAK	74	PASS
	2412	Ant1	2310.0	-53.67	2.0	0	41.58	AV	54	PASS
	2412	Ant1	2390.0	-42.39	2.0	0	52.87	PEAK	74	PASS
440	2412	Ant1	2390.0	-53.29	2.0	0	41.97	AV	54	PASS
11G	2462	Ant1	2483.5	-43.68	2.0	0	51.58	PEAK	74	PASS
	2462	Ant1	2483.5	-53.04	2.0	0	42.21	AV	54	PASS
	2462	Ant1	2500.0	-41.89	2.0	0	53.37	PEAK	74	PASS
	2462	Ant1	2500.0	-53.02	2.0	0	42.24	AV	54	PASS
	2412	Ant1	2310.0	-42.75	2.0	0	52.51	PEAK	74	PASS
	2412	Ant1	2310.0	-53.66	2.0	0	41.60	AV	54	PASS
	2412	Ant1	2390.0	-43.43	2.0	0	51.82	PEAK	74	PASS
11N20	2412	Ant1	2390.0	-53.29	2.0	0	41.97	AV	54	PASS
SISO	2462	Ant1	2483.5	-41.98	2.0	0	53.28	PEAK	74	PASS
	2462	Ant1	2483.5	-52.87	2.0	0	42.39	AV	54	PASS
	2462	Ant1	2500.0	-41.31	2.0	0	53.95	PEAK	74	PASS
	2462	Ant1	2500.0	-52.98	2.0	0	42.28	AV	54	PASS
	2422	Ant1	2310.0	-43.85	2.0	0	51.41	PEAK	74	PASS
11N40 SISO	2422	Ant1	2310.0	-53.66	2.0	0	41.59	AV	54	PASS
3130	2422	Ant1	2390.0	-43.08	2.0	0	52.18	PEAK	74	PASS


5	<u>HENZHEN L</u>	<u>.CS COMP</u>	<u>LIANCE</u>	TESTING LA	ABORATORY L.	<i>ID. I</i>	CC ID: 2AFW7-1	PVTA50 F	<u> Report No.: I</u>	<u> .CS1900</u>	<u>521021AEA</u>
		2422	Ant1	2390.0	-53.08	2.0	0	42.18	AV	54	PASS
		2452	Ant1	2483.5	-41.38	2.0	0	53.87	PEAK	74	PASS
		2452	Ant1	2483.5	-52.75	2.0	0	42.51	AV	54	PASS
		2452	Ant1	2500.0	-42.45	2.0	0	52.81	PEAK	74	PASS
		2452	Ant1	2500.0	-52.99	2.0	0	42.27	AV	54	PASS




### Restrict-band band-edge measurements\_11B\_2412\_Ant1\_AV




Page 39 of 46




### Restrict-band band-edge measurements\_11B\_2462\_Ant1\_AV




### Restrict-band band-edge measurements\_11G\_2412\_Ant1\_PEAK




### Restrict-band band-edge measurements\_11G\_2412\_Ant1\_AV





### Restrict-band band-edge measurements\_11G\_2462\_Ant1\_PEAK




### Restrict-band band-edge measurements\_11G\_2462\_Ant1\_AV









### Restrict-band band-edge measurements\_11N20SISO\_2412\_Ant1\_AV




### Restrict-band band-edge measurements\_11N20SISO\_2462\_Ant1\_PEAK





### Restrict-band band-edge measurements\_11N20SISO\_2462\_Ant1\_AV





### Restrict-band band-edge measurements\_11N40SISO\_2422\_Ant1\_AV





### Restrict-band band-edge measurements\_11N40SISO\_2452\_Ant1\_AV

