

Annex 4: Test Setup Photographs to
TEST REPORT
 No.: 6-0776-15-1-2a-C1

According to:
FCC Regulations
 Part 15.225

for
 Océ-Technologies B.V

PBA,RFID_READER
 Océ 01085

FCC-ID: 2AGNMOCE1085







Laboratory Accreditation and Listings			
 DAkkS Deutsche Akkreditierungsstelle D-PL-12047-01-01	 FEDERAL COMMUNICATIONS COMMISSION FC • USA • MRA US-EU 0003	 Industry Canada Reg. No.: 3462D-1 Reg. No.: 3462D-2 Reg. No.: 3462D-3	 Voluntary Controls for Electromagnetic Emissions Reg. No.: R-2666 C-2914, T-1967, G-301
 WiFi ALLIANCE AUTHORIZED RF LABORATORY	 CTIA Authorized Test Lab LAB CODE 20011130-00		
accredited according to DIN EN ISO/IEC 17025			
CETECOM GmbH Laboratory Radio Communications & Electromagnetic Compatibility Im Teelbruch 116 • 45219 Essen • Germany Registered in Essen, Germany, Reg. No.: HRB Essen 8984 Tel.: + 49 (0) 20 54 / 95 19-954 • Fax: + 49 (0) 20 54 / 95 19-964 E-mail: info@cetecom.com • Internet: www.cetecom.com			

Table of contents

1. TEST SET-UP PHOTOGRAPHS3


1.1. Radiated field strength emissions below 30 MHz in Semi Anechoic Chamber.....3

1.2. Radiated field strength emissions 30 MHz – 1 GHz in Semi Anechoic Chamber.....5


1.3. Frequency Tolerance of the Carrier Signal6

1. Test set-up photographs


1.1. Radiated field strength emissions below 30 MHz in Semi Anechoic Chamber



Test setup 1 EUTA + AE1 long shot view Antenna 0°




Test setup 1 EUTA + AE1 long shot view Antenna 90°




Test setup 1 EUTA + AE1 , close-up view

1.2. Radiated field strength emissions 30 MHz – 1 GHz in Semi Anechoic Chamber



Test setup 1 EUTA + AE1 , long shot view



Test setup 1 EUTA + AE1 , close-up view


1.3. Frequency Tolerance of the Carrier Signal



Test setup 2 EUTA Complete setup with Temperature Chamber



Test setup 2 EUTA inside view Temperature Chamber



Test setup 2 EUTA with Coupling Antenna inside Temperature Chamber