Stereo Bluetooth Headphone

BT-80

User Manual

SELCII ICATIONS

Bluetooth version: Bluetooth V4.2 Support: HFPV1.2, A2DPV1.3, AVRCPV1.4, HSP1.6, GAVDP1.2, IOP

SNR: 96dB SNR stereo ADC and stereo DAC
Sensitivity: -80dBm<0.1%BER
Transmission distance: 10m

Frequency: 2.4 -2.480GHZ

Transmission power: CLASS2 , 4dbm

Audio SNR: ≥75dB

Audio performance: SBC decoding

Battery capacity: 3.7V/300mAH Li-polymer battery
Charging voltage: DC5V 250mA

Charging time: about 2 hour Working currency: ≤40mA

Standby currency: <500uA

Working temperature: -40°C to +85°C

Play time: about 8 hours

Working time: about 7 hours Standby time: about 40 hours

OPERATION GUIDE

Power On: Long press | I | for 3 seconds, sound prompt.

Power Off: Long press | I | for 3 seconds, sound prompt.

Answer/Hang up Calls: Single press | I |

Re-dial Last Phone Call: Double press | I |

Play/ Pause Music: Single press | I |

Volume +/-: Long press | I |

Previous/Next Song: Single previous/Next Song: Sing

PARING

- Initial Pairing: Bluetooth headset will enter pairing mode automatically, sound prompt. Turn on Bluetooth function on devic and select BT80, no PIN code needed. Sound prompt when pairing successfully.
- 2. Re-Pairing: Long press II for about 3 seconds in power off mode, headset enter pairing mode when red and blue LED indicate lights flash quickly.
- 3. Bluetooth headset will pairing connected device automatically when power on.

- 1. Charging: Red light keeps on in charging mode, light off when fu charged.
- 2. Power on: Blue light keeps on.
- 3. Pairing mode: Green and blue lights flashing alternately.
- 4. Standby mode: Blue light keeps on.
- 5. Paired mode: Blue light keeps on.6. Play mode: Blue light flash every 1 second.

ATTENTION

- 1. Please charge the Bluetooth headset when sound prompt.
- The port at the button of headset is for audio input only, please DO NOT connect other headphones.

FCC Statement

This equipment has been tested and found to comply with the lim for a Class B digital device, pursuant to Part 15 of the FCC Ruli These limits are designed to provide reasonable protection again harmful interference in a residential installation. This equipme generates uses and can radiate radio frequency energy and, if n installed and used in accordance with the instructions, may cau

guarantee that interference will not occur in a particular installant.

If this equipment does cause harmful interference to radio

If this equipment does cause harmful interference to radio television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

-- Reorient or relocate the receiving antenna.

undesired operation.

-- Increase the separation between the equipment and receiver.
-- Connect the equipment into an outlet on a circuit different fro

that to which the receiver is connected.
-- Consult the dealer or an experienced radio/TV technician for he

This device complies with part 15 of the FCC Rules. Operation subject to the following two conditions:(1) This device may not cau harmful interference, and (2) this device must accept a interference received, including interference that may cau

Changes or modifications not expressly approved by the par responsible for compliance could void the user's authority to opera