


## Appendix B. Radiated Emission Co-location Report

## 1. Results of Radiated Emissions for Co-located


Temperature	22°C	Humidity	54%
Test Engineer	Eason Chen	Configurations	WiFi + Bluetooth
Test Mode	Mode 1		

### Horizontal



	Freq	Level	Limit	Over	Read	Cable	Antenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg		
1	5016.00	48.69	74.00	-25.31	42.37	7.67	33.12	34.47	150	33	Peak	HORIZONTAL
2	5030.00	36.11	54.00	-17.89	29.74	7.70	33.14	34.47	150	33	Average	HORIZONTAL

## Vertical



	Freq	Level	Limit	Over	Read	Cable	Antenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg		
1	5012.02	48.96	74.00	-25.04	42.64	7.67	33.12	34.47	260	133	Peak	VERTICAL
2	5019.50	36.27	54.00	-17.73	29.95	7.67	33.12	34.47	260	133	Average	VERTICAL