

ERATO LOGO

- 1. ADJUST FLEXIBLE EARHOOK
 TO FIT SECURELY AROUND THE
 EAR
 - 2. 5 SEC PUSH ON THE LEFT EARPHONE (POWER BUTTON)






4. TAP "Rio 3"

PHONE CONNECTED

5. 2 SEC PUSH ON THE RIGHT EARPHONE



說明書(英文)

ERATO LOGO

5.按壓右耳機開/關機鍵2秒

1.調整可彎曲耳掛,扣緊耳朵,貼合耳型







- 聆聽語音提示

O POWER ON

PAIRING



4. 選取 "Rio 3"


PHONE CONNECTED

說明書(中文)

ERATO LOGO

1.调整可弯曲耳挂,扣紧耳朵,贴合耳型

2. 按压左耳机开/关机键 5 秒






4. 选取 "Rio 3"


PHONE CONNECTED

5.按压右耳机开/关机键 2 秒



說明書(簡中)


Instructions







按鍵使用說明



按一下 按二下 ●


長按二秒

長按五秒

One click Double click Long press 2 secs Long press 5 secs

(中文)

按键使用说明



点击一下 点击两下


长按二秒

长按五秒

One click Double click Long press 2 secs Long press 5 secs

(簡中)


Charging light indicators and notices



Open the USB charging cover and insert the Micro USB cable to charge. LED light turns red when charging, and turns white after earphone are fully charged.




充電指示燈號說明




打開USB蓋,插入Micro USB線進行充電, 充電時LED亮紅色,充飽後LED亮白色。

充电指示灯说明



将微型 USB 充电连接线插入耳机USB充电 端口。 充电时,指示灯将亮起红灯, 当本机充满电时,指示灯呈白色长亮。

Headset Connection



First, turn the earphones off.

Then turn on the left earphone, by pushing

"+ "button on the Left earphone and


"Power "button on the Right earphone for 5

sec, you will hear "true wireless stereo

paring ", followed by "headset connected

"then release the button.

Factory Reset




In order to reset, turn on the left earphone first, then press "+ "and "- "button symonteniously for 5 sec. The LED will flash red and white twice. The earphone is now reset.

原廠設定模式??


(英文)

左右耳機連線




左右耳機需為關機狀態。 將左耳先開機,然後同時按住左耳「+鍵」和右耳「電源鍵」五秒鐘,聽到 true wireless stereo paring 後放開,再聽到 headset connected後,左右耳機完成配對。

恢復出廠設定




左耳開機後,同時按著「+ 鍵」和「-鍵」五秒鐘,看 到LED燈號出現紅白閃兩下 後,即恢復出廠預定值。

左右耳联机



左右耳機皆为关机状态。 左耳先开机,同时按住左耳「+键」和右耳「电源键」保持5秒左 右,听到 true wireless stereo paring 后放开,再听到 headset connected后 左右耳機完成配对。

恢复出厂设定



左耳开机后,同时按住「+键」和「-鍵」保持5秒左右,发现LED指示灯呈紅白同時閃兩下即恢复出厂设定。

LED light indicators

Action	LED light indicators
Power on	White LED flash for 1 second
Power off	Red LED flash for 1 second
Pairing	Red and white LED flash alternately
Play music	White Breathing Light
support SBC audio codec	One blinking red (Left earphone)
support AAC audio codec	Red LED blinks two times
support aptX audio codec	Red LED blinks three times
Phone call	White LED blinks five times (cycle repeats)
Low battery	All LED are showed in red
Charging	Red LED (Solid)
Fully charged	White LED (Solid)
Factory Reset	Red and white LED flash twice



LED燈號說明

動作說明	LED燈號
開機	白燈閃一秒
屬機	紅燈閃一秒
西己對	紅白燈交替閃爍
音樂播放	白色呼吸燈
以SBC解碼播放	左耳機紅燈閃一下
以AAC解碼播放	左耳機紅燈閃二下
以aptX解碼播放	左耳機紅燈閃三下
來電	白燈循環連閃五下
電力不足	所有燈號以紅燈顯示
充電中	紅燈恆亮
充電完成	白燈恆亮
恢復出廠設定值	紅白燈一起亮,閃兩次

LED 显示灯号解读

动作说明	LED灯号
开机	白灯闪一秒
	红灯闪一秒
西己又寸	红白灯交替闪烁
音乐播放	白色呼吸灯
以SBC译码播放	左耳机红灯闪一下
以AAC译码播放	左耳机红灯闪二下
以aptX译码播放	左耳机红灯闪三下
来电	白灯循环连闪五下
电量不足	所有灯号以红灯显示
充电中	红灯恒亮
充电完成	白灯恒亮
恢复出厂设定	红白灯一起亮,闪两次

Technical Specifications

Bluetooth specification	BT Version 4.2
Bluetooth Profile	A2DP 1.3, AVRCP 1.6 ,HFP 1.6 ,HSP 1.2
Supported Audio Codecs	aptX / AAC / SBC
Wireless range (from paired device)	10M (30feet)
Battery capacity	130 mAh / each
Driver size	Ø 14.2mm Comply Diaphragm Driver
Sensitivity	100 db@1kHz
Frequency	20Hz ~ 20KHz
Impendence	32 Ohm
Microphone MEMS Omni Direction Type Input Sensitivity	-38dB (+,- 3dB)
Water Resistant	Nano Coating IPX5
Dimensions	51mm (L) x 34mm (D) x 46mm(H)
Weight	14g x 2

Operation

• Headset: 6hrs music play time / 8hrs talk time

• Time to fully charge: 2hrs

**(You must completely charge the earphones before the first use)

(英文)

技術規格

藍芽版本	4.2
藍芽模式	A2DP 1.3, AVRCP 1.6 ,HFP 1.6 ,HSP 1.2
音頻解碼格式	aptX / AAC / SBC
無線距離	10公尺(30英呎)
電池容量	130 mAh/ each
單體尺寸	Ø 14.2mm Comply 惰性喇叭
靈敏度	100 db@1kHz
頻率範圍	20Hz ~ 20KHz
阻抗	32 Ohm
麥克風靈敏度	-38dB (+,- 3dB)
防水技術	奈米鍍膜 IPX5
尺寸	51mm (L) x 34mm (D) x 46mm(H)
重量	14g x 2

操作指引

•耳機:6小時音樂播放或8小時通話時間

• 充電時間: 2小時

**(首次使用耳機時,建議先將耳機充飽電)

(中文)

技术规格

蓝芽版本	4.2
蓝芽模式	A2DP 1.3, AVRCP 1.6 ,HFP 1.6 ,HSP 1.2
音频解碼格式	aptX / AAC / SBC
无线距离	10公尺(30英呎)
电池容量	130 mAh/ each
单体尺寸	Ø 14.2mm Comply 惰性喇叭
灵敏度	100 db@1kHz
频率范围	20Hz ~ 20KHz
阻抗	32 Ohm
麦克风灵敏度	-38dB (+,- 3dB)
防水技术	奈米镀膜 IPX5
尺寸	51mm (L) x 34mm (D) x 46mm(H)
重量	14g x 2

操作指引

•耳机:6小时音乐播放或8小时通话时间

• 充电时间: 2小时

**(首次使用耳机时,建议先将耳机充饱电)

