



**CAUTION**  
RISK OF ELECTRIC SHOCK  
DO NOT OPEN



**ATTENTION:** RISQUE DE CHOC ELECTRIQUE, NE PAS OUVRIR  
**WARNING:** TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK DO NOT EXPOSE THIS EQUIPMENT TO RAIN OR MOISTURE  
**AVVERTISSEMENT:** NE PAS EXPOSER CE MATERIEL A LA PLUIE OU L'HUMIDITE AFIN DE REDUIRE LE RISQUE D'INFLAMMATION OU DE CHOC ELECTRIQUE

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES, OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRE

FCC ID: 2AHDK-M18DIGI  
IC: 21113-M18DIGI



**CAUTION**  
RISK OF ELECTRIC SHOCK  
DO NOT OPEN



**ATTENTION:** RISQUE DE CHOC ELECTRIQUE, NE PAS OUVRIR  
**WARNING:** TO REDUCE THE RISK OF FIRE OR ELECTRIC SHOCK DO NOT EXPOSE THIS EQUIPMENT TO RAIN OR MOISTURE  
**AVVERTISSEMENT:** NE PAS EXPOSER CE MATERIEL A LA PLUIE OU L'HUMIDITE AFIN DE REDUIRE LE RISQUE D'INFLAMMATION OU DE CHOC ELECTRIQUE

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES, OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND (2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRE

FCC ID: 2AHDK-M18DIGI  
IC: 21113-M18DIGI



SOLO PER RIFERIMENTO/REFERENCE ONLY

DIMENSIONI TARGHETTA / LABEL DIMENSIONS 93X53 mm.  
RAGGI SUGLI ANGOLI TARGHETTA / RADIUS ON THE LABEL EDEGS 0.5 mm

NOTE:  
- Materiale: Lexan sp 175 µm - adesivo è RI2530.  
-Colore fondo NERO scritte PANTONE COOL GRAY5.

NOTES  
- Material: Lexan thickness 175 µm - adhesive RI2530.  
-Background  
color BLACK words and symbols are PANTONE COOL GRAY5.

Aggiunti ID FCC e IC - ID FCC and IC added.		DATA MOD. MOD. DATE	5-5-16	QUOTE SENZA INDICAZIONE DI TOLLERANZA. DIMENSIONS WITHOUT TOLLERANCE INDICATIONS.		
		REDATTO DA MADE BY	Marco Mammi	GRADO DI PRECISIONE/ACCURACY		
				m (Medio)		
				UNI EN 22768-I		
				EN 22768-I		
OGGETTO MODIFICA/MODIFY DESCRIPTION				SCALA SCALE	1:1	
	Descrizione/Description TARGHETTA STAFFA POSTERIORE SX HDL50-A LABEL REAR BRACKET LEFT HDL50-A					
	Materiale/Material Vedi note / Refer to notes			CODICE/PART NUMBER 33972042		
	FOGLIO/SHEET	FOGLI/SHEETS				
1	1	Tratt.SUPERFICIALE SURFACE treatment Vedi note / Refer to notes			Revisione Revision	B
		Tratt.TERMICO HEAT treat. Vedi note / Refer to notes				

Il presente documento e' proprieta' di RCF S.p.A. e non puo' essere copiato o trasmesso a terze parti senza autorizzazione scritta.  
This document is property of RCF S.p.A. and cannot be copied or distributed to third parties without written authorization.

DESIGNED IN ITALY  
MADE IN CHINA  
COUNTRY CODE: USA/CANADA  
FIRMWARE VERSION: USA/CAN





DIMENSIONI TARGHETTA / LABEL DIMENSIONS 38X18 mm.  
RAGGI SUGLI ANGOLI TARGHETTA / RADIUS ON THE LABEL EDEGS 0.5 mm

NOTE:  
- Materiale: Lexan sp 175 µm - adesivo è RI2530.  
-Colore fondo NERO scritte PANTONE COOL GRAY5.

NOTES  
- Material: Lexan thickness 175 µm - adhesive RI2530.  
-Background  
color BLACK words and symbols are PANTONE COOL GRAY5.

Emissione documento - Production release		DATA MOD. MOD. DATE	12-9-17	QUOTE SENZA INDICAZIONE DI TOLLERANZA. DIMENSIONS WITHOUT TOLLERANCE INDICATIONS.	
		REDATTO DA MADE BY	Marco Mammi	GRADO DI PRECISIONE/ACCURACY	
				m (Medio)	
				UNI EN 22768-1	
				EN 22768-1	
OGGETTO MODIFICA/MODIFY DESCRIPTION				SCALA SCALE	1:1
		Descrizione/Description TARGHETTA LABEL			
		Materiale/Material Vedi note / Refer to notes		CODICE/PART NUMBER 33972474	
FOGLIO/SHEET	FOGLI/SHEETS				
1	1	Tratt. SUPERFICIALE SURFACE treatment Vedi note / Refer to notes		Revisione Revision	A
		Tratt. TERMICO HEAT treat. Vedi note / Refer to notes			