

Report No.: AGC00742180301FE05 Page 59 of 87

12. BAND EDGE EMISSION

12.1. MEASUREMENT PROCEDURE

Radiated restricted band edge measurements

The radiated restricted band edge measurements are measured with an EMI test receiver connected to the receive antenna while the EUT is transmitting

12.2. TEST SET-UP

same as 11.2

Note:

- 1. Factor=Antenna Factor + Cable loss Amplifier gain. Field Strength=Factor + Reading level
- 2. The factor had been edited in the "Input Correction" of the Spectrum Analyzer. So the Amplitude of test plots is equal to Reading level plus the Factor in dB. Use the A dB(μ V) to represent the Amplitude. Use the F dB(μ V/m) to represent the Field Strength. So A=F.

The results spound this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by XCC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.ago.go.tt.com.

Attestation of Global Compliance



12.3. Test Result

EUT	Smart WiFi Plug Mini	Model Name	MSS110
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11b with data rate 1 2412MHZ	Antenna	Horizontal


PK



AV



RESULT: PASS






EUT	Smart WiFi Plug Mini	Model Name	MSS110
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11b with data rate 1 2412MHZ	Antenna	Vertical



ΑV



RESULT: PASS





EUT	Smart WiFi Plug Mini	Model Name	MSS110
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11b with data rate 1 2462MHZ	Antenna	Horizontal



AV



RESULT: PASS



EUT	Smart WiFi Plug Mini	Model Name	MSS110
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11b with data rate 1 2462MHZ	Antenna	Vertical



AV



RESULT: PASS



EUT	Smart WiFi Plug Mini	Model Name	MSS110
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11g with data rate 6 2412MHZ	Antenna	Horizontal



ΑV



RESULT: PASS



EUT	Smart WiFi Plug Mini	Model Name	MSS110
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11g with data rate 6 2412MHZ	Antenna	Vertical



ΑV



RESULT: PASS




77 100			Marie and Marie
EUT	Smart WiFi Plug Mini	Model Name	MSS110
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11g with data rate 6 2462MHZ	Antenna	Horizontal



ΑV



RESULT: PASS





EUT	Smart WiFi Plug Mini	Model Name	MSS110
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11g with data rate 6 2462MHZ	Antenna	Vertical



AV



RESULT: PASS



EUT	Smart WiFi Plug Mini	Model Name	MSS110
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11n 20 with data rate 6.5 2412MHZ	Antenna	Horizontal



ΑV



RESULT: PASS




EUT	Smart WiFi Plug Mini	Model Name	MSS110
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11n 20 with data rate 6.5 2412MHZ	Antenna	Vertical



ΑV



RESULT: PASS






EUT	Smart WiFi Plug Mini	Model Name	MSS110
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11n 20 with data rate 6.5 2462MHZ	Antenna	Horizontal



ΑV



RESULT: PASS






EUT	Smart WiFi Plug Mini	Model Name	MSS110
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11n 20 with data rate 6.5 2462MHZ	Antenna	Vertical



AV



RESULT: PASS






EUT	Smart WiFi Plug Mini	Model Name	MSS110
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11n 40 with data rate 13.5 2422MHZ	Antenna	Horizontal



AV



RESULT: PASS






EUT	Smart WiFi Plug Mini	Model Name	MSS110
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11n 40 with data rate 13.5 2422MHZ	Antenna	Vertical



ΑV



RESULT: PASS





EUT	Smart WiFi Plug Mini	Model Name	MSS110
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11n 40with data rate 13.5 2452MHZ	Antenna	Horizontal



AV



RESULT: PASS



EUT	Smart WiFi Plug Mini	Model Name	MSS110
Temperature	25°C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	802.11n 40 with data rate 13.5 2452MHZ	Antenna	Vertical



AV



RESULT: PASS



Report No.: AGC00742180301FE05

Page 76 of 87

13. FCC LINE CONDUCTED EMISSION TEST


13.1. LIMITS OF LINE CONDUCTED EMISSION TEST

F	Maximum RF Line Voltage					
Frequency	Q.P.(dBuV)	Average(dBuV)				
150kHz~500kHz	66-56	56-46				
500kHz~5MHz	8 gg 200 0 56	46				
5MHz~30MHz	60	50				

Note:

- 1. The lower limit shall apply at the transition frequency.
- 2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz

13.2. BLOCK DIAGRAM OF LINE CONDUCTED EMISSION TEST



The results spound this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a transfer



Report No.: AGC00742180301FE05 Page 77 of 87

13.3. PRELIMINARY PROCEDURE OF LINE CONDUCTED EMISSION TEST

- 1. The equipment was set up as per the test configuration to simulate typical actual usage per the user's manual. When the EUT is a tabletop system, a wooden table with a height of 0.8 meters is used and is placed on the ground plane as per ANSI C63.10 (see Test Facility for the dimensions of the ground plane used). When the EUT is a floor-standing equipment, it is placed on the ground plane which has a 3-12 mm non-conductive covering to insulate the EUT from the ground plane.
- 2. Support equipment, if needed, was placed as per ANSI C63.10.
- 3. All I/O cables were positioned to simulate typical actual usage as per ANSI C63.10.
- 4. All support equipments received AC120V/60Hz power from a LISN, if any.
- 5. The EUT received charging voltage by adapter which received 120V/60Hzpower by a LISN...
- 6. The test program was started. Emissions were measured on each current carrying line of the EUT using a spectrum Analyzer / Receiver connected to the LISN powering the EUT. The LISN has two monitoring points: Line 1 (Hot Side) and Line 2 (Neutral Side). Two scans were taken: one with Line 1 connected to Analyzer / Receiver and Line 2 connected to a 50 ohm load; the second scan had Line 1 connected to a 50 ohm load and Line 2 connected to the Analyzer / Receiver.
- 7. Analyzer / Receiver scanned from 150 kHz to 30MHz for emissions in each of the test modes.
- 8. During the above scans, the emissions were maximized by cable manipulation.
- 9. The test mode(s) were scanned during the preliminary test.

Then, the EUT configuration and cable configuration of the above highest emission level were recorded for reference of final testing.


13.4. FINAL PROCEDURE OF LINE CONDUCTED EMISSION TEST

- EUT and support equipment was set up on the test bench as per step 2 of the preliminary test.
- 2. A scan was taken on both power lines, Line 1 and Line 2, recording at least the six highest emissions. Emission frequency and amplitude were recorded into a computer in which correction factors were used to calculate the emission level and compare reading to the applicable limit. If EUT emission level was less –2dB to the A.V. limit in Peak mode, then the emission signal was re-checked using Q.P and Average detector.
- 3. The test data of the worst case condition(s) was reported on the Summary Data page.



13.5. TEST RESULT OF LINE CONDUCTED EMISSION TEST

LINE CONDUCTED EMISSION TEST LINE 1-L



x x x MES TEST fin

MEASUREMENT RESULT:

2018/3/26 17:44

010/3/20 17.							
Frequency MHz	Level dBuV	Transd dB	Limit dBuV	Margin dB	Detector	Line	PE
0.150000	55.70	11.4	66	10.3	QP	L1	FLO
0.242000	51.10	11.3	62	10.9	QP	L1	FLO
0.354000	46.90	11.3	59	12.0	QP	L1	FLO
0.374000	46.00	11.3	58	12.4	QP	L1	FLO
0.450000	43.90	11.4	57	13.0	QP	L1	FLO
0.502000	44.20	11.4	56	11.8	QP	L1	FLO

MEASUREMENT RESULT:

2018/3/26 17:44

2018/3/	26 1/:	44						
Freq	uency MHz	Level dBuV		Limit dBuV	Margin dB	Detector	Line	PE
0.1	50000	36.30	11.4	56		AV	L1	FLO
0.1	86000	34.80	11.4	54	19.4	AV	L1	FLO
0.2	26000	32.00	11.3	53	20.6	AV	L1	FLO
0.2	78000	32.30	11.3	51	18.6	AV	L1	FLO
0.3	90000	31.10	11.4	48	17.0	AV	L1	FLO
0.5	22000	29.80	11.4	46	16.2	AV	L1	FLO


RESULT: PASS

The results specified this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc-gett.com.

Attestation of Global Compliance



Line Conducted Emission Test Line 2-N



MEASUREMENT RESULT:

201	0	10	100	4 7	4.4
201	$_{\rm H}$	-	126	17:	4 1

10/0/20 1/.							
Frequency MHz				Margin dB	Detector	Line	PE
0.406000	46.70	11.4	58	11.0	QP	N	FLO
0.430000	46.50	11.4	57	10.8	QP	N	FLO
0.446000	46.70	11.4	57		QP	N	FLO
0.466000	46.30	11.4	57	10.3	QP	N	FLO
0.502000	45.80	11.4	56	10.2	QP	N	FLO
0.510000	42.20	11.4	56	13.8	QP	N	FLO
	Frequency MHz 0.406000 0.430000 0.446000 0.466000 0.502000	MHz dBuV 0.406000 46.70 0.430000 46.50 0.446000 46.70 0.466000 46.30 0.502000 45.80	Frequency MHz Level Transd dBuV dB 0.406000 46.70 11.4 0.430000 46.50 11.4 0.446000 46.70 11.4 0.466000 46.30 11.4 0.502000 45.80 11.4	Frequency MHz dBuV dB dBuV 0.406000 46.70 11.4 58 0.430000 46.50 11.4 57 0.446000 46.70 11.4 57 0.466000 46.30 11.4 57 0.502000 45.80 11.4 56	Frequency MHz dBuV dB dBuV dB dBuV dB 0.406000 46.70 11.4 58 11.0 0.430000 46.50 11.4 57 10.8 0.446000 46.70 11.4 57 10.2 0.466000 46.30 11.4 57 10.3 0.502000 45.80 11.4 56 10.2	Frequency MHz Level Transd dBuV dB Detector dBuV dBuV dBuV dBuV dB Detector dBuV dBuV dB Detector dBuV dB Detector dBuV dBuV dB Detector dB Det	Frequency MHz Level Transd dBuV dB Detector Line dBuV dB UV dB Detector Line dBuV dB DBuV dB DB DETECTOR LINE dBuV dB DBuV dB DB DETECTOR LINE dBuV dB

MEASUREMENT RESULT:

2018/3/26 17:41

			Margin dB	Detector	Line	PE
36.90	11.4	54	17.3	AV	N	FLO
36.30	11.4			AV	N	FLO
34.20	11.3	51	16.6	AV	N	FLO
33.50	11.4	48	14.5	AV	N	FLO
35.20	11.4	47	11.4	AV	N	FLO
35.30	11.4	46	10.7	AV	N	FLO
	dBuV 36.90 36.30 34.20 33.50 35.20	dBuV dB 36.90 11.4 36.30 11.4 34.20 11.3 33.50 11.4 35.20 11.4	dBuV dB dBuV 36.90 11.4 54 36.30 11.4 53 34.20 11.3 51 33.50 11.4 48 35.20 11.4 47	dBuV dB dBuV dB 36.90 11.4 54 17.3 36.30 11.4 53 16.4 34.20 11.3 51 16.6 33.50 11.4 48 14.5 35.20 11.4 47 11.4	dBuV dB dBuV dB 36.90 11.4 54 17.3 AV 36.30 11.4 53 16.4 AV 34.20 11.3 51 16.6 AV 33.50 11.4 48 14.5 AV 35.20 11.4 47 11.4 AV	36.90 11.4 54 17.3 AV N 36.30 11.4 53 16.4 AV N 34.20 11.3 51 16.6 AV N 33.50 11.4 48 14.5 AV N 35.20 11.4 47 11.4 AV N

RESULT: PASS

The results spoured this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by XOC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.ago.go.tt.com.

Attestation of Global Compliance




APPENDIX A: PHOTOGRAPHS OF TEST SETUP

FCC LINE CONDUCTED EMISSION TEST SETUP




FCC RADIATED EMISSION TEST SETUP BELOW 1GHZ




The results shown this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attr://www.agc.gett.com.

Attestation of Global Compliance





FCC RADIATED EMISSION TEST SETUP ABOVE 1GHZ



The results showed this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.cett.com.

Attestation of Global Compliance



APPENDIX B: PHOTOGRAPHS OF EUT

TOP VIEW OF EUT



BOTTOM VIEW OF EUT




The results shown this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by KGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gett.com.


Attestation of Global Compliance



FRONT VIEW OF EUT



BACK VIEW OF EUT



The results showing this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gent.com.


Attestation of Global Compliance



LEFT VIEW OF EUT



RIGHT VIEW OF EUT




The results shown this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by 40°C, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gent.com.


Attestation of Global Compliance



OPEN VIEW OF EUT



INTERNAL VIEW OF EUT-1




The results showing this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at attp://www.agc.gent.com.


Attestation of Global Compliance



INTERNAL VIEW OF EUT-2



INTERNAL VIEW OF EUT-3




The results spoured this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by XGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a transfer

Attestation of Global Compliance



INTERNAL VIEW OF EUT-4



----END OF REPORT----

The results showing this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by AGC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at a true; //www.agc.goalt.com.

Attestation of Global Compliance